





Band 12 704MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamplifier dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-83.87	17.95	7.87	0.00	-58.05	-13.00	-45.05	Peak
2	370.74	-88.29	24.64	9.03	0.00	-54.62	-13.00	-41.62	Peak
3	1585.25	-47.62	36.04	4.45	37.09	-44.22	-13.00	-31.22	Peak
4	2637.54	-48.43	39.13	5.86	37.20	-40.64	-13.00	-27.64	Peak
5	3700.26	-54.66	42.29	7.01	37.16	-42.52	-13.00	-29.52	Peak
6	4748.67	-61.30	43.60	8.31	34.18	-43.57	-13.00	-30.57	Peak

Band 12 704MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamplifier dB	Level dBm	Limit dBm	Over limit	Remark
1	85.85	-80.57	24.05	7.39	0.00	-49.13	-13.00	-36.13	Peak
2	370.74	-84.64	24.56	9.03	0.00	-51.05	-13.00	-38.05	Peak
3	1581.22	-47.14	37.76	4.44	37.06	-42.00	-13.00	-29.00	Peak
4	2637.54	-51.58	39.45	5.86	37.20	-43.47	-13.00	-30.47	Peak
5	3700.26	-54.61	42.32	7.01	37.16	-42.44	-13.00	-29.44	Peak
6	4748.67	-62.32	43.60	8.31	34.18	-44.59	-13.00	-31.59	Peak

Band 12 711MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	88.93	-82.00	17.66	7.41	0.00	-56.93	-13.00	-43.93	Peak
2	370.74	-85.38	24.64	9.03	0.00	-51.71	-13.00	-38.71	Peak
3	1581.22	-46.03	36.07	4.44	37.06	-42.58	-13.00	-29.58	Peak
4	2637.54	-49.27	39.13	5.86	37.20	-41.48	-13.00	-28.48	Peak
5	3700.26	-55.59	42.29	7.01	37.16	-43.45	-13.00	-30.45	Peak
6	4748.67	-60.62	43.60	8.31	34.18	-42.89	-13.00	-29.89	Peak

Band 12 711MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	88.93	-82.09	25.42	7.41	0.00	-49.26	-13.00	-36.26	Peak
2	148.59	-79.22	20.58	7.87	0.00	-50.77	-13.00	-37.77	Peak
3	1581.22	-48.30	37.76	4.44	37.06	-43.16	-13.00	-30.16	Peak
4	2637.54	-50.10	39.45	5.86	37.20	-41.99	-13.00	-28.99	Peak
5	3700.26	-57.52	42.32	7.01	37.16	-45.35	-13.00	-32.35	Peak
6	4748.67	-62.72	43.60	8.31	34.18	-44.99	-13.00	-31.99	Peak

Band 13 782MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	82.89	-74.96	15.99	7.36	0.00	-51.61	-13.00	-38.61	Peak
2	741.19	-78.44	29.48	10.37	0.00	-38.59	-13.00	-25.59	Peak
3	1260.67	-49.54	36.87	3.97	36.58	-45.28	-13.00	-32.28	Peak
4	1581.22	-46.56	36.07	4.44	37.06	-43.11	-13.00	-30.11	Peak
5	2637.54	-48.46	39.13	5.86	37.20	-40.67	-13.00	-27.67	Peak
6	4748.67	-61.22	43.60	8.31	34.18	-43.49	-13.00	-30.49	Peak

Band 13 782MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	86.76	-81.64	24.46	7.39	0.00	-49.79	-13.00	-36.79	Peak
2	741.19	-82.03	29.60	10.37	0.00	-42.06	-13.00	-29.06	Peak
3	1581.22	-48.30	37.76	4.44	37.06	-43.16	-13.00	-30.16	Peak
4	2637.54	-51.90	39.45	5.86	37.20	-43.79	-13.00	-30.79	Peak
5	3690.85	-55.04	42.34	7.00	37.15	-42.85	-13.00	-29.85	Peak
6	4748.67	-61.06	43.60	8.31	34.18	-43.33	-13.00	-30.33	Peak

Band 25 1860MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	54.54	-55.34	24.00	7.09	30.83	-55.08	-13.00	-42.08	Peak
2	741.19	-51.27	29.48	10.37	29.63	-41.05	-13.00	-28.05	Peak
3	1263.65	-61.03	36.87	11.86	28.86	-41.16	-13.00	-28.16	Peak
4	1835.90	-55.86	37.17	13.17	25.48	-31.00	-13.00	-18.00	Peak
5	3695.11	-56.77	42.29	7.01	37.15	-44.62	-13.00	-31.62	Peak
6	4748.87	-60.40	43.60	8.31	34.17	-42.66	-13.00	-29.66	Peak

Band 25 1860MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	86.76	-52.91	24.46	7.39	30.78	-51.84	-13.00	-38.84	Peak
2	741.19	-54.45	29.60	10.37	29.63	-44.11	-13.00	-31.11	Peak
3	1586.32	-62.72	37.76	12.62	28.27	-40.61	-13.00	-27.61	Peak
4	1833.88	-55.03	36.80	13.17	25.49	-30.55	-13.00	-17.55	Peak
5	3695.11	-53.95	42.33	7.01	37.15	-41.76	-13.00	-28.76	Peak
6	9334.58	-67.61	49.80	11.82	31.62	-37.61	-13.00	-24.61	Peak

Band 25 1882.5MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	87.68	-51.65	17.33	7.40	30.77	-57.69	-13.00	-44.69	Peak
2	666.98	-56.54	28.04	10.13	29.77	-48.14	-13.00	-35.14	Peak
3	1263.65	-61.77	36.87	11.86	28.86	-41.90	-13.00	-28.90	Peak
4	1584.58	-60.92	36.05	12.62	28.27	-40.52	-13.00	-27.52	Peak
5	4748.87	-60.14	43.60	8.31	34.17	-42.40	-13.00	-29.40	Peak
6	5279.20	-62.34	44.00	9.33	34.28	-43.29	-13.00	-30.29	Peak

Band 25 1882.5MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-47.43	20.58	7.87	30.54	-49.52	-13.00	-36.52	Peak
2	666.98	-48.59	28.37	10.13	29.77	-39.86	-13.00	-26.86	Peak
3	1263.65	-60.94	37.15	11.86	28.86	-40.79	-13.00	-27.79	Peak
4	1586.32	-56.21	37.76	12.62	28.27	-34.10	-13.00	-21.10	Peak
5	3765.44	-55.38	42.12	7.09	36.98	-43.15	-13.00	-30.15	Peak
6	4748.87	-62.26	43.60	8.31	34.17	-44.52	-13.00	-31.52	Peak

Band 25 1950MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	526.97	-50.92	25.19	9.65	29.86	-45.94	-13.00	-32.94	Peak
2	666.98	-49.85	28.04	10.13	29.77	-41.45	-13.00	-28.45	Peak
3	1263.65	-57.05	36.87	11.86	28.86	-37.18	-13.00	-24.18	Peak
4	1586.32	-52.06	36.04	12.62	28.27	-31.67	-13.00	-18.67	Peak
5	3695.11	-56.09	42.29	7.01	37.15	-43.94	-13.00	-30.94	Peak
6	4748.87	-61.08	43.60	8.31	34.17	-43.34	-13.00	-30.34	Peak

Band 25 1950MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-48.41	20.58	7.87	30.54	-50.50	-13.00	-37.50	Peak
2	741.19	-54.99	29.60	10.37	29.63	-44.65	-13.00	-31.65	Peak
3	1263.65	-57.69	37.15	11.86	28.86	-37.54	-13.00	-24.54	Peak
4	1586.32	-57.26	37.76	12.62	28.27	-35.15	-13.00	-22.15	Peak
5	4222.53	-52.10	42.59	7.69	35.91	-37.73	-13.00	-24.73	Peak
6	9526.04	-67.54	49.70	12.00	32.12	-37.96	-13.00	-24.96	Peak

Band 26 831.5MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	297.07	-46.00	22.80	8.70	30.32	-44.82	-13.00	-31.82	Peak
2	741.19	-50.37	29.48	10.37	29.63	-40.15	-13.00	-27.15	Peak
3	1263.65	-58.20	36.87	11.86	28.86	-38.33	-13.00	-25.33	Peak
4	1586.32	-53.28	36.04	12.62	28.27	-32.89	-13.00	-19.89	Peak
5	3695.11	-51.14	42.29	7.01	37.15	-38.99	-13.00	-25.99	Peak
6	4748.87	-58.91	43.60	8.31	34.17	-41.17	-13.00	-28.17	Peak

Band 26 831.5MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-48.33	20.58	7.87	30.54	-50.42	-13.00	-37.42	Peak
2	526.97	-44.18	25.67	9.65	29.86	-38.72	-13.00	-25.72	Peak
3	1634.08	-54.70	36.08	12.73	28.07	-33.96	-13.00	-20.96	Peak
4	2450.93	-49.27	39.28	15.04	26.88	-21.83	-13.00	-8.83	Peak
5	3695.11	-56.04	42.33	7.01	37.15	-43.85	-13.00	-30.85	Peak
6	4748.87	-60.10	43.60	8.31	34.17	-42.36	-13.00	-29.36	Peak

Band 26 836.5MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-51.57	17.95	7.87	30.54	-56.29	-13.00	-43.29	Peak
2	741.19	-52.07	29.48	10.37	29.63	-41.85	-13.00	-28.85	Peak
3	1263.65	-56.53	36.87	11.86	28.86	-36.66	-13.00	-23.66	Peak
4	1586.32	-53.53	36.04	12.62	28.27	-33.14	-13.00	-20.14	Peak
5	3168.58	-51.11	41.32	6.41	37.04	-40.42	-13.00	-27.42	Peak
6	4748.87	-59.05	43.60	8.31	34.17	-41.31	-13.00	-28.31	Peak

Band 26 836.5MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-48.13	20.58	7.87	30.54	-50.22	-13.00	-37.22	Peak
2	666.98	-53.99	28.37	10.13	29.77	-45.26	-13.00	-32.26	Peak
3	1584.58	-56.20	37.76	12.62	28.27	-34.09	-13.00	-21.09	Peak
4	2641.04	-67.47	39.47	15.83	25.09	-37.26	-13.00	-24.26	Peak
5	4748.87	-58.32	43.60	8.31	34.17	-40.58	-13.00	-27.58	Peak
6	5809.48	-66.85	44.16	9.59	33.25	-46.35	-13.00	-33.35	Peak

Band 26: 841.5MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-50.46	17.95	7.87	30.54	-55.18	-13.00	-42.18	Peak
2	666.98	-52.46	28.04	10.13	29.77	-44.06	-13.00	-31.06	Peak
3	1263.65	-57.35	36.87	11.86	28.86	-37.48	-13.00	-24.48	Peak
4	1584.58	-53.04	36.05	12.62	28.27	-32.64	-13.00	-19.64	Peak
5	3695.11	-59.94	42.29	7.01	37.15	-47.79	-13.00	-34.79	Peak
6	4748.87	-63.77	43.60	8.31	34.17	-46.03	-13.00	-33.03	Peak

Band 26: 841.5MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	89.87	-52.71	25.83	7.42	30.75	-50.21	-13.00	-37.21	Peak
2	526.97	-43.57	25.67	9.65	29.86	-38.11	-13.00	-25.11	Peak
3	1263.65	-62.88	37.15	11.86	28.86	-42.73	-13.00	-29.73	Peak
4	1586.32	-62.91	37.76	12.62	28.27	-40.80	-13.00	-27.80	Peak
5	3163.99	-51.44	41.40	6.40	37.06	-40.70	-13.00	-27.70	Peak
6	4748.87	-59.00	43.60	8.31	34.17	-41.26	-13.00	-28.26	Peak

Band 38 2595MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-48.10	17.95	7.87	30.54	-52.82	-25.00	-27.82	Peak
2	666.98	-49.21	28.04	10.13	29.77	-40.81	-25.00	-15.81	Peak
3	3168.08	-50.31	41.32	6.41	37.04	-39.62	-25.00	-14.62	Peak
4	3700.26	-54.68	42.29	7.01	37.16	-42.54	-25.00	-17.54	Peak
5	4748.67	-54.86	43.60	8.31	34.18	-37.13	-25.00	-12.13	Peak
6	6494.56	-69.29	46.29	9.73	34.10	-47.37	-25.00	-22.37	Peak

Band 38 2595MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	95.74	-45.87	25.81	7.48	30.71	-43.29	-25.00	-18.29	Peak
2	741.19	-47.43	29.60	10.37	29.63	-37.09	-25.00	-12.09	Peak
3	3168.08	-57.52	41.41	6.41	37.04	-46.74	-25.00	-21.74	Peak
4	3700.26	-55.18	42.32	7.01	37.16	-43.01	-25.00	-18.01	Peak
5	4748.67	-62.60	43.60	8.31	34.18	-44.87	-25.00	-19.87	Peak
6	6494.56	-70.90	46.80	9.73	34.10	-48.47	-25.00	-23.47	Peak

Band 38 2580MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	42.79	-54.44	26.49	6.96	30.90	-51.89	-25.00	-26.89	Peak
2	741.19	-51.47	29.48	10.37	29.63	-41.25	-25.00	-16.25	Peak
3	3168.08	-56.84	41.32	6.41	37.04	-46.15	-25.00	-21.15	Peak
4	3700.26	-56.82	42.29	7.01	37.16	-44.68	-25.00	-19.68	Peak
5	4760.78	-65.04	43.61	8.34	34.16	-47.25	-25.00	-22.25	Peak
6	5806.41	-68.41	44.02	9.59	33.23	-48.03	-25.00	-23.03	Peak

Band 38 2580MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-48.66	20.58	7.87	30.54	-50.75	-25.00	-25.75	Peak
2	741.19	-54.52	29.60	10.37	29.63	-44.18	-25.00	-19.18	Peak
3	3168.08	-60.60	41.41	6.41	37.04	-49.82	-25.00	-24.82	Peak
4	3700.26	-49.87	42.32	7.01	37.16	-37.70	-25.00	-12.70	Peak
5	4748.67	-64.94	43.60	8.31	34.18	-47.21	-25.00	-22.21	Peak
6	7840.75	-72.71	48.36	10.73	33.16	-46.78	-25.00	-21.78	Peak

Band 38 2610MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	297.07	-55.42	22.80	8.70	30.32	-54.24	-25.00	-29.24	Peak
2	741.19	-54.74	29.48	10.37	29.63	-44.52	-25.00	-19.52	Peak
3	3700.26	-49.20	42.29	7.01	37.16	-37.06	-25.00	-12.06	Peak
4	4748.67	-56.51	43.60	8.31	34.18	-38.78	-25.00	-13.78	Peak
5	5284.50	-59.88	44.01	9.36	34.25	-40.76	-25.00	-15.76	Peak
6	6511.12	-67.64	46.32	9.74	34.15	-45.73	-25.00	-20.73	Peak

Band 38 2610MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	297.07	-39.22	23.20	8.70	30.32	-37.64	-25.00	-12.64	Peak
2	526.97	-40.10	25.67	9.65	29.86	-34.64	-25.00	-9.64	Peak
3	3168.08	-52.97	41.41	6.41	37.04	-42.19	-25.00	-17.19	Peak
4	3700.26	-55.06	42.32	7.01	37.16	-42.89	-25.00	-17.89	Peak
5	4223.95	-59.10	42.59	7.69	35.91	-44.73	-25.00	-19.73	Peak
6	4748.67	-60.60	43.60	8.31	34.18	-42.87	-25.00	-17.87	Peak

Band 41 2593MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	297.07	-46.13	22.80	8.70	30.32	-44.95	-25.00	-19.95	Peak
2	741.19	-50.23	29.48	10.37	29.63	-40.01	-25.00	-15.01	Peak
3	3168.08	-53.01	41.32	6.41	37.04	-42.32	-25.00	-17.32	Peak
4	3700.26	-50.44	42.29	7.01	37.16	-38.30	-25.00	-13.30	Peak
5	4748.67	-56.18	43.60	8.31	34.18	-38.45	-25.00	-13.45	Peak
6	5284.50	-60.66	44.01	9.36	34.25	-41.54	-25.00	-16.54	Peak

Band 41 2593MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-46.01	20.58	7.87	30.54	-48.10	-25.00	-23.10	Peak
2	666.98	-50.54	28.37	10.13	29.77	-41.81	-25.00	-16.81	Peak
3	3168.08	-57.47	41.41	6.41	37.04	-46.69	-25.00	-21.69	Peak
4	3700.26	-45.66	42.32	7.01	37.16	-33.49	-25.00	-8.49	Peak
5	3834.51	-57.18	41.93	7.18	36.79	-44.86	-25.00	-19.86	Peak
6	4748.67	-64.00	43.60	8.31	34.18	-46.27	-25.00	-21.27	Peak

Band 41 2680MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	593.90	-45.54	27.59	9.91	29.88	-37.92	-25.00	-12.92	Peak
2	741.19	-43.28	29.48	10.37	29.63	-33.06	-25.00	-8.06	Peak
3	3168.08	-52.28	41.32	6.41	37.04	-41.59	-25.00	-16.59	Peak
4	3700.26	-50.47	42.29	7.01	37.16	-38.33	-25.00	-13.33	Peak
5	4748.67	-61.18	43.60	8.31	34.18	-43.45	-25.00	-18.45	Peak
6	5284.50	-63.21	44.01	9.36	34.25	-44.09	-25.00	-19.09	Peak

Band 41 2680MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	86.76	-48.64	24.46	7.39	30.78	-47.57	-25.00	-22.57	Peak
2	666.98	-50.01	28.37	10.13	29.77	-41.28	-25.00	-16.28	Peak
3	3700.26	-50.29	42.32	7.01	37.16	-38.12	-25.00	-13.12	Peak
4	4223.95	-54.27	42.59	7.69	35.91	-39.90	-25.00	-14.90	Peak
5	4748.67	-61.36	43.60	8.31	34.18	-43.63	-25.00	-18.63	Peak
6	10723.47	-59.85	52.53	12.50	33.28	-28.10	-25.00	-3.10	Peak

Band 41 2506MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	148.59	-51.14	17.95	7.87	30.54	-55.86	-25.00	-30.86	Peak
2	741.19	-53.86	29.48	10.37	29.63	-43.64	-25.00	-18.64	Peak
3	3690.85	-59.20	42.30	7.00	37.15	-47.05	-25.00	-22.05	Peak
4	4748.67	-61.29	43.60	8.31	34.18	-43.56	-25.00	-18.56	Peak
5	5718.40	-69.51	43.89	9.55	33.43	-49.50	-25.00	-24.50	Peak
6	10036.73	-70.90	50.50	12.38	31.41	-39.43	-25.00	-14.43	Peak


Band 41 2506MHz

Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	95.74	-40.58	25.81	7.48	30.71	-38.00	-25.00	-13.00	Peak
2	741.19	-48.39	29.60	10.37	29.63	-38.05	-25.00	-13.05	Peak
3	3168.08	-53.86	41.41	6.41	37.04	-43.08	-25.00	-18.08	Peak
4	3700.26	-49.91	42.32	7.01	37.16	-37.74	-25.00	-12.74	Peak
5	4748.67	-59.64	43.60	8.31	34.18	-41.91	-25.00	-16.91	Peak
6	10036.73	-67.90	50.64	12.38	31.41	-36.29	-25.00	-11.29	Peak

6. TEST SETUP PHOTOS OF THE EUT



7. EXTERNAL AND INTERNAL PHOTOS OF THE EUT

Refere to the test report No.: CHTEW21110069

-----End of Report-----