

Product Warranty

English

The compensation standards for product repair, replace, and refund are guaranteed as follows in accordance with our A/S terms and conditions. You can check our A/S terms and conditions and service-related details on our website.

Model	WM3 Mouse		
Date of purchase	Year	Month	Day
Dealer			
Name			
Mobile			

Service Standard Notes
For the determination of the warranty period, be sure to keep the purchase receipt or purchase statement based on the purchase date. If the product purchase date cannot be confirmed, the service period will be set based on the product production date.

Free service standard
In the case of a problem due to defective product quality during the warranty period after product supply, A/S is supported.

1. Within 15 days of purchasing the product: We will pay the full cost of the round-trip courier.
2. Within 1 year of product purchase: 50%: 50% paid by the customer and our company.
3. More than 1 year after purchasing the product: the full cost of the round trip delivery fee will be charged to customers.

Paid service standard


1. In case of consumer negligence (random disassembly, careless handling, modification, fall, etc.) or accident (fire, flood, natural disaster, etc.).
2. When the free warranty period has expired.

* If you disassemble or modify the product arbitrarily, you may be damaged by electric shock, and you cannot receive the benefits of free service.
* Do not use liquid to clean the product.
* Do not use the product in dangerous places.

Product Structure

English

WM3 MOUSE



Features

English

- Product Features**

 - Sensor :PAW3335
 - Switch : HUANO
 - Dimension :120.5x74.5x41.6mm
 - Lifespan of switch : 20 million times
 - Polling rate : 1000HZ
 - DPI :800~16,000 (7 step)
 - Acceleration : 40G
- Operating current : < 120mA
Operating voltage : DC 5V
LED : RGB patterns
Interface : USB+2.4G +bluetooth
Cable length : 1.8M
Cable material : Black fabric cable
- System Compatibility**

Windows XP/7/8/10
- DPI setting**

Click the DPI button to change the DPI and lighting color in 7 steps, and you can adjust the DPI more precisely from 800 to 16,000 DPI through dedicated software.

Federal Communication Commission Interference Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

FOR PORTABLE DEVICE USAGE

Radiation Exposure Statement:

The product comply with the FCC portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.