


























Appendix H: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant1	2412	12.42	12.54	99.04
		2437	12.42	12.54	99.04
		2462	12.42	12.54	99.04
11G	Ant1	2412	2.06	2.19	94.06
		2437	2.06	2.19	94.06
		2462	2.07	2.20	94.09
11N20SISO	Ant1	2412	1.92	2.05	93.66
		2437	1.92	2.05	93.66
		2462	1.92	2.05	93.66

Test Graphs










Appendix I: Conducted emission AC power port

Mode:	WIFI TX	Voltage:	120V~
-------	---------	----------	-------


Test Graph



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.4589	10.26	33.97	56.71	22.74	24.86	46.71	21.85	N	PASS
2	1.1335	10.28	29.48	56.00	26.52	19.56	46.00	26.44	N	PASS
3	1.6020	10.30	27.72	56.00	28.28	18.07	46.00	27.93	N	PASS
4	2.0987	10.30	26.79	56.00	29.21	17.59	46.00	28.41	N	PASS
5	3.0881	10.32	26.66	56.00	29.34	17.75	46.00	28.25	N	PASS
6	4.0569	10.35	27.06	56.00	28.94	18.16	46.00	27.84	N	PASS

Mode:	WIFI TX	Voltage:	120V~
-------	---------	----------	-------


Test Graph

Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	1.0486	10.30	23.74	56.00	32.26	15.54	46.00	30.46	L	PASS
2	1.5856	10.33	23.84	56.00	32.16	16.74	46.00	29.26	L	PASS
3	2.1225	10.35	23.69	56.00	32.31	16.81	46.00	29.19	L	PASS
4	2.5827	10.37	23.65	56.00	32.35	16.59	46.00	29.41	L	PASS
5	3.1495	10.37	22.92	56.00	33.08	16.34	46.00	29.66	L	PASS
6	3.5422	10.39	23.68	56.00	32.32	16.63	46.00	29.37	L	PASS

Appendix J: Emissions in Restricted Bands

Mode:	B-2412
-------	--------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	63.25	-19.79	43.46	74.00	30.54	Horizontal	PASS
2	2319.6096	63.76	-19.77	43.99	74.00	30.01	Horizontal	PASS
3	2327.4575	63.05	-19.76	43.29	74.00	30.71	Horizontal	PASS
4	2337.0671	64.15	-19.74	44.41	74.00	29.59	Horizontal	PASS
5	2361.4915	63.81	-19.10	44.71	74.00	29.29	Horizontal	PASS
6	2390.0000	62.43	-17.57	44.86	74.00	29.14	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.36	-19.79	39.57	54.00	14.43	Horizontal	PASS
2	2319.6096	60.78	-19.77	41.01	54.00	12.99	Horizontal	PASS
3	2327.4575	57.65	-19.76	37.89	54.00	16.11	Horizontal	PASS
4	2337.0671	58.02	-19.74	38.28	54.00	15.72	Horizontal	PASS
5	2361.4915	58.39	-19.10	39.29	54.00	14.71	Horizontal	PASS
6	2390.0000	59.74	-17.57	42.17	54.00	11.83	Horizontal	PASS

Mode: B-2412


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.63	-19.79	42.84	74.00	31.16	Vertical	PASS
2	2314.4044	62.15	-19.78	42.37	74.00	31.63	Vertical	PASS
3	2335.7858	62.31	-19.75	42.56	74.00	31.44	Vertical	PASS
4	2353.1632	62.31	-19.55	42.76	74.00	31.24	Vertical	PASS
5	2363.4935	63.78	-19.00	44.78	74.00	29.22	Vertical	PASS
6	2390.0000	61.19	-17.57	43.62	74.00	30.38	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	58.84	-19.79	39.05	54.00	14.95	Vertical	PASS
2	2314.4044	57.81	-19.78	38.03	54.00	15.97	Vertical	PASS
3	2335.7858	56.28	-19.75	36.53	54.00	17.47	Vertical	PASS
4	2353.1632	57.82	-19.55	38.27	54.00	15.73	Vertical	PASS
5	2363.4935	58.92	-19.00	39.92	54.00	14.08	Vertical	PASS
6	2390.0000	57.12	-17.57	39.55	54.00	14.45	Vertical	PASS

Mode: B-2462


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	62.98	-18.02	44.96	74.00	29.04	Horizontal	PASS
2	2487.3775	66.79	-18.68	48.11	74.00	25.89	Horizontal	PASS
3	2489.0935	66.39	-18.87	47.52	74.00	26.48	Horizontal	PASS
4	2489.6215	66.22	-18.93	47.29	74.00	26.71	Horizontal	PASS
5	2498.1520	63.42	-18.88	44.54	74.00	29.46	Horizontal	PASS
6	2500.0000	61.72	-18.85	42.87	74.00	31.13	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	60.16	-18.02	42.14	54.00	11.86	Horizontal	PASS
2	2487.3775	63.88	-18.68	45.20	54.00	8.80	Horizontal	PASS
3	2489.0935	62.05	-18.87	43.18	54.00	10.82	Horizontal	PASS
4	2489.6215	62.34	-18.93	43.41	54.00	10.59	Horizontal	PASS
5	2498.1520	58.65	-18.88	39.77	54.00	14.23	Horizontal	PASS
6	2500.0000	58.86	-18.85	40.01	54.00	13.99	Horizontal	PASS

Mode: B-2462


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	62.15	-18.02	44.13	74.00	29.87	Vertical	PASS
2	2488.3675	64.25	-18.79	45.46	74.00	28.54	Vertical	PASS
3	2490.5785	64.04	-18.97	45.07	74.00	28.93	Vertical	PASS
4	2492.8225	63.13	-18.94	44.19	74.00	29.81	Vertical	PASS
5	2498.4325	63.64	-18.87	44.77	74.00	29.23	Vertical	PASS
6	2500.0000	61.14	-18.85	42.29	74.00	31.71	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	59.88	-18.02	41.86	54.00	12.14	Vertical	PASS
2	2488.3675	61.73	-18.79	42.94	54.00	11.06	Vertical	PASS
3	2490.5785	60.50	-18.97	41.53	54.00	12.47	Vertical	PASS
4	2492.8225	57.39	-18.94	38.45	54.00	15.55	Vertical	PASS
5	2498.4325	59.73	-18.87	40.86	54.00	13.14	Vertical	PASS
6	2500.0000	57.99	-18.85	39.14	54.00	14.86	Vertical	PASS

Mode: G-2412


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	63.11	-19.79	43.32	74.00	30.68	Horizontal	PASS
2	2317.6076	64.88	-19.78	45.10	74.00	28.90	Horizontal	PASS
3	2336.6667	64.45	-19.74	44.71	74.00	29.29	Horizontal	PASS
4	2346.1962	63.49	-19.73	43.76	74.00	30.24	Horizontal	PASS
5	2359.4094	65.93	-19.22	46.71	74.00	27.29	Horizontal	PASS
6	2390.0000	89.46	-17.57	71.89	74.00	2.11	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.56	-19.79	39.77	54.00	14.23	Horizontal	PASS
2	2317.6076	62.08	-19.78	42.30	54.00	11.70	Horizontal	PASS
3	2336.6667	59.29	-19.74	39.55	54.00	14.45	Horizontal	PASS
4	2346.1962	58.03	-19.73	38.30	54.00	15.70	Horizontal	PASS
5	2359.4094	62.87	-19.22	43.65	54.00	10.35	Horizontal	PASS
6	2390.0000	65.59	-17.57	48.02	54.00	5.98	Horizontal	PASS

Mode: G-2412


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.51	-19.79	42.72	74.00	31.28	Vertical	PASS
2	2326.1762	61.76	-19.76	42.00	74.00	32.00	Vertical	PASS
3	2337.5475	62.08	-19.74	42.34	74.00	31.66	Vertical	PASS
4	2352.4424	63.44	-19.59	43.85	74.00	30.15	Vertical	PASS
5	2363.9740	64.05	-18.97	45.08	74.00	28.92	Vertical	PASS
6	2390.0000	83.57	-17.57	66.00	74.00	8.00	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	58.96	-19.79	39.17	54.00	14.83	Vertical	PASS
2	2326.1762	58.04	-19.76	38.28	54.00	15.72	Vertical	PASS
3	2337.5475	57.44	-19.74	37.70	54.00	16.30	Vertical	PASS
4	2352.4424	58.05	-19.59	38.46	54.00	15.54	Vertical	PASS
5	2363.9740	58.30	-18.97	39.33	54.00	14.67	Vertical	PASS
6	2390.0000	65.036	-17.57	47.47	54.00	6.53	Vertical	PASS

Mode: G-2462


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	89.92	-18.02	71.90	74.00	2.10	Horizontal	PASS
2	2483.7475	89.53	-18.09	71.44	74.00	2.56	Horizontal	PASS
3	2483.9620	88.58	-18.14	70.44	74.00	3.56	Horizontal	PASS
4	2484.2260	87.40	-18.21	69.19	74.00	4.81	Horizontal	PASS
5	2486.2555	82.11	-18.55	63.56	74.00	10.44	Horizontal	PASS
6	2500.0000	66.27	-18.85	47.42	74.00	26.58	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	67.53	-18.02	49.51	54.00	4.49	Horizontal	PASS
2	2483.7475	67.57	-18.09	49.48	54.00	4.52	Horizontal	PASS
3	2483.9620	66.92	-18.14	48.78	54.00	5.22	Horizontal	PASS
4	2484.2260	66.01	-18.21	47.80	54.00	6.20	Horizontal	PASS
5	2486.2555	63.54	-18.55	44.99	54.00	9.01	Horizontal	PASS
6	2500.0000	61.58	-18.85	42.73	54.00	11.27	Horizontal	PASS

Mode: G-2462


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	85.86	-18.02	67.84	74.00	6.16	Vertical	PASS
2	2483.6815	85.78	-18.07	67.71	74.00	6.29	Vertical	PASS
3	2483.8960	85.09	-18.13	66.96	74.00	7.04	Vertical	PASS
4	2484.1270	84.33	-18.18	66.15	74.00	7.85	Vertical	PASS
5	2484.9025	82.12	-18.38	63.74	74.00	10.26	Vertical	PASS
6	2500.0000	65.11	-18.85	46.26	74.00	27.74	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	64.04	-18.02	46.02	54.00	7.98	Vertical	PASS
2	2483.6815	64.23	-18.07	46.16	54.00	7.84	Vertical	PASS
3	2483.8960	63.49	-18.13	45.36	54.00	8.64	Vertical	PASS
4	2484.1270	63.13	-18.18	44.95	54.00	9.05	Vertical	PASS
5	2484.9025	61.82	-18.38	43.44	54.00	10.56	Vertical	PASS
6	2500.0000	61.54	-18.85	42.69	54.00	11.31	Vertical	PASS

Mode: N20-2412


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.64	-19.79	41.85	74.00	32.15	Horizontal	PASS
2	2379.1091	73.4	-18.16	55.24	74.00	18.76	Horizontal	PASS
3	2386.0761	77.11	-17.79	59.32	74.00	14.68	Horizontal	PASS
4	2386.6366	75.53	-17.76	57.77	74.00	16.23	Horizontal	PASS
5	2388.5586	79.47	-17.65	61.82	74.00	12.18	Horizontal	PASS
6	2390.0000	85.83	-17.57	68.26	74.00	5.74	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.23	-19.79	39.44	54.00	14.56	Horizontal	PASS
2	2379.1091	64.23	-18.16	46.07	54.00	7.93	Horizontal	PASS
3	2386.0761	58.46	-17.79	40.67	54.00	13.33	Horizontal	PASS
4	2386.6366	56.47	-17.76	38.71	54.00	15.29	Horizontal	PASS
5	2388.5586	58.01	-17.65	40.36	54.00	13.64	Horizontal	PASS
6	2390.0000	61.97	-17.57	44.40	54.00	9.60	Horizontal	PASS

Mode: N20-2412


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.01	-19.79	41.22	74.00	32.78	Vertical	PASS
2	2344.9950	63.23	-19.73	43.50	74.00	30.50	Vertical	PASS
3	2378.3083	66.22	-18.20	48.02	74.00	25.98	Vertical	PASS
4	2388.2382	77.06	-17.66	59.40	74.00	14.60	Vertical	PASS
5	2389.9199	78.06	-17.57	60.49	74.00	13.51	Vertical	PASS
6	2390.0000	78.50	-17.57	60.93	74.00	13.07	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.45	-19.79	37.66	54.00	16.34	Vertical	PASS
2	2344.9950	56.82	-19.73	37.09	54.00	16.91	Vertical	PASS
3	2378.3083	60.53	-18.20	42.33	54.00	11.67	Vertical	PASS
4	2388.2382	56.51	-17.66	38.85	54.00	15.15	Vertical	PASS
5	2389.9199	55.77	-17.57	38.20	54.00	15.80	Vertical	PASS
6	2390.0000	56.48	-17.57	38.91	54.00	15.09	Vertical	PASS

Mode: N20-2462


Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	86.56	-18.02	68.54	74.00	5.46	Horizontal	PASS
2	2483.7145	86.02	-18.08	67.94	74.00	6.06	Horizontal	PASS
3	2484.0940	86.23	-18.18	68.05	74.00	5.95	Horizontal	PASS
4	2484.6880	84.34	-18.33	66.01	74.00	7.99	Horizontal	PASS
5	2486.5525	79.50	-18.59	60.91	74.00	13.09	Horizontal	PASS
6	2500.0000	65.12	-18.85	46.27	74.00	27.73	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	62.78	-18.02	44.76	54.00	9.24	Horizontal	PASS
2	2483.7145	61.86	-18.08	43.78	54.00	10.22	Horizontal	PASS
3	2484.0940	62.17	-18.18	43.99	54.00	10.01	Horizontal	PASS
4	2484.6880	60.82	-18.33	42.49	54.00	11.51	Horizontal	PASS
5	2486.5525	58.88	-18.59	40.29	54.00	13.71	Horizontal	PASS
6	2500.0000	59.68	-18.85	40.83	54.00	13.17	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	83.87	-18.02	65.85	74.00	8.15	Vertical	PASS
2	2483.6980	83.45	-18.07	65.38	74.00	8.62	Vertical	PASS
3	2483.8465	82.85	-18.11	64.74	74.00	9.26	Vertical	PASS
4	2484.2755	81.15	-18.22	62.93	74.00	11.07	Vertical	PASS
5	2484.7375	83.14	-18.34	64.80	74.00	9.20	Vertical	PASS
6	2500.0000	61.13	-18.85	42.28	74.00	31.72	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	60.63	-18.02	42.61	54.00	11.39	Vertical	PASS
2	2483.6980	59.89	-18.07	41.82	54.00	12.18	Vertical	PASS
3	2483.8465	59.25	-18.11	41.14	54.00	12.86	Vertical	PASS
4	2484.2755	57.97	-18.22	39.75	54.00	14.25	Vertical	PASS
5	2484.7375	59.49	-18.34	41.15	54.00	12.85	Vertical	PASS
6	2500.0000	57.44	-18.85	38.59	54.00	15.41	Vertical	PASS

Appendix K: Spurious emissions

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.


Below 1GHz, Below 1GHz, only the worst case is recorded.

Above 1GHz, The emission level with margin less than 20db is recorded.

Below 1GHz

Mode:	11b 2437
-------	----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	45.5355	-15.96	23.26	40.00	16.74	100	259	Vertical
2	78.5485	-20.26	21.88	40.00	18.12	100	330	Vertical
3	120.300	-18.17	19.91	43.50	23.59	100	343	Vertical
4	151.371	-15.78	19.93	43.50	23.57	100	191	Vertical
5	445.575	-12.39	24.83	46.00	21.17	100	186	Vertical
6	594.134	-9.15	30.38	46.00	15.62	100	132	Vertical

Mode:

11b 2437

Test Graph

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	38.7387	-16.42	25.58	40.00	14.42	100	196	Horizontal
2	84.3744	-21.09	22.14	40.00	17.86	100	207	Horizontal
3	127.097	-17.46	22.08	43.50	21.42	100	17	Horizontal
4	156.226	-15.63	24.10	43.50	19.40	100	199	Horizontal
5	445.575	-12.39	25.06	46.00	20.94	100	310	Horizontal
6	594.134	-9.15	30.58	46.00	15.42	100	342	Horizontal

Mode:	B-2412 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4823.78	66.19	49.78	-16.41	74.00	24.22	Horizontal	PASS
2	4823.78	52.75	36.34	-16.41	54.00	17.66	Horizontal	PASS
3	7236.00	62.44	49.72	-12.72	74.00	24.28	Horizontal	PASS
4	7236.00	53.08	40.36	-12.72	54.00	13.64	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.00	62.39	46.00	-16.39	74.00	28.00	Vertical	PASS
2	4824.00	57.85	41.46	-16.39	54.00	12.54	Vertical	PASS
3	7236.00	53.46	40.74	-12.72	54.00	13.26	Vertical	PASS
4	7236.00	62.87	50.15	-12.72	74.00	23.85	Vertical	PASS

Mode:	B-2437 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4873.75	67.00	50.68	-16.32	74.00	23.32	Horizontal	PASS
2	4874.00	56.44	40.12	-16.32	54.00	13.88	Horizontal	PASS
3	7311.00	63.56	50.62	-12.94	74.00	23.38	Horizontal	PASS
4	7311.00	53.31	40.37	-12.94	54.00	13.63	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4873.75	69.21	52.89	-16.32	74.00	21.11	Vertical	PASS
2	4874.00	58.17	41.85	-16.32	54.00	12.15	Vertical	PASS
3	7311.00	53.53	40.59	-12.94	54.00	13.41	Vertical	PASS
4	7311.00	64.03	51.09	-12.94	74.00	22.91	Vertical	PASS

Mode:	B-2462 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.00	65.04	48.64	-16.40	74.00	25.36	Horizontal	PASS
2	4924.00	58.47	42.07	-16.40	54.00	11.93	Horizontal	PASS
3	7386.00	62.69	50.06	-12.63	74.00	23.94	Horizontal	PASS
4	7386.00	52.98	40.35	-12.63	54.00	13.65	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.00	64.05	47.65	-16.40	74.00	26.35	Vertical	PASS
2	4924.00	59.55	43.15	-16.40	54.00	10.85	Vertical	PASS
3	7386.00	63.22	50.59	-12.63	74.00	23.41	Vertical	PASS
4	7386.00	53.27	40.64	-12.63	54.00	13.36	Vertical	PASS

Mode:	G-2412 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4824.00	62.74	46.35	-16.39	74.00	27.65	Horizontal	PASS
2	4824.00	53.97	37.58	-16.39	54.00	16.42	Horizontal	PASS
3	7236.00	62.20	49.48	-12.72	74.00	24.52	Horizontal	PASS
4	7236.00	53.22	40.50	-12.72	54.00	13.50	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4824.00	64.20	47.81	-16.39	74.00	26.19	Vertical	PASS
2	4824.00	55.70	39.31	-16.39	54.00	14.69	Vertical	PASS
3	7236.00	62.78	50.06	-12.72	74.00	23.94	Vertical	PASS
4	7236.00	53.43	40.71	-12.72	54.00	13.29	Vertical	PASS

Mode:	G-2437 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4874.00	66.96	50.64	-16.32	74.00	23.36	Horizontal	PASS
2	4874.00	54.50	38.18	-16.32	54.00	15.82	Horizontal	PASS
3	7311.00	62.91	49.97	-12.94	74.00	24.03	Horizontal	PASS
4	7311.00	53.43	40.49	-12.94	54.00	13.51	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4874.00	68.38	52.06	-16.32	74.00	21.94	Vertical	PASS
2	4874.00	55.71	39.39	-16.32	54.00	14.61	Vertical	PASS
3	7311.00	63.35	50.41	-12.94	74.00	23.59	Vertical	PASS
4	7311.00	53.45	40.51	-12.94	54.00	13.49	Vertical	PASS

Mode:	G-2462 TX
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4924.00	64.39	47.99	-16.40	74.00	26.01	Horizontal	PASS
2	4924.00	55.77	39.37	-16.40	54.00	14.63	Horizontal	PASS
3	7386.00	62.23	49.60	-12.63	74.00	24.40	Horizontal	PASS
4	7386.00	52.81	40.18	-12.63	54.00	13.82	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4924.00	56.83	40.43	-16.40	54.00	13.57	Vertical	PASS
2	4924.00	67.88	51.48	-16.40	74.00	22.52	Vertical	PASS
3	7386.00	53.14	40.51	-12.63	54.00	13.49	Vertical	PASS
4	7386.00	63.44	50.81	-12.63	74.00	23.19	Vertical	PASS

Mode:	N20-2412 TX
-------	-------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4824.00	63.91	47.52	-16.39	74.00	26.48	Horizontal	PASS
2	4824.00	53.48	37.09	-16.39	54.00	16.91	Horizontal	PASS
3	7236.00	61.91	49.19	-12.72	74.00	24.81	Horizontal	PASS
4	7236.00	53.19	40.47	-12.72	54.00	13.53	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4824.00	65.60	49.21	-16.39	74.00	24.79	Vertical	PASS
2	4824.00	55.36	38.97	-16.39	54.00	15.03	Vertical	PASS
3	7236.00	63.42	50.70	-12.72	74.00	23.30	Vertical	PASS
4	7236.00	53.29	40.57	-12.72	54.00	13.43	Vertical	PASS

Mode:	N20-2437 TX
-------	-------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4874.00	63.84	47.52	-16.32	74.00	26.48	Horizontal	PASS
2	4874.00	54.02	37.70	-16.32	54.00	16.30	Horizontal	PASS
3	7311.00	62.20	49.26	-12.94	74.00	24.74	Horizontal	PASS
4	7311.00	52.87	39.93	-12.94	54.00	14.07	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	4874.00	64.53	48.21	-16.32	74.00	25.79	Vertical	PASS
2	4874.00	54.86	38.54	-16.32	54.00	15.46	Vertical	PASS
3	7311.00	62.44	49.50	-12.94	74.00	24.50	Vertical	PASS
4	7311.00	53.00	40.06	-12.94	54.00	13.94	Vertical	PASS

Mode:	N20-2462 TX
-------	-------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.00	63.83	47.43	-16.40	74.00	26.57	Horizontal	PASS
2	4924.00	55.51	39.11	-16.40	54.00	14.89	Horizontal	PASS
3	7386.00	62.65	50.02	-12.63	74.00	23.98	Horizontal	PASS
4	7386.00	52.84	40.21	-12.63	54.00	13.79	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.00	66.11	49.71	-16.40	74.00	24.29	Vertical	PASS
2	4924.00	56.26	39.86	-16.40	54.00	14.14	Vertical	PASS
3	7386.00	62.18	49.55	-12.63	74.00	24.45	Vertical	PASS
4	7386.00	52.99	40.36	-12.63	54.00	13.64	Vertical	PASS