

简体中文

感谢您购买 Topping MX5 便携式数字合成器。MX5 可让您在不用任何外部设备的情况下，通过 USB 接口，将您喜爱的音乐、语音、音效等，通过 Topping MX5 的数字合成器，通过 USB 接口，连接到您的电脑、手机、平板等设备上，让您随时随地享受高品质的音乐、语音、音效等。


快速开始指南

- 1. 将 Topping MX5 连接到您的电脑、手机、平板等设备上。
- 2. 打开 Topping MX5 的电源开关。
- 3. 选择您要播放的音乐、语音、音效等。
- 4. 调整音量。
- 5. 享受高品质的音乐、语音、音效等。

详细：ToppingMX5 产品使用指南电子版请前往链接
<http://www.toppingaudio.com> 下载。

产品规格表

产品型号	MX5
产品重量	220g (不含包装)
产品尺寸	100mm (长) x 50mm (宽) x 15mm (高)



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口


6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口



接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

接口

1. USB 接口

2. USB 接口

3. USB 接口

4. USB 接口

5. USB 接口

6. USB 接口

7. USB 接口

8. USB 接口

9. USB 接口

10. USB 接口

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.