

简体中文

感谢您购买并正在使用这款音频解码器，和 E70 的出色音质。这款解码器采用高品质元件，具有出色音质。

本产品支持，以帮助您更好地了解本产品。


包含物品清单

- 1. E70 主机
- 2. USB 数据线
- 3. 说明书
- 4. 保修卡
- 5. 合格证
- 6. 合格证
- 7. 合格证
- 8. 合格证
- 9. 合格证
- 10. 合格证

产品基本属性

品牌	TOPPING
型号	TP500
接口	USB-C
声道	2CH (L/R)
采样率	384KHz/32bit
分辨率	24bit
信噪比	>110dB
失真度	<0.001%
阻抗	16Ω
功率	2W

连接说明




产品说明



产品说明



产品说明




产品说明










产品说明



产品说明




产品说明




产品说明



产品说明



产品说明




产品说明



产品说明



产品说明




产品说明



产品说明



产品说明



产品说明



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.