


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.690	18.300	0.5	Complies
157	5785	17.800	18.200	0.5	Complies
165	5825	17.750	18.200	0.5	Complies

CH149




Date: 22.NOV.2021 14:01:35

CH157
6 dB Bandwidth




Date: 22.NOV.2021 14:03:38

CH165




Date: 22.NOV.2021 14:04:50


99 % Occupied Bandwidth



Date: 22.NOV.2021 14:01:12




Date: 22.NOV.2021 14:03:15




Date: 22.NOV.2021 14:04:28

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	36.800	0.5	Complies
159	5795	36.600	36.800	0.5	Complies

CH159
6 dB Bandwidth



Date: 22.NOV.2021 14:24:26




Date: 22.NOV.2021 14:23:58

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.206	76.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 22.NOV.2021 14:34:07

99 % Occupied Bandwidth




Date: 22.NOV.2021 14:33:39

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.100	19.100	0.5	Complies
157	5785	19.200	19.200	0.5	Complies
165	5825	19.109	19.100	0.5	Complies

CH149




Date: 22.NOV.2021 14:52:40

CH157
6 dB Bandwidth




Date: 22.NOV.2021 14:55:17

CH165




Date: 22.NOV.2021 14:57:22


99 % Occupied Bandwidth



Date: 22.NOV.2021 14:52:15



Date: 22.NOV.2021 14:54:52




Date: 22.NOV.2021 14:57:01

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.700	37.800	0.5	Complies
159	5795	37.700	37.800	0.5	Complies

CH151




Date: 22.NOV.2021 15:14:45

CH159 6 dB Bandwidth




Date: 22.NOV.2021 15:16:04

99 % Occupied Bandwidth



Date: 22.NOV.2021 15:14:17



Date: 22.NOV.2021 15:15:36

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.02	0.21	10.23	27.00	0.5012	Complies
40	5200	10.13	0.21	10.34	27.00	0.5012	Complies
48	5240	9.96	0.21	10.17	27.00	0.5012	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.58	0.21	8.79	27.00	0.5012	Complies
40	5200	8.61	0.21	8.82	27.00	0.5012	Complies
48	5240	8.46	0.21	8.67	27.00	0.5012	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.58	27.00	0.5012	Complies
40	5200	12.66	27.00	0.5012	Complies
48	5240	12.50	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.19	0.00	8.19	27.00	0.5012	Complies
40	5200	8.41	0.00	8.41	27.00	0.5012	Complies
48	5240	8.46	0.00	8.46	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.79	0.00	7.79	27.00	0.5012	Complies
40	5200	7.85	0.00	7.85	27.00	0.5012	Complies
48	5240	7.98	0.00	7.98	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.00	27.00	0.5012	Complies
40	5200	11.15	27.00	0.5012	Complies
48	5240	11.24	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.01	0.13	8.14	27.00	0.5012	Complies
46	5230	8.11	0.13	8.24	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.61	0.13	7.74	27.00	0.5012	Complies
46	5230	7.52	0.13	7.65	27.00	0.5012	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.96	27.00	0.5012	Complies
46	5230	10.97	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.21	0.21	8.42	27.00	0.5012	Complies
40	5200	8.43	0.21	8.64	27.00	0.5012	Complies
48	5240	8.49	0.21	8.70	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.82	0.21	8.03	27.00	0.5012	Complies
40	5200	7.91	0.21	8.12	27.00	0.5012	Complies
48	5240	8.01	0.21	8.22	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.24	27.00	0.5012	Complies
40	5200	11.40	27.00	0.5012	Complies
48	5240	11.48	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.05	0.43	8.48	27.00	0.5012	Complies
46	5230	8.14	0.43	8.57	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.63	0.43	8.06	27.00	0.5012	Complies
46	5230	7.56	0.43	7.99	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.29	27.00	0.5012	Complies
46	5230	11.30	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.23	0.27	8.50	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.82	0.27	8.09	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.31	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.11	0.00	8.11	27.00	0.5012	Complies
40	5200	8.24	0.00	8.24	27.00	0.5012	Complies
48	5240	8.15	0.00	8.15	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.76	0.00	7.76	27.00	0.5012	Complies
40	5200	7.93	0.00	7.93	27.00	0.5012	Complies
48	5240	7.75	0.00	7.75	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.95	27.00	0.5012	Complies
40	5200	11.10	27.00	0.5012	Complies
48	5240	10.96	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.23	0.16	8.39	27.00	0.5012	Complies
46	5230	8.29	0.16	8.45	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.81	0.16	7.97	27.00	0.5012	Complies
46	5230	7.93	0.16	8.09	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.20	27.00	0.5012	Complies
46	5230	11.29	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.09	0.35	8.44	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.84	0.35	8.19	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.33	27.00	0.5012	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.11	0.21	10.32	20.98	0.1253	Complies
60	5300	10.06	0.21	10.27	20.98	0.1253	Complies
64	5320	9.98	0.21	10.19	20.98	0.1253	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.81	0.21	9.02	20.98	0.1253	Complies
60	5300	9.11	0.21	9.32	20.98	0.1253	Complies
64	5320	8.91	0.21	9.12	20.98	0.1253	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.73	20.98	0.1253	Complies
60	5300	12.83	20.98	0.1253	Complies
64	5320	12.70	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.12	0.00	8.12	20.98	0.1253	Complies
60	5300	8.11	0.00	8.11	20.98	0.1253	Complies
64	5320	8.03	0.00	8.03	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.53	0.00	7.53	20.98	0.1253	Complies
60	5300	7.85	0.00	7.85	20.98	0.1253	Complies
64	5320	7.69	0.00	7.69	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.85	20.98	0.1253	Complies
60	5300	10.99	20.98	0.1253	Complies
64	5320	10.87	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.15	0.13	8.28	20.98	0.1253	Complies
62	5310	8.24	0.13	8.37	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.61	0.13	7.74	20.98	0.1253	Complies
62	5310	7.69	0.13	7.82	20.98	0.1253	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.03	20.98	0.1253	Complies
62	5310	11.12	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.14	0.21	8.35	20.98	0.1253	Complies
60	5300	8.12	0.21	8.33	20.98	0.1253	Complies
64	5320	8.07	0.21	8.28	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.61	0.21	7.82	20.98	0.1253	Complies
60	5300	7.89	0.21	8.10	20.98	0.1253	Complies
64	5320	7.71	0.21	7.92	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.10	20.98	0.1253	Complies
60	5300	11.23	20.98	0.1253	Complies
64	5320	11.11	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.17	0.43	8.60	20.98	0.1253	Complies
62	5310	8.25	0.43	8.68	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.64	0.43	8.07	20.98	0.1253	Complies
62	5310	7.74	0.43	8.17	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.36	20.98	0.1253	Complies
62	5310	11.45	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.16	0.27	8.43	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.79	0.27	8.06	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.26	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.25	0.00	8.25	20.98	0.1253	Complies
60	5300	8.12	0.00	8.12	20.98	0.1253	Complies
64	5320	8.47	0.00	8.47	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.86	0.00	7.86	20.98	0.1253	Complies
60	5300	7.73	0.00	7.73	20.98	0.1253	Complies
64	5320	7.92	0.00	7.92	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.07	20.98	0.1253	Complies
60	5300	10.94	20.98	0.1253	Complies
64	5320	11.21	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.06	0.16	8.22	20.98	0.1253	Complies
62	5310	8.36	0.16	8.52	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.71	0.16	7.87	20.98	0.1253	Complies
62	5310	7.91	0.16	8.07	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.06	20.98	0.1253	Complies
62	5310	11.31	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.06	0.35	8.41	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.58	0.35	7.93	20.98	0.1253	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.19	20.98	0.1253	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.47	0.21	10.68	20.98	0.1253	Complies
116	5580	10.38	0.21	10.59	20.98	0.1253	Complies
140	5700	10.13	0.21	10.34	20.98	0.1253	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.60	0.21	10.81	20.98	0.1253	Complies
116	5580	10.66	0.21	10.87	20.98	0.1253	Complies
140	5700	11.07	0.21	11.28	20.98	0.1253	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.76	20.98	0.1253	Complies
116	5580	13.75	20.98	0.1253	Complies
140	5700	13.85	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.21	0.00	8.21	20.98	0.1253	Complies
116	5580	8.30	0.00	8.30	20.98	0.1253	Complies
140	5700	8.11	0.00	8.11	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.85	0.00	7.85	20.98	0.1253	Complies
116	5580	7.91	0.00	7.91	20.98	0.1253	Complies
140	5700	7.68	0.00	7.68	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.04	20.98	0.1253	Complies
116	5580	11.12	20.98	0.1253	Complies
140	5700	10.91	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.06	0.13	8.19	20.98	0.1253	Complies
110	5550	8.19	0.13	8.32	20.98	0.1253	Complies
134	5670	8.16	0.13	8.29	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.61	0.13	7.74	20.98	0.1253	Complies
110	5550	7.73	0.13	7.86	20.98	0.1253	Complies
134	5670	7.75	0.13	7.88	20.98	0.1253	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.98	20.98	0.1253	Complies
110	5550	11.11	20.98	0.1253	Complies
134	5670	11.10	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.25	0.21	8.46	20.98	0.1253	Complies
116	5580	8.32	0.21	8.53	20.98	0.1253	Complies
140	5700	8.12	0.21	8.33	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.91	0.21	8.12	20.98	0.1253	Complies
116	5580	7.93	0.21	8.14	20.98	0.1253	Complies
140	5700	7.72	0.21	7.93	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.30	20.98	0.1253	Complies
116	5580	11.35	20.98	0.1253	Complies
140	5700	11.15	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.09	0.43	8.52	20.98	0.1253	Complies
110	5550	8.23	0.43	8.66	20.98	0.1253	Complies
134	5670	8.18	0.43	8.61	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.64	0.43	8.07	20.98	0.1253	Complies
110	5550	7.81	0.43	8.24	20.98	0.1253	Complies
134	5670	7.78	0.43	8.21	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.31	20.98	0.1253	Complies
110	5550	11.47	20.98	0.1253	Complies
134	5670	11.43	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.09	0.27	8.36	20.98	0.1253	Complies
122	5610	8.23	0.27	8.50	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	7.66	0.27	7.93	20.98	0.1253	Complies
122	5610	7.81	0.27	8.08	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.16	20.98	0.1253	Complies
122	5610	11.31	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.23	0.00	8.23	20.98	0.1253	Complies
116	5580	8.18	0.00	8.18	20.98	0.1253	Complies
140	5700	8.24	0.00	8.24	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.63	0.00	7.63	20.98	0.1253	Complies
116	5580	7.82	0.00	7.82	20.98	0.1253	Complies
140	5700	7.96	0.00	7.96	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.95	20.98	0.1253	Complies
116	5580	11.01	20.98	0.1253	Complies
140	5700	11.11	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.37	0.16	8.53	20.98	0.1253	Complies
110	5550	8.22	0.16	8.38	20.98	0.1253	Complies
134	5670	8.19	0.16	8.35	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.95	0.16	8.11	20.98	0.1253	Complies
110	5550	7.83	0.16	7.99	20.98	0.1253	Complies
134	5670	7.76	0.16	7.92	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.34	20.98	0.1253	Complies
110	5550	11.20	20.98	0.1253	Complies
134	5670	11.15	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.01	0.35	8.36	20.98	0.1253	Complies
122	5610	8.09	0.35	8.44	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	7.52	0.35	7.87	20.98	0.1253	Complies
122	5610	7.63	0.35	7.98	20.98	0.1253	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.13	20.98	0.1253	Complies
122	5610	11.23	20.98	0.1253	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.73	0.21	10.94	27.00	0.5012	Complies
157	5785	10.82	0.21	11.03	27.00	0.5012	Complies
165	5825	11.09	0.21	11.30	27.00	0.5012	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.08	0.21	10.29	27.00	0.5012	Complies
157	5785	9.87	0.21	10.08	27.00	0.5012	Complies
165	5825	9.89	0.21	10.10	27.00	0.5012	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.64	27.00	0.5012	Complies
157	5785	13.59	27.00	0.5012	Complies
165	5825	13.75	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	8.01	0.00	8.01	27.00	0.5012	Complies
157	5785	8.15	0.00	8.15	27.00	0.5012	Complies
165	5825	8.12	0.00	8.12	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.43	0.00	7.43	27.00	0.5012	Complies
157	5785	7.71	0.00	7.71	27.00	0.5012	Complies
165	5825	7.73	0.00	7.73	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.74	27.00	0.5012	Complies
157	5785	10.95	27.00	0.5012	Complies
165	5825	10.94	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.11	0.13	8.24	27.00	0.5012	Complies
159	5795	8.01	0.13	8.14	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	7.52	0.13	7.65	27.00	0.5012	Complies
159	5795	7.68	0.13	7.81	27.00	0.5012	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.97	27.00	0.5012	Complies
159	5795	10.99	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	8.03	0.21	8.24	27.00	0.5012	Complies
157	5785	8.19	0.21	8.40	27.00	0.5012	Complies
165	5825	8.24	0.21	8.45	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.45	0.21	7.66	27.00	0.5012	Complies
157	5785	7.74	0.21	7.95	27.00	0.5012	Complies
165	5825	7.86	0.21	8.07	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.97	27.00	0.5012	Complies
157	5785	11.19	27.00	0.5012	Complies
165	5825	11.27	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.14	0.43	8.57	27.00	0.5012	Complies
159	5795	8.03	0.43	8.46	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	7.53	0.43	7.96	27.00	0.5012	Complies
159	5795	7.72	0.43	8.15	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.29	27.00	0.5012	Complies
159	5795	11.32	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.11	0.27	8.38	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	7.76	0.27	8.03	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	11.22	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	8.14	0.00	8.14	27.00	0.5012	Complies
157	5785	8.05	0.00	8.05	27.00	0.5012	Complies
165	5825	8.24	0.00	8.24	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.82	0.00	7.82	27.00	0.5012	Complies
157	5785	7.63	0.00	7.63	27.00	0.5012	Complies
165	5825	7.77	0.00	7.77	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.99	27.00	0.5012	Complies
157	5785	10.86	27.00	0.5012	Complies
165	5825	11.02	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.37	0.16	8.53	27.00	0.5012	Complies
159	5795	8.12	0.16	8.28	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	7.86	0.16	8.02	27.00	0.5012	Complies
159	5795	7.52	0.16	7.68	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.30	27.00	0.5012	Complies
159	5795	11.00	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.24	0.35	8.59	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	7.89	0.35	8.24	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	11.43	27.00	0.5012	Complies

The e.i.r.p. at any elevation angle above 30 degrees:

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.58	21.00	125	Complies
40	5200	20.66	21.00	125	Complies
48	5240	20.55	21.00	125	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.62	21.00	125	Complies
40	5200	20.67	21.00	125	Complies
48	5240	20.41	21.00	125	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	20.68	21.00	125	Complies
46	5230	20.75	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.99	21.00	125	Complies
40	5200	20.95	21.00	125	Complies
48	5240	20.95	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	20.71	21.00	125	Complies
46	5230	20.85	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	20.61	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.89	21.00	125	Complies
40	5200	20.84	21.00	125	Complies
48	5240	20.56	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	20.64	21.00	125	Complies
46	5230	20.73	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	20.57	21.00	125	Complies

Note: The maximum e.i.r.p is 20.99 dBm at any elevation angle above 30 degrees .
It dosen't exceed 125mW (21dBm).

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.13	0.21	0.08	10.99	Complies
40	5200	0.09	0.21	0.30	10.99	Complies
48	5240	-0.23	0.21	-0.02	10.99	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.23	0.21	-1.02	10.99	Complies
40	5200	-1.15	0.21	-0.94	10.99	Complies
48	5240	-1.33	0.21	-1.12	10.99	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.58	10.99	Complies
40	5200	2.74	10.99	Complies
48	5240	2.48	10.99	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.07	0.21	-2.86	10.99	Complies
40	5200	-2.62	0.21	-2.41	10.99	Complies
48	5240	-2.91	0.21	-2.70	10.99	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.80	0.21	-1.59	10.99	Complies
40	5200	-1.75	0.21	-1.54	10.99	Complies
48	5240	-2.03	0.21	-1.82	10.99	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.83	10.99	Complies
40	5200	1.06	10.99	Complies
48	5240	0.77	10.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.74	0.43	-4.31	10.99	Complies
46	5230	-5.25	0.43	-4.82	10.99	Complies

CH38



Date: 22.NOV.2021 15:59:48

CH46




Date: 22.NOV.2021 16:50:53

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.72	0.43	-4.29	10.99	Complies
46	5230	-4.56	0.43	-4.13	10.99	Complies

CH38



Date: 22.NOV.2021 16:02:53

CH46




Date: 22.NOV.2021 16:03:49

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.29	10.99	Complies
46	5230	-1.45	10.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.65	0.27	-7.38	10.99	Complies



Date: 22.NOV.2021 16:59:11

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.47	0.27	-7.20	10.99	Complies




Date: 22.NOV.2021 16:14:29

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.28	10.99	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.79	0.00	-2.79	10.99	Complies
40	5200	-2.53	0.00	-2.53	10.99	Complies
48	5240	-3.19	0.00	-3.19	10.99	Complies



Date: 22.NOV.2021 14:36:39




Date: 22.NOV.2021 14:38:08




Date: 22.NOV.2021 14:39:38

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.02	0.00	-2.02	10.99	Complies
40	5200	-1.53	0.00	-1.53	10.99	Complies
48	5240	-2.51	0.00	-2.51	10.99	Complies



Date: 22.NOV.2021 16:24:02



Date: 22.NOV.2021 16:24:55



Date: 22.NOV.2021 16:25:55


Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.62	10.99	Complies
40	5200	1.01	10.99	Complies
48	5240	0.17	10.99	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.35	0.16	-5.19	10.99	Complies
46	5230	-5.22	0.16	-5.06	10.99	Complies

CH38



Date: 22.NOV.2021 17:07:05

CH46




Date: 22.NOV.2021 17:08:02

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.46	0.16	-5.30	10.99	Complies
46	5230	-4.74	0.16	-4.58	10.99	Complies

CH38



Date: 22.NOV.2021 16:14:22

CH46




Date: 22.NOV.2021 16:35:17

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.23	10.99	Complies
46	5230	-1.80	10.99	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.74	0.35	-8.39	10.99	Complies



Date: 22.NOV.2021 17:15:11

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.49	0.35	-8.14	10.99	Complies




Date: 22.NOV.2021 16:41:33

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.25	10.99	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.21	0.21	0.00	4.99	Complies
60	5300	-0.23	0.21	-0.02	4.99	Complies
64	5320	-0.27	0.21	-0.06	4.99	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.00	0.21	-0.79	4.99	Complies
60	5300	-1.09	0.21	-0.88	4.99	Complies
64	5320	-1.23	0.21	-1.02	4.99	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.64	4.99	Complies
60	5300	2.58	4.99	Complies
64	5320	2.50	4.99	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.43	0.21	-3.22	4.99	Complies
60	5300	-3.42	0.21	-3.21	4.99	Complies
64	5320	-3.31	0.21	-3.10	4.99	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.97	0.21	-1.76	4.99	Complies
60	5300	-2.12	0.21	-1.91	4.99	Complies
64	5320	-1.75	0.21	-1.54	4.99	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.58	4.99	Complies
60	5300	0.50	4.99	Complies
64	5320	0.76	4.99	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.28	0.43	-4.85	4.99	Complies
62	5310	-5.18	0.43	-4.75	4.99	Complies

CH54



Date: 22.NOV.2021 16:51:51

CH62




Date: 22.NOV.2021 16:52:39

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.88	0.43	-4.45	4.99	Complies
62	5310	-4.90	0.43	-4.47	4.99	Complies

CH54



Date: 22.NOV.2021 16:05:12

CH62




Date: 22.NOV.2021 16:06:53

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.63	4.99	Complies
62	5310	-1.59	4.99	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.31	0.27	-8.04	4.99	Complies



Date: 22.NOV.2021 17:00:06

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.54	0.27	-7.27	4.99	Complies




Date: 22.NOV.2021 16:16:11

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.63	4.99	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.18	0.00	-3.18	4.99	Complies
60	5300	-3.70	0.00	-3.70	4.99	Complies
64	5320	-2.94	0.00	-2.94	4.99	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.94	0.00	-1.94	4.99	Complies
60	5300	-2.66	0.00	-2.66	4.99	Complies
64	5320	-2.33	0.00	-2.33	4.99	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.49	4.99	Complies
60	5300	-0.14	4.99	Complies
64	5320	0.39	4.99	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.38	0.16	-5.22	4.99	Complies
62	5310	-5.24	0.16	-5.08	4.99	Complies

CH54



Date: 22.NOV.2021 17:09:12

CH62




Date: 22.NOV.2021 17:10:16

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.17	0.16	-5.01	4.99	Complies
62	5310	-5.27	0.16	-5.11	4.99	Complies

CH54



Date: 22.NOV.2021 16:16:04

CH62




Date: 22.NOV.2021 16:16:46

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.10	4.99	Complies
62	5310	-2.08	4.99	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.89	0.35	-8.54	4.99	Complies



Date: 22.NOV.2021 17:15:57

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.91	0.35	-7.56	4.99	Complies




Date: 22.NOV.2021 16:42:24

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.01	4.99	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.02	0.21	0.23	4.99	Complies
116	5580	-0.02	0.21	0.19	4.99	Complies
140	5700	-0.53	0.21	-0.32	4.99	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.09	0.21	0.30	4.99	Complies
116	5580	0.41	0.21	0.62	4.99	Complies
140	5700	0.52	0.21	0.73	4.99	Complies



Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.28	4.99	Complies
116	5580	3.42	4.99	Complies
140	5700	3.25	4.99	Complies