



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.76	0.21	-3.55	4.99	Complies
116	5580	-2.09	0.21	-1.88	4.99	Complies
140	5700	-2.55	0.21	-2.34	4.99	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.91	0.21	-1.70	4.99	Complies
116	5580	-1.64	0.21	-1.43	4.99	Complies
140	5700	-1.89	0.21	-1.68	4.99	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.48	4.99	Complies
116	5580	1.36	4.99	Complies
140	5700	1.01	4.99	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.26	0.43	-4.83	4.99	Complies
110	5550	-5.31	0.43	-4.88	4.99	Complies
134	5670	-6.02	0.43	-5.59	4.99	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.15	0.43	-4.72	4.99	Complies
110	5550	-4.47	0.43	-4.04	4.99	Complies
134	5670	-5.15	0.43	-4.72	4.99	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.76	4.99	Complies
110	5550	-1.43	4.99	Complies
134	5670	-2.12	4.99	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.04	0.27	-7.77	4.99	Complies
122	5610	-7.99	0.27	-7.72	4.99	Complies

CH106



Date: 22.NOV.2021 17:00:55

CH122




Date: 22.NOV.2021 17:01:46

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.03	0.27	-7.76	4.99	Complies
122	5610	-8.49	0.27	-8.22	4.99	Complies

CH106



Date: 22.NOV.2021 16:16:56

CH122




Date: 22.NOV.2021 16:17:50

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.75	4.99	Complies
122	5610	-4.95	4.99	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.98	0.00	-2.98	4.99	Complies
116	5580	-3.07	0.00	-3.07	4.99	Complies
140	5700	-3.49	0.00	-3.49	4.99	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.47	0.00	-2.47	4.99	Complies
116	5580	-2.29	0.00	-2.29	4.99	Complies
140	5700	-2.00	0.00	-2.00	4.99	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.29	4.99	Complies
116	5580	0.35	4.99	Complies
140	5700	0.33	4.99	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.85	0.16	-5.69	4.99	Complies
110	5550	-5.99	0.16	-5.83	4.99	Complies
134	5670	-6.77	0.16	-6.61	4.99	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.49	0.16	-5.33	4.99	Complies
110	5550	-5.44	0.16	-5.28	4.99	Complies
134	5670	-5.54	0.16	-5.38	4.99	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.49	4.99	Complies
110	5550	-2.53	4.99	Complies
134	5670	-2.94	4.99	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.15	0.35	-7.80	4.99	Complies
122	5610	-8.09	0.35	-7.74	4.99	Complies

CH106



Date: 22.NOV.2021 17:16:43

CH122




Date: 22.NOV.2021 17:17:26

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.07	0.35	-7.72	4.99	Complies
122	5610	-7.89	0.35	-7.54	4.99	Complies

CH106



Date: 22.NOV.2021 16:43:13

CH122




Date: 22.NOV.2021 16:44:10

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.75	4.99	Complies
122	5610	-4.63	4.99	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.82	0.21	-0.61	23.99	Complies
157	5785	-1.17	0.21	-0.96	23.99	Complies
165	5825	-1.31	0.21	-1.10	23.99	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.10	0.21	-1.89	23.99	Complies
157	5785	-2.24	0.21	-2.03	23.99	Complies
165	5825	-2.05	0.21	-1.84	23.99	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.81	23.99	Complies
157	5785	1.55	23.99	Complies
165	5825	1.56	23.99	Complies


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.97	0.21	-4.76	23.99	Complies
157	5785	-4.67	0.21	-4.46	23.99	Complies
165	5825	-4.38	0.21	-4.17	23.99	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.93	0.21	-3.72	23.99	Complies
157	5785	-4.41	0.21	-4.20	23.99	Complies
165	5825	-4.36	0.21	-4.15	23.99	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.20	23.99	Complies
157	5785	-1.32	23.99	Complies
165	5825	-1.15	23.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.67	0.43	-6.24	23.99	Complies
159	5795	-6.70	0.43	-6.27	23.99	Complies

CH151



Date: 22.NOV.2021 16:16:19

CH159




Date: 22.NOV.2021 16:17:08

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.14	0.43	-6.71	23.99	Complies
159	5795	-7.62	0.43	-7.19	23.99	Complies

CH151



Date: 22.NOV.2021 16:10:25

CH159




Date: 22.NOV.2021 16:11:11

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.46	23.99	Complies
159	5795	-3.69	23.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.30	0.27	-10.03	23.99	Complies



Date: 22.NOV.2021 17:02:30

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.11	0.27	-9.84	23.99	Complies




Date: 22.NOV.2021 16:18:41

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.92	23.99	Complies


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.52	0.00	-5.52	23.99	Complies
157	5785	-5.36	0.00	-5.36	23.99	Complies
165	5825	-5.20	0.00	-5.20	23.99	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.84	0.00	-4.84	23.99	Complies
157	5785	-5.17	0.00	-5.17	23.99	Complies
165	5825	-5.05	0.00	-5.05	23.99	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.16	23.99	Complies
157	5785	-2.25	23.99	Complies
165	5825	-2.11	23.99	Complies


Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.05	0.16	-6.89	23.99	Complies
159	5795	-7.24	0.16	-7.08	23.99	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.64	0.16	-7.48	23.99	Complies
159	5795	-8.02	0.16	-7.86	23.99	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.16	23.99	Complies
159	5795	-4.44	23.99	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.60	0.35	-10.25	23.99	Complies



Date: 22.NOV.2021 17:18:19

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.42	0.35	-10.07	23.99	Complies



Date: 22.NOV.2021 16:45:02

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.15	23.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
52.8	5179.9608
48.0	5179.9608
43.2	5179.9612
Maximum Deviation (MHz)	0.0392
Maximum Deviation (ppm)	7.5676

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-40	5179.9608
-30	5179.9608
-20	5179.9608
-10	5179.9608
0	5179.9608
10	5179.9608
20	5179.9608
30	5179.9608
40	5179.9608
50	5179.9608
60	5179.9608
65	5179.9608
Maximum Deviation (MHz)	0.0392
Maximum Deviation (ppm)	7.5676

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
52.8	5259.9604
48.0	5259.9600
43.2	5259.9604
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.6046

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-40	5259.9600
-30	5259.9600
-20	5259.9604
-10	5259.9600
0	5259.9600
10	5259.9600
20	5259.9600
30	5259.9604
40	5259.9604
50	5259.9604
60	5259.9600
65	5259.9600
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.6046

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
52.8	5499.9580
48.0	5499.9580
43.2	5499.9580
Maximum Deviation (MHz)	0.0420
Maximum Deviation (ppm)	7.6364

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-40	5499.9584
-30	5499.9580
-20	5499.9580
-10	5499.9580
0	5499.9584
10	5499.9580
20	5499.9580
30	5499.9580
40	5499.9580
50	5499.9580
60	5499.9580
65	5499.9580
Maximum Deviation (MHz)	0.0420
Maximum Deviation (ppm)	7.6364

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
52.8	5744.9564
48.0	5744.9564
43.2	5744.9564
Maximum Deviation (MHz)	0.0436
Maximum Deviation (ppm)	7.5892

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-40	5744.9564
-30	5744.9564
-20	5744.9564
-10	5744.9564
0	5744.9564
10	5744.9564
20	5744.9564
30	5744.9564
40	5744.9564
50	5744.9564
60	5744.9564
65	5744.9564
Maximum Deviation (MHz)	0.0436
Maximum Deviation (ppm)	7.5892

End of Test Report