


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -2.25                                | 0.39        | -1.86                                              | 28.32                    | Complies |



Date: 1.70N.2022 11:26:16

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.11                                | 0.39        | -0.72                                              | 28.32                    | Complies |



Date: 1.70N.2022 15:45:34

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 1.76                                 | 28.32                    | Complies |

## APPENDIX H - FREQUENCY STABILITY

|           |        |
|-----------|--------|
| Test Mode | UNII-1 |
|-----------|--------|

#### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| 55.2                    | 5179.9792                   |
| 48                      | 5179.9792                   |
| 40.8                    | 5179.9788                   |
| Maximum Deviation (MHz) | 0.0212                      |
| Maximum Deviation (ppm) | 4.0927                      |

#### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| -10                     | 5179.9788                   |
| 0                       | 5179.9788                   |
| 10                      | 5179.9788                   |
| 20                      | 5179.9788                   |
| 30                      | 5179.9784                   |
| 40                      | 5179.9784                   |
| 50                      | 5179.9784                   |
| Maximum Deviation (MHz) | 0.0216                      |
| Maximum Deviation (ppm) | 4.1699                      |

|           |         |
|-----------|---------|
| Test Mode | UNII-2A |
|-----------|---------|

**Voltage vs. Frequency Stability**

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| 55.2                    | 5259.9768                   |
| 48                      | 5259.9764                   |
| 40.8                    | 5259.9764                   |
| Maximum Deviation (MHz) | 0.0236                      |
| Maximum Deviation (ppm) | 4.4867                      |

**Temperature vs. Frequency Stability**

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| -10                     | 5259.9764                   |
| 0                       | 5259.9764                   |
| 10                      | 5259.9764                   |
| 20                      | 5259.9760                   |
| 30                      | 5259.9760                   |
| 40                      | 5259.9760                   |
| 50                      | 5259.9760                   |
| Maximum Deviation (MHz) | 0.0240                      |
| Maximum Deviation (ppm) | 4.5627                      |

|           |         |
|-----------|---------|
| Test Mode | UNII-2C |
|-----------|---------|

#### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| 55.2                    | 5499.9748                   |
| 48                      | 5499.9744                   |
| 40.8                    | 5499.9744                   |
| Maximum Deviation (MHz) | 0.0256                      |
| Maximum Deviation (ppm) | 4.6545                      |

#### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| -10                     | 5499.9744                   |
| 0                       | 5499.9744                   |
| 10                      | 5499.9740                   |
| 20                      | 5499.9740                   |
| 30                      | 5499.9740                   |
| 40                      | 5499.9740                   |
| 50                      | 5499.9736                   |
| Maximum Deviation (MHz) | 0.0264                      |
| Maximum Deviation (ppm) | 4.8000                      |

|           |        |
|-----------|--------|
| Test Mode | UNII-3 |
|-----------|--------|

**Voltage vs. Frequency Stability**

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| 55.2                    | 5744.9724                   |
| 48                      | 5744.9720                   |
| 40.8                    | 5744.9720                   |
| Maximum Deviation (MHz) | 0.0280                      |
| Maximum Deviation (ppm) | 4.8738                      |

**Temperature vs. Frequency Stability**

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| -10                     | 5744.9720                   |
| 0                       | 5744.9720                   |
| 10                      | 5744.9720                   |
| 20                      | 5744.9720                   |
| 30                      | 5744.9720                   |
| 40                      | 5744.9720                   |
| 50                      | 5744.9720                   |
| Maximum Deviation (MHz) | 0.0280                      |
| Maximum Deviation (ppm) | 4.8738                      |

**End of Test Report**