


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 39.80                 | 37.80                         |
| 62      | 5310            | 39.70                 | 37.80                         |

CH54




Date: 3.DEC.2021 14:05:11

CH62  
26 dB Bandwidth




Date: 3.DEC.2021 14:07:09

99 % Occupied Bandwidth



Date: 3.DEC.2021 14:04:20




Date: 3.DEC.2021 14:06:18



|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 21.69                 | 16.90                         |
| 116     | 5580            | 21.80                 | 16.90                         |
| 140     | 5700            | 22.40                 | 17.10                         |

CH100




Date: 3.DEC.2021 10:29:15

CH116  
26 dB Bandwidth




Date: 3.DEC.2021 10:30:56

CH140




Date: 3.DEC.2021 10:32:35


99 % Occupied Bandwidth



Date: 3.DEC.2021 10:29:26



Date: 3.DEC.2021 10:30:08




Date: 3.DEC.2021 10:31:48


|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 21.80                 | 18.00                         |
| 116     | 5580            | 21.75                 | 18.00                         |
| 140     | 5700            | 21.89                 | 18.10                         |


CH100






CH116  
26 dB Bandwidth



CH140




99 % Occupied Bandwidth



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 39.70                 | 36.80                         |
| 110     | 5550            | 39.80                 | 36.80                         |
| 134     | 5670            | 39.90                 | 37.20                         |

CH102




Date: 3.DEC.2021 11:27:55

CH110  
26 dB Bandwidth




Date: 3.DEC.2021 11:29:54

CH134




Date: 3.DEC.2021 11:32:01


99 % Occupied Bandwidth



Date: 3.DEC.2021 11:27:03



Date: 3.DEC.2021 11:29:01




Date: 3.DEC.2021 11:31:08



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 21.75                 | 19.30                         |
| 116     | 5580            | 21.75                 | 19.30                         |
| 140     | 5700            | 23.49                 | 19.40                         |

CH100




Date: 3.DEC.2021 13:47:45

CH116  
26 dB Bandwidth




Date: 3.DEC.2021 13:49:40

CH140




Date: 3.DEC.2021 13:53:19


99 % Occupied Bandwidth



Date: 3.DEC.2021 13:46:53



Date: 3.DEC.2021 13:48:45




Date: 3.DEC.2021 13:52:28



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 81.80                 | 77.20                         |
| 122     | 5610            | 81.80                 | 77.20                         |

CH106




Date: 3.DEC.2021 14:24:34

CH122  
26 dB Bandwidth




Date: 3.DEC.2021 14:26:33

99 % Occupied Bandwidth



Date: 3.DEC.2021 14:23:34




Date: 3.DEC.2021 14:25:30

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 16.35                | 17.10                         | 0.50                            | Complies |
| 157     | 5785            | 16.55                | 17.20                         | 0.50                            | Complies |
| 165     | 5825            | 16.39                | 17.20                         | 0.50                            | Complies |

CH149




Date: 3.DEC.2021 10:34:29

CH157  
6 dB Bandwidth




Date: 3.DEC.2021 10:36:55

CH165




Date: 3.DEC.2021 10:38:40


99 % Occupied Bandwidth



Date: 3.DEC.2021 10:33:32



Date: 3.DEC.2021 10:35:59




Date: 3.DEC.2021 10:37:42

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.65                | 18.10                         | 0.50                            | Complies |
| 157     | 5785            | 17.80                | 18.10                         | 0.50                            | Complies |
| 165     | 5825            | 17.75                | 18.10                         | 0.50                            | Complies |

CH149




Date: 3.DEC.2021 11:12:28

CH157  
6 dB Bandwidth




Date: 3.DEC.2021 11:14:33

CH165




Date: 3.DEC.2021 11:16:12


99 % Occupied Bandwidth



Date: 3.DEC.2021 11:11:34




Date: 3.DEC.2021 11:13:39



Date: 3.DEC.2021 11:15:19

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 36.50                | 37.20                         | 0.50                            | Complies |
| 159     | 5795            | 36.50                | 37.20                         | 0.50                            | Complies |

**CH159**  
6 dB Bandwidth



Date: 3.DEC.2021 11:36:45

Ref 20 dBm \*RFL 30 dB Ref 20 dB

\*RFL 1 MHz Marker 5 [T1] 5.39 dBm  
 \*QW 3 MHz 5.803000000 GHz

20 Offset 12.5 dB

0 dBm

Temp 1 [T1] QW 5.776400000 GHz  
 Temp 2 [T1] QW 5.814000000 GHz

dB

GHz


Date: 3.DEC.2021 11:35:48



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 19.15                | 19.30                         | 0.50                            | Complies |
| 157     | 5785            | 19.00                | 19.50                         | 0.50                            | Complies |
| 165     | 5825            | 19.10                | 19.40                         | 0.50                            | Complies |

CH149




Date: 3.DEC.2021 13:55:09

CH157  
6 dB Bandwidth




Date: 3.DEC.2021 13:57:03

CH165




Date: 3.DEC.2021 13:59:08


99 % Occupied Bandwidth



Date: 3.DEC.2021 13:54:13



Date: 3.DEC.2021 13:56:04




Date: 3.DEC.2021 13:58:11

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 37.59                | 38.00                         | 0.50                            | Complies |
| 159     | 5795            | 37.70                | 38.00                         | 0.50                            | Complies |

CH151




Date: 3.DEC.2021 14:15:09

CH159  
6 dB Bandwidth




Date: 3.DEC.2021 14:17:26

99 % Occupied Bandwidth



Date: 3.DEC.2021 14:14:16




Date: 3.DEC.2021 14:16:33

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 75.80                | 77.20                         | 0.50                            | Complies |

## CH155 6 dB Bandwidth



Date: 3.DEC.2021 14:33:03

## 99 % Occupied Bandwidth



Date: 3.DEC.2021 14:32:01

## **APPENDIX F - MAXIMUM OUTPUT POWER**

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.63              | 0.23        | 12.86                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 12.41              | 0.23        | 12.64                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 12.25              | 0.23        | 12.48                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.46              | 0.23        | 13.69                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 13.44              | 0.23        | 13.67                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 13.47              | 0.23        | 13.70                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.30              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.19              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 16.14              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.68              | 0.23        | 12.91                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 12.63              | 0.23        | 12.86                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 12.54              | 0.23        | 12.77                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.62              | 0.23        | 13.85                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 13.57              | 0.23        | 13.80                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 13.62              | 0.23        | 13.85                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.41              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.36              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 16.35              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.85              | 0.23        | 13.08                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 12.44              | 0.23        | 12.67                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 13.51              | 0.23        | 13.74                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 13.41              | 0.23        | 13.64                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 16.43              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 16.19              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.78              | 0.00        | 12.78                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 12.72              | 0.00        | 12.72                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 12.64              | 0.00        | 12.64                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.66              | 0.00        | 13.66                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 13.62              | 0.00        | 13.62                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 13.64              | 0.00        | 13.64                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.25              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.20              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 16.18              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.89              | 0.13        | 13.02                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 12.51              | 0.13        | 12.64                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 13.55              | 0.13        | 13.68                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 13.49              | 0.13        | 13.62                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 16.38              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 16.17              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 12.67              | 0.26        | 12.93                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.47              | 0.26        | 13.73                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 16.36              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.65              | 0.09        | 12.74                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 12.53              | 0.09        | 12.62                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 12.45              | 0.09        | 12.54                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.66              | 0.09        | 13.75                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 13.62              | 0.09        | 13.71                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 13.58              | 0.09        | 13.67                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.29              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.21              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 16.15              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.89              | 0.16        | 13.05                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 12.85              | 0.16        | 13.01                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 13.63              | 0.16        | 13.79                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 13.66              | 0.16        | 13.82                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 16.45              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 16.45              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 12.66              | 0.30        | 12.96                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.44              | 0.30        | 13.74                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 16.38              | 30.00            | 1.0000         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 12.31              | 0.23        | 12.54                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 11.92              | 0.23        | 12.15                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 11.98              | 0.23        | 12.21                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.66              | 0.23        | 13.89                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 13.62              | 0.23        | 13.85                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.46              | 0.23        | 13.69                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 16.28              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.09              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.02              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 12.09              | 0.23        | 12.32                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 12.04              | 0.23        | 12.27                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 12.09              | 0.23        | 12.32                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.68              | 0.23        | 13.91                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 13.57              | 0.23        | 13.80                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.62              | 0.23        | 13.85                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 16.20              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.11              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.16              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 11.76              | 0.23        | 11.99                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 11.69              | 0.23        | 11.92                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.67              | 0.23        | 13.90                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.41              | 0.23        | 13.64                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 16.06              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.87              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 12.24              | 0.00        | 12.24                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 12.31              | 0.00        | 12.31                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 12.18              | 0.00        | 12.18                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.71              | 0.00        | 13.71                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 13.61              | 0.00        | 13.61                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.65              | 0.00        | 13.65                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 16.05              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.02              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.99              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 11.85              | 0.13        | 11.98                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 11.86              | 0.13        | 11.99                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.74              | 0.13        | 13.87                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.48              | 0.13        | 13.61                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 16.04              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.89              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 11.91              | 0.26        | 12.17                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.82              | 0.26        | 14.08                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 16.24              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 12.21              | 0.09        | 12.30                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 12.14              | 0.09        | 12.23                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 12.19              | 0.09        | 12.28                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.71              | 0.09        | 13.80                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 13.67              | 0.09        | 13.76                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.71              | 0.09        | 13.80                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 16.13              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.07              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.12              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 11.72              | 0.16        | 11.88                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 11.63              | 0.16        | 11.79                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.55              | 0.16        | 13.71                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.31              | 0.16        | 13.47                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 15.90              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.72              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 11.44              | 0.30        | 11.74                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.56              | 0.30        | 13.86                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 15.94              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.75              | 0.23        | 12.98                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 12.79              | 0.23        | 13.02                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.07              | 0.23        | 13.30                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.53              | 0.23        | 13.76                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.06              | 0.23        | 13.29                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.12              | 0.23        | 13.35                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.40              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.17              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.33              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.71              | 0.23        | 12.94                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 12.78              | 0.23        | 13.01                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.02              | 0.23        | 13.25                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.57              | 0.23        | 13.80                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.11              | 0.23        | 13.34                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.06              | 0.23        | 13.29                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.40              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.19              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.28              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.85              | 0.23        | 13.08                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.74              | 0.23        | 12.97                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 12.61              | 0.23        | 12.84                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.16              | 0.23        | 13.39                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.13              | 0.23        | 13.36                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.11              | 0.23        | 13.34                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 16.25              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.18              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.11              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.77              | 0.00        | 12.77                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 12.85              | 0.00        | 12.85                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.08              | 0.00        | 13.08                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.59              | 0.00        | 13.59                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.17              | 0.00        | 13.17                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.11              | 0.00        | 13.11                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.21              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.02              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.11              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.94              | 0.13        | 13.07                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.78              | 0.13        | 12.91                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 12.66              | 0.13        | 12.79                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.24              | 0.13        | 13.37                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.21              | 0.13        | 13.34                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.17              | 0.13        | 13.30                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 16.24              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.14              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.07              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 12.77              | 0.26        | 13.03                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 12.66              | 0.26        | 12.92                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.31              | 0.26        | 13.57                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 13.49              | 0.26        | 13.75                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 16.32              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.37              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.63              | 0.09        | 12.72                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 12.85              | 0.09        | 12.94                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.07              | 0.09        | 13.16                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.34              | 0.09        | 13.43                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.16              | 0.09        | 13.25                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 12.99              | 0.09        | 13.08                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.10              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.11              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.13              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.86              | 0.16        | 13.02                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.83              | 0.16        | 12.99                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 12.76              | 0.16        | 12.92                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.31              | 0.16        | 13.47                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.24              | 0.16        | 13.40                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.13              | 0.16        | 13.29                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 16.26              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.21              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.12              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.01              | 0.30        | 13.31                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 12.57              | 0.30        | 12.87                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.31              | 0.30        | 13.61                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 13.32              | 0.30        | 13.62                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 16.48              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.27              | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 12.87              | 0.23        | 13.10                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 12.91              | 0.23        | 13.14                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 12.95              | 0.23        | 13.18                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 12.87              | 0.23        | 13.10                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 12.94              | 0.23        | 13.17                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.02              | 0.23        | 13.25                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.11              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.16              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.22              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.21              | 0.23        | 13.44                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.12              | 0.23        | 13.35                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.07              | 0.23        | 13.30                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 12.96              | 0.23        | 13.19                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.16              | 0.23        | 13.39                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.22              | 0.23        | 13.45                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.33              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.38              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.38              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.26              | 0.23        | 13.49                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 12.94              | 0.23        | 13.17                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 12.99              | 0.23        | 13.22                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.17              | 0.23        | 13.40                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 16.37              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 16.29              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.24              | 0.00        | 13.24                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.17              | 0.00        | 13.17                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.13              | 0.00        | 13.13                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.02              | 0.00        | 13.02                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.26              | 0.00        | 13.26                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.28              | 0.00        | 13.28                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.14              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.23              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.22              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.31              | 0.13        | 13.44                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.04              | 0.13        | 13.17                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.09              | 0.13        | 13.22                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.27              | 0.13        | 13.40                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 16.35              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 16.30              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.21              | 0.26        | 13.47                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.02              | 0.26        | 13.28                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 16.39              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.34              | 0.09        | 13.43                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.22              | 0.09        | 13.31                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.16              | 0.09        | 13.25                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.25              | 0.09        | 13.34                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.28              | 0.09        | 13.37                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.34              | 0.09        | 13.43                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.40              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.35              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.35              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.23              | 0.16        | 13.39                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.26              | 0.16        | 13.42                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.23              | 0.16        | 13.39                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.14              | 0.16        | 13.30                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 16.40              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 16.37              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.25              | 0.30        | 13.55                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 12.81              | 0.30        | 13.11                            | 30.00            | 1.0000         | Complies |


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 16.35              | 30.00            | 1.0000         | Complies |


## **APPENDIX G - POWER SPECTRAL DENSITY**

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.74                             | 0.23        | 0.97                                           | 17.00                | Complies |
| 40      | 5200            | 0.80                             | 0.23        | 1.03                                           | 17.00                | Complies |
| 48      | 5240            | 0.47                             | 0.23        | 0.70                                           | 17.00                | Complies |



Date: 3.DEC.2021 15:22:58




Date: 3.DEC.2021 15:23:36




Date: 3.DEC.2021 15:24:14

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.20                             | 0.23        | 1.43                                           | 17.00                | Complies |
| 40      | 5200            | 1.23                             | 0.23        | 1.46                                           | 17.00                | Complies |
| 48      | 5240            | 1.34                             | 0.23        | 1.57                                           | 17.00                | Complies |



Date: 3.DEC.2021 10:48:11



Date: 3.DEC.2021 10:48:42




Date: 3.DEC.2021 10:49:16

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 4.22                             | 17.00                | Complies |
| 40      | 5200            | 4.26                             | 17.00                | Complies |
| 48      | 5240            | 4.17                             | 17.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | -0.16                            | 0.00        | -0.16                                          | 17.00                | Complies |
| 40      | 5200            | -0.30                            | 0.00        | -0.30                                          | 17.00                | Complies |
| 48      | 5240            | -0.84                            | 0.00        | -0.84                                          | 17.00                | Complies |



Date: 4.DEC.2021 08:54:08




Date: 4.DEC.2021 08:54:31




Date: 4.DEC.2021 08:54:55

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.13                             | 0.00        | 1.13                                           | 17.00                | Complies |
| 40      | 5200            | 1.07                             | 0.00        | 1.07                                           | 17.00                | Complies |
| 48      | 5240            | 1.31                             | 0.00        | 1.31                                           | 17.00                | Complies |



Date: 3.DEC.2021 10:57:03



Date: 3.DEC.2021 10:58:40



Date: 3.DEC.2021 11:00:17


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 3.54                             | 17.00                | Complies |
| 40      | 5200            | 3.45                             | 17.00                | Complies |
| 48      | 5240            | 3.38                             | 17.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.06                            | 0.13        | -2.93                                          | 17.00                | Complies |
| 46      | 5230            | -3.46                            | 0.13        | -3.33                                          | 17.00                | Complies |

CH38



Date: 4.DEC.2021 08:59:23

CH46




Date: 4.DEC.2021 08:59:49

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -1.72                            | 0.13        | -1.59                                          | 17.00                | Complies |
| 46      | 5230            | -1.68                            | 0.13        | -1.55                                          | 17.00                | Complies |

CH38



Date: 3.DEC.2021 11:20:00

CH46




Date: 3.DEC.2021 11:21:47

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 0.81                             | 17.00                | Complies |
| 46      | 5230            | 0.67                             | 17.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -6.46                            | 0.26        | -6.20                                          | 17.00                | Complies |



Date: 4.DEC.2021 09:06:22

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -4.65                            | 0.26        | -4.39                                          | 17.00                | Complies |




Date: 3.DEC.2021 11:40:47

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | -2.19                            | 17.00                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | -1.01                            | 0.09        | -0.92                                          | 17.00                | Complies |
| 40      | 5200            | -0.94                            | 0.09        | -0.85                                          | 17.00                | Complies |
| 48      | 5240            | -1.41                            | 0.09        | -1.32                                          | 17.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.55                             | 0.09        | 0.64                                           | 17.00                | Complies |
| 40      | 5200            | 0.58                             | 0.09        | 0.67                                           | 17.00                | Complies |
| 48      | 5240            | 0.60                             | 0.09        | 0.69                                           | 17.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 2.94                             | 17.00                | Complies |
| 40      | 5200            | 2.99                             | 17.00                | Complies |
| 48      | 5240            | 2.81                             | 17.00                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.43                            | 0.16        | -3.27                                          | 17.00                | Complies |
| 46      | 5230            | -3.84                            | 0.16        | -3.68                                          | 17.00                | Complies |

CH38



Date: 4.DEC.2021 09:17:40

CH46




Date: 4.DEC.2021 09:18:06

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -2.34                            | 0.16        | -2.18                                          | 17.00                | Complies |
| 46      | 5230            | -2.22                            | 0.16        | -2.06                                          | 17.00                | Complies |

CH38



Date: 3.DEC.2021 14:01:59

CH46




Date: 3.DEC.2021 14:03:48

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 0.32                             | 17.00                | Complies |
| 46      | 5230            | 0.22                             | 17.00                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -6.57                            | 0.30        | -6.27                                          | 17.00                | Complies |



Date: 4.DEC.2021 09:22:43

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -5.13                            | 0.30        | -4.83                                          | 17.00                | Complies |




Date: 3.DEC.2021 14:20:33

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | -2.48                            | 17.00                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.30                             | 0.23        | 0.53                                           | 11.00                | Complies |
| 60      | 5300            | 0.30                             | 0.23        | 0.53                                           | 11.00                | Complies |
| 64      | 5320            | 0.21                             | 0.23        | 0.44                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.67                             | 0.23        | 1.90                                           | 11.00                | Complies |
| 60      | 5300            | 1.66                             | 0.23        | 1.89                                           | 11.00                | Complies |
| 64      | 5320            | 1.54                             | 0.23        | 1.77                                           | 11.00                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 4.28                             | 11.00                | Complies |
| 60      | 5300            | 4.27                             | 11.00                | Complies |
| 64      | 5320            | 4.16                             | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -1.47                            | 0.00        | -1.47                                          | 11.00                | Complies |
| 60      | 5300            | -2.09                            | 0.00        | -2.09                                          | 11.00                | Complies |
| 64      | 5320            | -1.94                            | 0.00        | -1.94                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.43                             | 0.00        | 1.43                                           | 11.00                | Complies |
| 60      | 5300            | 1.35                             | 0.00        | 1.35                                           | 11.00                | Complies |
| 64      | 5320            | 1.49                             | 0.00        | 1.49                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 3.23                             | 11.00                | Complies |
| 60      | 5300            | 2.97                             | 11.00                | Complies |
| 64      | 5320            | 3.12                             | 11.00                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -4.81                            | 0.13        | -4.68                                          | 11.00                | Complies |
| 62      | 5310            | -5.18                            | 0.13        | -5.05                                          | 11.00                | Complies |

CH54



Date: 4.DEC.2021 09:00:29

CH62




Date: 4.DEC.2021 09:00:58

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -1.48                            | 0.13        | -1.35                                          | 11.00                | Complies |
| 62      | 5310            | -1.43                            | 0.13        | -1.30                                          | 11.00                | Complies |

CH54



Date: 3.DEC.2021 11:23:48

CH62




Date: 3.DEC.2021 11:26:25

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 0.31                             | 11.00                | Complies |
| 62      | 5310            | 0.23                             | 11.00                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -8.12                            | 0.26        | -7.86                                          | 11.00                | Complies |



Date: 4.DEC.2021 09:06:53

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -4.35                            | 0.26        | -4.09                                          | 11.00                | Complies |




Date: 3.DEC.2021 11:43:03

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | -2.57                            | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -2.01                            | 0.09        | -1.92                                          | 11.00                | Complies |
| 60      | 5300            | -2.42                            | 0.09        | -2.33                                          | 11.00                | Complies |
| 64      | 5320            | -2.26                            | 0.09        | -2.17                                          | 11.00                | Complies |



Date: 4.DEC.2021 09:13:18




Date: 4.DEC.2021 09:13:42




Date: 4.DEC.2021 09:14:03

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.87                             | 0.09        | 0.96                                           | 11.00                | Complies |
| 60      | 5300            | 0.63                             | 0.09        | 0.72                                           | 11.00                | Complies |
| 64      | 5320            | 0.86                             | 0.09        | 0.95                                           | 11.00                | Complies |



Date: 3.DEC.2021 13:41:04



Date: 3.DEC.2021 13:42:49



Date: 3.DEC.2021 13:45:45


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 2.77                             | 11.00                | Complies |
| 60      | 5300            | 2.47                             | 11.00                | Complies |
| 64      | 5320            | 2.68                             | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -5.75                            | 0.16        | -5.59                                          | 11.00                | Complies |
| 62      | 5310            | -5.98                            | 0.16        | -5.82                                          | 11.00                | Complies |

CH54



Date: 4.DEC.2021 09:18:36

CH62




Date: 4.DEC.2021 09:19:02

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -2.30                            | 0.16        | -2.14                                          | 11.00                | Complies |
| 62      | 5310            | -2.46                            | 0.16        | -2.30                                          | 11.00                | Complies |

CH54



Date: 3.DEC.2021 14:05:33

CH62




Date: 3.DEC.2021 14:07:31

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | -0.52                            | 11.00                | Complies |
| 62      | 5310            | -0.70                            | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -8.91                            | 0.30        | -8.61                                          | 11.00                | Complies |



Date: 4.DEC.2021 09:23:23

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -5.10                            | 0.30        | -4.80                                          | 11.00                | Complies |



Date: 3.DEC.2021 14:22:40

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | -3.29                            | 11.00                | Complies |