



Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.66	0.23	1.89	11.00	Complies
116	5580	0.97	0.23	1.20	11.00	Complies
140	5700	1.80	0.23	2.03	11.00	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.26	0.23	2.49	11.00	Complies
116	5580	1.16	0.23	1.39	11.00	Complies
140	5700	2.36	0.23	2.59	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.21	11.00	Complies
116	5580	4.30	11.00	Complies
140	5700	5.33	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.29	0.00	-1.29	11.00	Complies
116	5580	-2.20	0.00	-2.20	11.00	Complies
140	5700	-1.14	0.00	-1.14	11.00	Complies



Date: 4.DEC.2021 08:56:42




Date: 4.DEC.2021 08:57:06




Date: 4.DEC.2021 08:57:32

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.90	0.00	1.90	11.00	Complies
116	5580	0.95	0.00	0.95	11.00	Complies
140	5700	2.11	0.00	2.11	11.00	Complies



Date: 3.DEC.2021 11:07:34



Date: 3.DEC.2021 11:09:13




Date: 3.DEC.2021 11:10:54

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.60	11.00	Complies
116	5580	2.66	11.00	Complies
140	5700	3.79	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.07	0.13	-3.94	11.00	Complies
110	5550	-4.38	0.13	-4.25	11.00	Complies
134	5670	-4.65	0.13	-4.52	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.13	0.13	-1.00	11.00	Complies
110	5550	-1.64	0.13	-1.51	11.00	Complies
134	5670	-0.91	0.13	-0.78	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.79	11.00	Complies
110	5550	0.35	11.00	Complies
134	5670	0.76	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.49	0.26	-7.23	11.00	Complies
122	5610	-8.43	0.26	-8.17	11.00	Complies

CH106



Date: 4.DEC.2021 09:07:49

CH122




Date: 4.DEC.2021 09:08:24

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.34	0.26	-4.08	11.00	Complies
122	5610	-4.67	0.26	-4.41	11.00	Complies

CH106



Date: 3.DEC.2021 11:45:27

CH122




Date: 3.DEC.2021 11:48:02

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.36	11.00	Complies
122	5610	-2.88	11.00	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.06	0.09	-1.97	11.00	Complies
116	5580	-2.71	0.09	-2.62	11.00	Complies
140	5700	-1.63	0.09	-1.54	11.00	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.09	0.09	1.18	11.00	Complies
116	5580	0.12	0.09	0.21	11.00	Complies
140	5700	1.23	0.09	1.32	11.00	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.90	11.00	Complies
116	5580	2.03	11.00	Complies
140	5700	3.13	11.00	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.79	0.16	-4.63	11.00	Complies
110	5550	-5.23	0.16	-5.07	11.00	Complies
134	5670	-5.18	0.16	-5.02	11.00	Complies



Date: 4.DEC.2021 09:19:29




Date: 4.DEC.2021 09:19:57




Date: 4.DEC.2021 09:20:46

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.95	0.16	-1.79	11.00	Complies
110	5550	-2.41	0.16	-2.25	11.00	Complies
134	5670	-1.63	0.16	-1.47	11.00	Complies



Date: 3.DEC.2021 14:10:07



Date: 3.DEC.2021 14:11:49



Date: 3.DEC.2021 14:13:38


Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.03	11.00	Complies
110	5550	-0.42	11.00	Complies
134	5670	0.12	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.57	0.30	-7.27	11.00	Complies
122	5610	-8.70	0.30	-8.40	11.00	Complies

CH106



Date: 4.DEC.2021 09:23:58

CH122




Date: 4.DEC.2021 09:24:46

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.63	0.30	-4.33	11.00	Complies
122	5610	-5.32	0.30	-5.02	11.00	Complies

CH106



Date: 3.DEC.2021 14:24:56

CH122




Date: 3.DEC.2021 14:26:55

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.54	11.00	Complies
122	5610	-3.38	11.00	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.02	0.23	0.25	30.00	Complies
157	5785	-0.25	0.23	-0.02	30.00	Complies
165	5825	-0.19	0.23	0.04	30.00	Complies



Date: 3.DEC.2021 15:29:01




Date: 3.DEC.2021 15:29:40




Date: 3.DEC.2021 15:30:17

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.64	0.23	0.87	30.00	Complies
157	5785	-0.03	0.23	0.20	30.00	Complies
165	5825	-0.46	0.23	-0.23	30.00	Complies



Date: 3.DEC.2021 10:53:33



Date: 3.DEC.2021 10:54:08






Date: 3.DEC.2021 10:54:45

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.58	30.00	Complies
157	5785	3.10	30.00	Complies
165	5825	2.92	30.00	Complies




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.16	0.00	-2.16	30.00	Complies
157	5785	-2.06	0.00	-2.06	30.00	Complies
165	5825	-2.41	0.00	-2.41	30.00	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.52	0.00	0.52	30.00	Complies
157	5785	-0.14	0.00	-0.14	30.00	Complies
165	5825	-0.44	0.00	-0.44	30.00	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.39	30.00	Complies
157	5785	2.02	30.00	Complies
165	5825	1.70	30.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.35	0.13	-5.22	30.00	Complies
159	5795	-5.27	0.13	-5.14	30.00	Complies

CH151



Date: 4.DEC.2021 09:04:32

CH159




Date: 4.DEC.2021 09:05:03

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.52	0.13	-2.39	30.00	Complies
159	5795	-3.14	0.13	-3.01	30.00	Complies

CH151



Date: 3.DEC.2021 11:34:54

CH159




Date: 3.DEC.2021 11:37:06

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.56	30.00	Complies
159	5795	-0.93	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-8.73	0.26	-8.47	30.00	Complies



Date: 4.DEC.2021 09:09:01

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.85	0.26	-6.59	30.00	Complies




Date: 3.DEC.2021 11:51:54

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.42	30.00	Complies

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.58	0.09	-2.49	30.00	Complies
157	5785	-3.48	0.09	-3.39	30.00	Complies
165	5825	-3.45	0.09	-3.36	30.00	Complies



Date: 4.DEC.2021 09:15:50




Date: 4.DEC.2021 09:16:17




Date: 4.DEC.2021 09:16:41

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.77	0.09	-0.68	30.00	Complies
157	5785	-1.20	0.09	-1.11	30.00	Complies
165	5825	-1.79	0.09	-1.70	30.00	Complies



Date: 3.DEC.2021 13:55:24



Date: 3.DEC.2021 13:57:19



Date: 3.DEC.2021 13:59:24


Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.52	30.00	Complies
157	5785	0.91	30.00	Complies
165	5825	0.56	30.00	Complies

Test Mode UNII-3_TX AX(HE40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.16	0.16	-6.00	30.00	Complies
159	5795	-5.42	0.16	-5.26	30.00	Complies

CH151



Date: 4.DEC.2021 09:21:24

CH159




Date: 4.DEC.2021 09:21:59

Test Mode UNII-3_TX AX(HE40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.37	0.16	-3.21	30.00	Complies
159	5795	-4.09	0.16	-3.93	30.00	Complies

CH151



Date: 3.DEC.2021 14:15:31

CH159




Date: 3.DEC.2021 14:17:48

Test Mode UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.37	30.00	Complies
159	5795	-1.53	30.00	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-8.99	0.30	-8.69	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.02	0.30	-6.72	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.58	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
40.8	5179.9492
48.0	5179.9468
55.2	5179.9460
Maximum Deviation (MHz)	0.0540
Maximum Deviation (ppm)	10.4247

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9456
10	5179.9452
20	5179.9452
30	5179.9448
40	5179.9448
45	5179.9444
Maximum Deviation (MHz)	0.0560
Maximum Deviation (ppm)	10.8108

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
40.8	5259.9452
48.0	5259.9444
55.2	5259.9440
Maximum Deviation (MHz)	0.0560
Maximum Deviation (ppm)	10.6464

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9436
10	5259.9436
20	5259.9432
30	5259.9428
40	5259.9428
45	5259.9428
Maximum Deviation (MHz)	0.0572
Maximum Deviation (ppm)	10.8745

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
40.8	5499.9412
48.0	5499.9412
55.2	5499.9408
Maximum Deviation (MHz)	0.0592
Maximum Deviation (ppm)	10.7636

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9408
10	5499.9408
20	5499.9408
30	5499.9408
40	5499.9404
45	5499.9404
Maximum Deviation (MHz)	0.0600
Maximum Deviation (ppm)	10.9091

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
40.8	5744.9404
48.0	5744.9388
55.2	5744.9384
Maximum Deviation (MHz)	0.0616
Maximum Deviation (ppm)	10.7224

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9380
10	5744.9376
20	5744.9368
30	5744.9364
40	5744.9360
45	5744.9356
Maximum Deviation (MHz)	0.0644
Maximum Deviation (ppm)	11.2097

End of Test Report