

Appendix A: Restricted Band

Mode:	DH5-2402
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.51	74.00	30.49	41.41	54.00	12.59	150	317	Horizontal	PASS
2	2316.32	6.69	50.06	74.00	23.94	46.16	54.00	7.84	150	0	Horizontal	PASS
3	2336.08	6.82	45.97	74.00	28.03	41.78	54.00	12.22	150	70	Horizontal	PASS
4	2360.88	7.00	45.68	74.00	28.32	43.56	54.00	10.44	150	317	Horizontal	PASS
5	2380.72	7.65	56.14	74.00	17.86	42.60	54.00	11.40	150	317	Horizontal	PASS
6	2390	8.15	45.90	74.00	28.10	43.80	54.00	10.20	150	64	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.89	74.00	30.11	40.38	54.00	13.62	150	210	Vertical	PASS
2	2330.56	6.83	44.66	74.00	29.34	41.28	54.00	12.72	150	267	Vertical	PASS
3	2347.76	6.89	45.84	74.00	28.16	41.53	54.00	12.47	150	58	Vertical	PASS
4	2366.96	7.17	46.73	74.00	27.27	44.36	54.00	9.64	150	318	Vertical	PASS
5	2383.68	7.85	46.92	74.00	27.08	43.77	54.00	10.23	150	58	Vertical	PASS
6	2390	8.15	45.00	74.00	29.00	42.49	54.00	11.51	150	99	Vertical	PASS

Mode:

DH5-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.63	74.00	27.37	44.80	54.00	9.20	150	309	Horizontal	PASS
2	2491.684	8.46	63.77	74.00	10.23	46.25	54.00	7.75	150	287	Horizontal	PASS
3	2495.9575	8.46	48.35	74.00	25.65	43.14	54.00	10.86	150	190	Horizontal	PASS
4	2498.482	8.30	49.88	74.00	24.12	45.55	54.00	8.45	150	334	Horizontal	PASS
5	2498.7955	8.34	49.27	74.00	24.73	45.13	54.00	8.87	150	336	Horizontal	PASS
6	2500	8.20	45.38	74.00	28.62	43.65	54.00	10.35	150	70	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.56	74.00	27.44	43.99	54.00	10.01	150	123	Vertical	PASS
2	2486.173	8.42	62.34	74.00	11.66	38.71	54.00	15.29	150	279	Vertical	PASS
3	2487.2785	8.36	61.95	74.00	12.05	47.89	54.00	6.11	150	324	Vertical	PASS
4	2490.1165	8.35	62.06	74.00	11.94	38.66	54.00	15.34	150	36	Vertical	PASS
5	2490.298	8.36	58.44	74.00	15.56	41.84	54.00	12.16	150	36	Vertical	PASS
6	2500	8.20	46.19	74.00	27.81	43.35	54.00	10.65	150	118	Vertical	PASS

Mode:	2DH5-2402
-------	-----------

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.32	74.00	30.68	41.15	54.00	12.85	150	29	Horizontal	PASS
2	2365.12	7.20	55.88	74.00	18.12	41.67	54.00	12.33	150	86	Horizontal	PASS
3	2373.84	7.44	65.08	74.00	8.92	43.80	54.00	10.20	150	26	Horizontal	PASS
4	2380.4	7.64	58.78	74.00	15.22	44.73	54.00	9.27	150	321	Horizontal	PASS
5	2387.52	7.99	69.84	74.00	4.16	38.24	54.00	15.76	150	318	Horizontal	PASS
6	2390	8.15	44.94	74.00	29.06	43.16	54.00	10.84	150	35	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.68	74.00	30.32	41.66	54.00	12.34	150	63	Vertical	PASS
2	2323.2	6.80	59.05	74.00	14.95	39.06	54.00	14.94	150	16	Vertical	PASS
3	2330.56	6.83	54.95	74.00	19.05	42.87	54.00	11.13	150	309	Vertical	PASS
4	2370.4	7.22	58.11	74.00	15.89	45.12	54.00	8.88	150	138	Vertical	PASS
5	2389.76	8.14	61.52	74.00	12.48	47.56	54.00	6.44	150	194	Vertical	PASS
6	2390	8.15	61.08	74.00	12.92	46.52	54.00	7.48	150	194	Vertical	PASS

Mode:

2DH5-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.73	74.00	27.27	44.42	54.00	9.58	150	332	Horizontal	PASS
2	2485.8925	8.44	50.45	74.00	23.55	47.60	54.00	6.40	150	214	Horizontal	PASS
3	2494.39	8.57	52.30	74.00	21.70	39.14	54.00	14.86	150	70	Horizontal	PASS
4	2496.568	8.42	52.74	74.00	21.26	47.18	54.00	6.82	150	312	Horizontal	PASS
5	2497.7395	8.30	51.32	74.00	22.68	47.77	54.00	6.23	150	116	Horizontal	PASS
6	2500	8.20	45.73	74.00	28.27	42.70	54.00	11.30	150	58	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.40	74.00	27.60	44.52	54.00	9.48	150	120	Vertical	PASS
2	2483.962	8.62	44.86	74.00	29.14	40.31	54.00	13.69	150	31	Vertical	PASS
3	2486.5855	8.42	46.07	74.00	27.93	39.48	54.00	14.52	150	166	Vertical	PASS
4	2489.1265	8.32	43.57	74.00	30.43	40.83	54.00	13.17	150	31	Vertical	PASS
5	2496.238	8.44	44.03	74.00	29.97	45.77	54.00	8.23	150	31	Vertical	PASS
6	2500	8.20	45.79	74.00	28.21	44.02	54.00	9.98	150	89	Vertical	PASS

Mode:

3DH5-2402

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.52	74.00	30.48	41.33	54.00	12.67	150	51	Horizontal	PASS
2	2321.44	6.80	46.16	74.00	27.84	41.97	54.00	12.03	150	213	Horizontal	PASS
3	2339.76	6.81	45.67	74.00	28.33	44.29	54.00	9.71	150	153	Horizontal	PASS
4	2363.92	7.11	47.10	74.00	26.90	44.54	54.00	9.46	150	261	Horizontal	PASS
5	2378.72	7.58	57.58	74.00	16.42	53.44	54.00	0.56	150	106	Horizontal	PASS
6	2390	8.15	44.85	74.00	29.15	42.62	54.00	11.38	150	34	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.91	74.00	30.09	41.07	54.00	12.93	150	239	Vertical	PASS
2	2319.6	6.79	46.25	74.00	27.75	42.48	54.00	11.52	150	295	Vertical	PASS
3	2338.32	6.84	61.18	74.00	12.82	39.07	54.00	14.93	150	295	Vertical	PASS
4	2345.44	6.94	59.33	74.00	14.67	42.47	54.00	11.53	150	176	Vertical	PASS
5	2371.12	7.23	50.93	74.00	23.07	44.47	54.00	9.53	150	61	Vertical	PASS
6	2390	8.15	44.90	74.00	29.10	41.85	54.00	12.15	150	186	Vertical	PASS

Mode:

3DH5-2480


Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	45.79	74.00	28.21	43.47	54.00	10.53	150	38	Horizontal	PASS
2	2485.777	8.46	64.21	74.00	9.79	40.11	54.00	13.89	150	24	Horizontal	PASS
3	2490.001	8.34	60.21	74.00	13.79	47.89	54.00	6.11	150	120	Horizontal	PASS
4	2492.2945	8.49	63.60	74.00	10.40	41.95	54.00	12.05	150	163	Horizontal	PASS
5	2495.6935	8.48	62.92	74.00	11.08	40.31	54.00	13.69	150	360	Horizontal	PASS
6	2500	8.20	45.42	74.00	28.58	42.08	54.00	11.92	150	352	Horizontal	PASS


Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	47.95	74.00	26.05	44.80	54.00	9.20	150	31	Vertical	PASS
2	2487.2455	8.37	46.48	74.00	27.52	40.03	54.00	13.97	150	70	Vertical	PASS
3	2496.799	8.41	51.09	74.00	22.91	44.66	54.00	9.34	150	309	Vertical	PASS
4	2497.8055	8.29	48.10	74.00	25.90	40.34	54.00	13.66	150	21	Vertical	PASS
5	2498.2675	8.29	45.06	74.00	28.94	41.29	54.00	12.71	150	21	Vertical	PASS
6	2500	8.20	46.55	74.00	27.45	43.52	54.00	10.48	150	312	Vertical	PASS

Appendix B: Spurious emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	51.3400	35.13	-16.05	40.00	4.87	100	111	Vertical	PASS
2	135.730	40.15	-16.75	43.50	3.35	100	243	Vertical	PASS
3	239.520	36.79	-17.16	46.00	9.21	100	12	Vertical	PASS
4	357.860	37.83	-14.31	46.00	8.17	100	12	Vertical	PASS
5	527.610	40.82	-10.27	46.00	5.18	100	141	Vertical	PASS
6	841.890	36.59	-4.14	46.00	9.41	100	12	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	54.2500	32.38	-16.29	40.00	7.62	100	348	Horizontal	PASS
2	143.490	34.63	-16.45	43.50	8.87	100	133	Horizontal	PASS
3	210.420	36.43	-18.79	43.50	7.07	100	147	Horizontal	PASS
4	313.240	40.67	-15.74	46.00	5.33	100	279	Horizontal	PASS
5	527.610	40.38	-10.27	46.00	5.62	100	155	Horizontal	PASS
6	841.890	42.24	-4.14	46.00	3.76	100	342	Horizontal	PASS

Mode:	DH5-2402
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1440	44.88	1.93	74.00	29.12	150	150	Horizontal	PASS
2	1782	44.95	4.50	74.00	29.05	150	170	Horizontal	PASS
3	4432.85	42.44	-15.74	74.00	31.56	150	220	Horizontal	PASS
4	7013.78	45.70	-11.90	74.00	28.30	150	70	Horizontal	PASS
5	9627.69	46.54	-8.32	74.00	27.46	150	250	Horizontal	PASS
6	13584.5	48.26	-2.78	74.00	25.74	150	170	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	45.05	2.11	74.00	28.95	150	320	Vertical	PASS
2	1988	44.99	5.86	74.00	29.01	150	170	Vertical	PASS
3	4930.45	43.07	-14.88	74.00	30.93	150	110	Vertical	PASS
4	6459.23	46.40	-12.56	74.00	27.60	150	220	Vertical	PASS
5	9321.94	45.24	-9.15	74.00	28.76	150	70	Vertical	PASS
6	13947.2	48.15	-2.15	74.00	25.85	150	200	Vertical	PASS

Mode:	DH5-2441
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	47.21	2.11	74.00	26.79	150	161	Horizontal	PASS
2	3947.24	48.25	-17.24	74.00	25.75	150	160	Horizontal	PASS
3	5676.85	47.64	-13.29	74.00	26.36	150	272	Horizontal	PASS
4	6540.16	49.29	-12.19	74.00	24.71	150	85	Horizontal	PASS
5	7661.27	48.73	-11.17	74.00	25.27	150	157	Horizontal	PASS
6	12892.0	47.96	-3.14	74.00	26.04	150	164	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	47.82	2.11	74.00	26.18	150	136	Vertical	PASS
2	1782	46.31	4.50	74.00	27.69	150	294	Vertical	PASS
3	3920.26	42.44	-16.82	74.00	31.56	150	273	Vertical	PASS
4	6905.87	49.86	-12.49	74.00	24.14	150	163	Vertical	PASS
5	7766.18	47.79	-11.31	74.00	26.21	150	131	Vertical	PASS
6	13116.9	50.11	-2.87	74.00	23.89	150	64	Vertical	PASS

Mode:

DH5-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	47.75	2.11	74.00	26.25	150	167	Horizontal	PASS
2	1782	46.59	4.50	74.00	27.41	150	243	Horizontal	PASS
3	4456.83	43.56	-15.61	74.00	30.44	150	248	Horizontal	PASS
4	5790.76	46.84	-13.43	74.00	27.16	150	308	Horizontal	PASS
5	6905.87	49.26	-12.49	74.00	24.74	150	149	Horizontal	PASS
6	10098.3	46.23	-7.23	74.00	27.77	150	262	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	48.58	2.11	74.00	25.42	150	160	Vertical	PASS
2	1782	46.19	4.50	74.00	27.81	150	302	Vertical	PASS
3	5248.20	45.00	-14.11	74.00	29.00	150	268	Vertical	PASS
4	7766.18	48.30	-11.31	74.00	25.70	150	157	Vertical	PASS
5	9795.56	45.58	-7.89	74.00	28.42	150	100	Vertical	PASS
6	11920.8	47.54	-4.54	74.00	26.46	150	114	Vertical	PASS

Mode:	2DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	48.39	2.11	74.00	25.61	150	172	Horizontal	PASS
2	1782	46.01	4.50	74.00	27.99	150	259	Horizontal	PASS
3	3992.20	43.26	-16.60	74.00	30.74	150	132	Horizontal	PASS
4	6905.87	48.88	-12.49	74.00	25.12	150	146	Horizontal	PASS
5	7688.24	48.85	-11.46	74.00	25.15	150	135	Horizontal	PASS
6	12892.0	49.19	-3.14	74.00	24.81	150	286	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200	47.84	2.14	74.00	26.16	150	144	Vertical	PASS
2	1782	46.29	4.50	74.00	27.71	150	272	Vertical	PASS
3	3956.23	45.96	-17.18	74.00	28.04	150	160	Vertical	PASS
4	6444.24	48.78	-12.47	74.00	25.22	150	26	Vertical	PASS
5	7739.20	48.15	-11.47	74.00	25.85	150	160	Vertical	PASS
6	11923.8	47.42	-4.58	74.00	26.58	150	84	Vertical	PASS

Mode:	2DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	48.24	2.11	74.00	25.76	150	95	Horizontal	PASS
2	1782	46.78	4.50	74.00	27.22	150	290	Horizontal	PASS
3	3950.23	45.11	-17.28	74.00	28.89	150	171	Horizontal	PASS
4	7013.78	49.73	-11.90	74.00	24.27	150	146	Horizontal	PASS
5	7661.27	47.95	-11.17	74.00	26.05	150	152	Horizontal	PASS
6	11078.5	47.28	-5.70	74.00	26.72	150	239	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200	48.02	2.14	74.00	25.98	150	95	Vertical	PASS
2	1782	46.40	4.50	74.00	27.60	150	261	Vertical	PASS
3	3947.24	45.14	-17.24	74.00	28.86	150	160	Vertical	PASS
4	6486.21	49.40	-12.64	74.00	24.60	150	27	Vertical	PASS
5	7739.20	48.45	-11.47	74.00	25.55	150	156	Vertical	PASS
6	12025.7	47.67	-4.85	74.00	26.33	150	311	Vertical	PASS

Mode:

2DH5-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	49.66	2.11	74.00	24.34	150	134	Horizontal	PASS
2	1782	46.28	4.50	74.00	27.72	150	298	Horizontal	PASS
3	3947.24	45.29	-17.24	74.00	28.71	150	130	Horizontal	PASS
4	5952.63	43.80	-12.03	74.00	30.20	150	87	Horizontal	PASS
5	6905.87	50.17	-12.49	74.00	23.83	150	142	Horizontal	PASS
6	13164.8	48.62	-2.66	74.00	25.38	150	210	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	50.39	2.11	74.00	23.61	150	162	Vertical	PASS
2	1782	46.10	4.50	74.00	27.90	150	290	Vertical	PASS
3	3953.23	44.06	-17.23	74.00	29.94	150	342	Vertical	PASS
4	6905.87	49.36	-12.49	74.00	24.64	150	96	Vertical	PASS
5	9738.60	45.55	-7.82	74.00	28.45	150	338	Vertical	PASS
6	13176.8	48.83	-2.51	74.00	25.17	150	49	Vertical	PASS

Mode:

3DH5-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1248	48.88	2.18	74.00	25.12	150	149	Horizontal	PASS
2	1782	45.92	4.50	74.00	28.08	150	322	Horizontal	PASS
3	3944.24	45.02	-17.19	74.00	28.98	150	161	Horizontal	PASS
4	6905.87	49.41	-12.49	74.00	24.59	150	158	Horizontal	PASS
5	7739.20	48.12	-11.47	74.00	25.88	150	158	Horizontal	PASS
6	11890.8	48.94	-4.36	74.00	25.06	150	158	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200	48.88	2.14	74.00	25.12	150	142	Vertical	PASS
2	1782	45.95	4.50	74.00	28.05	150	240	Vertical	PASS
3	3938.24	47.02	-17.10	74.00	26.98	150	163	Vertical	PASS
4	6905.87	49.17	-12.49	74.00	24.83	150	145	Vertical	PASS
5	8779.37	44.26	-9.69	74.00	29.74	150	40	Vertical	PASS
6	12670.2	48.00	-3.83	74.00	26.00	150	195	Vertical	PASS

Mode: 3DH5-2441

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1296	48.53	2.35	74.00	25.47	150	137	Horizontal	PASS
2	1782	46.36	4.50	74.00	27.64	150	258	Horizontal	PASS
3	4453.83	43.12	-15.60	74.00	30.88	150	212	Horizontal	PASS
4	7013.78	49.18	-11.90	74.00	24.82	150	130	Horizontal	PASS
5	7739.20	48.94	-11.47	74.00	25.06	150	134	Horizontal	PASS
6	12892.0	48.84	-3.14	74.00	25.16	150	4	Horizontal	PASS


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344	47.64	2.11	74.00	26.36	150	168	Vertical	PASS
2	1782	46.51	4.50	74.00	27.49	150	257	Vertical	PASS
3	3941.24	45.50	-17.15	74.00	28.50	150	154	Vertical	PASS
4	6579.13	49.92	-12.29	74.00	24.08	150	26	Vertical	PASS
5	7685.25	50.69	-11.43	74.00	23.31	150	151	Vertical	PASS
6	13050.9	49.39	-3.49	74.00	24.61	150	140	Vertical	PASS

Mode: 3DH5-2480


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1248	46.84	2.18	74.00	27.16	150	186	Horizontal	PASS
2	1728	45.19	3.59	74.00	28.81	150	174	Horizontal	PASS
3	5038.36	42.90	-14.36	74.00	31.10	150	55	Horizontal	PASS
4	6905.87	45.90	-12.49	74.00	28.10	150	58	Horizontal	PASS
5	8458.63	46.04	-10.97	74.00	27.96	150	285	Horizontal	PASS
6	12238.6	47.85	-4.85	74.00	26.15	150	79	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1248	46.83	2.18	74.00	27.17	150	120	Vertical	PASS
2	1782	45.79	4.50	74.00	28.21	150	229	Vertical	PASS
3	3950.23	44.53	-17.28	74.00	29.47	150	6	Vertical	PASS
4	7067.74	50.20	-12.04	74.00	23.80	150	110	Vertical	PASS
5	11441.2	48.05	-5.28	74.00	25.95	150	258	Vertical	PASS
6	15320.1	51.80	-0.35	74.00	22.20	150	107	Vertical	PASS

Appendix C: Conducted Emission



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.2032	11.65	42.29	63.48	21.19	23.16	53.48	30.32	L1	PASS
2	0.3940	11.65	36.17	57.98	21.81	24.42	47.98	23.56	L1	PASS
3	1.3399	11.67	29.26	56.00	26.74	20.53	46.00	25.47	L1	PASS
4	2.3204	11.69	30.49	56.00	25.51	22.93	46.00	23.07	L1	PASS
5	7.4037	11.83	31.60	60.00	28.40	25.50	50.00	24.50	L1	PASS
6	22.2860	12.06	18.16	60.00	41.84	17.01	50.00	32.99	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.2131	11.65	41.44	63.08	21.64	22.92	53.08	30.16	N	PASS
2	0.3370	11.65	37.12	59.28	22.16	23.64	49.28	25.64	N	PASS
3	0.4884	11.66	35.75	56.19	20.44	24.36	46.19	21.83	N	PASS
4	3.5652	11.78	27.84	56.00	28.16	22.64	46.00	23.36	N	PASS
5	7.3963	11.83	31.70	60.00	28.30	25.90	50.00	24.10	N	PASS
6	10.8942	11.88	27.43	60.00	32.57	23.33	50.00	26.67	N	PASS