

Appendix A: Transmitter Radiated Spurious Emissions


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

Above 1GHz, The emission level with margin less than 20dB is recorded.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

During the test, the Radiates Emission was performed in all modes with all channels. The test data of the worst-case(MIMO) condition was recorded in this report.

30MHz-1GHz



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	52.3100	34.91	-16.13	40.00	5.09	100	173	Vertical	PASS
2	138.640	38.85	-16.55	43.50	4.65	100	240	Vertical	PASS
3	270.560	36.75	-16.54	46.00	9.25	100	226	Vertical	PASS
4	357.860	37.03	-14.31	46.00	8.97	100	12	Vertical	PASS
5	480.080	39.38	-11.25	46.00	6.62	100	297	Vertical	PASS
6	720.640	35.97	-6.63	46.00	10.03	100	323	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	54.2500	31.65	-16.29	40.00	8.35	100	348	Horizontal	PASS
2	143.490	35.66	-16.45	43.50	7.84	100	136	Horizontal	PASS
3	271.530	42.93	-16.46	46.00	3.07	100	16	Horizontal	PASS
4	357.860	42.33	-14.31	46.00	3.67	100	328	Horizontal	PASS
5	527.610	39.59	-10.27	46.00	6.41	100	142	Horizontal	PASS
6	886.510	39.81	-2.59	46.00	6.19	100	334	Horizontal	PASS

Mode:	11A-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	41.71	74.00	32.29	34.83	54.00	19.17	150	14	Horizontal	PASS
2	2434.2829	7.14	45.40	68.23	22.83	39.66	54.00	14.34	150	198	Horizontal	PASS
3	6905.321	-12.15	45.15	68.23	23.08	34.34	54.00	19.66	150	64	Horizontal	PASS
4	9075.6932	-9.53	44.06	74.00	29.94	34.15	54.00	19.85	150	290	Horizontal	PASS
5	10356.051	-7.19	62.61	68.23	5.62	52.46	54.00	1.54	200	134.6	Horizontal	PASS
6	15546.1791	-0.05	59.83	74.00	14.17	48.90	54.00	5.10	146.1	110.7	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.61	74.00	29.39	35.93	54.00	18.07	150	189	Vertical	PASS
2	1782.1089	4.43	42.21	68.23	26.02	31.82	54.00	22.18	150	254	Vertical	PASS
3	3203.8981	8.93	45.05	68.23	23.18	37.07	54.00	16.93	150	112	Vertical	PASS
4	6908.3188	-12.14	47.97	68.23	20.26	33.09	54.00	20.91	150	100	Vertical	PASS
5	10358.9842	-7.08	60.76	68.23	7.47	51.46	54.00	2.54	163	97.6	Vertical	PASS
6	15543.7836	-0.14	62.17	74.00	11.83	50.58	54.00	3.42	200	114.7	Vertical	PASS

Mode:	11A-5200
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.16	74.00	30.84	34.15	54.00	19.85	150	5	Horizontal	PASS
2	2439.2804	7.17	44.47	68.23	23.76	38.58	54.00	15.42	150	206	Horizontal	PASS
3	3956.022	10.91	45.41	74.00	28.59	37.53	54.00	16.47	150	187	Horizontal	PASS
4	6932.3008	-12.09	45.92	68.23	22.31	38.82	54.00	15.18	150	47	Horizontal	PASS
5	10400.0172	-6.68	68.22	68.23	0.01	51.95	54.00	2.05	178.9	134.8	Horizontal	PASS
6	15598.8009	-0.01	52.12	74.00	21.88	44.10	54.00	9.90	150	348	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.43	44.82	68.23	23.41	33.06	54.00	20.94	150	305	Vertical	PASS
2	3141.4293	8.81	45.24	68.23	22.99	38.60	54.00	15.40	150	6	Vertical	PASS
3	4283.3583	11.81	45.82	74.00	28.18	39.96	54.00	14.04	150	173	Vertical	PASS
4	6932.3008	-12.09	47.80	68.23	20.43	41.16	54.00	12.84	150	108	Vertical	PASS
5	10397.7017	-6.72	57.48	68.23	10.75	49.30	54.00	4.70	150	26	Vertical	PASS
6	15589.8076	-0.01	54.23	74.00	19.77	43.28	54.00	10.72	150	108	Vertical	PASS

Mode:	11A-5240
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1832.084	5.09	42.54	68.23	25.69	33.15	54.00	20.85	150	223	Horizontal	PASS
2	3803.5982	10.34	45.60	74.00	28.40	36.48	54.00	17.52	150	264	Horizontal	PASS
3	6986.2603	-11.26	45.82	68.23	22.41	33.07	54.00	20.93	150	58	Horizontal	PASS
4	8449.1631	-10.41	43.21	74.00	30.79	34.02	54.00	19.98	150	69	Horizontal	PASS
5	10478.641	-6.57	56.67	68.23	11.56	52.31	54.00	1.69	150	124	Horizontal	PASS
6	15718.711	0.23	50.02	74.00	23.98	41.40	54.00	12.60	150	119	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1842.079	5.16	43.37	68.23	24.86	34.53	54.00	19.47	150	192	Vertical	PASS
2	2874.063	8.28	45.33	74.00	28.67	35.60	54.00	18.40	150	283	Vertical	PASS
3	4263.3683	11.81	46.14	74.00	27.86	39.02	54.00	14.98	150	117	Vertical	PASS
4	6986.2603	-11.26	46.02	68.23	22.21	33.28	54.00	20.72	150	93	Vertical	PASS
5	10478.641	-6.57	54.32	68.23	13.91	47.07	54.00	6.93	150	28	Vertical	PASS
6	15721.7087	0.17	50.18	74.00	23.82	42.42	54.00	11.58	150	115	Vertical	PASS

Mode:	11A-5260
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1844.5777	5.18	41.92	68.23	26.31	34.43	54.00	19.57	150	275	Horizontal	PASS
2	2616.6917	7.65	45.67	68.23	22.56	37.65	54.00	16.35	150	90	Horizontal	PASS
3	4225.8871	11.79	46.60	74.00	27.40	37.84	54.00	16.16	150	260	Horizontal	PASS
4	7013.2401	-11.18	45.47	68.23	22.76	39.47	54.00	14.53	150	43	Horizontal	PASS
5	10520.6095	-6.55	56.00	68.23	12.23	48.89	54.00	5.11	150	159	Horizontal	PASS
6	15700.7245	0.65	48.37	74.00	25.63	41.34	54.00	12.66	150	40	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.75	74.00	30.25	35.65	54.00	18.35	150	116	Vertical	PASS
2	1782.1089	4.43	42.46	68.23	25.77	32.85	54.00	21.15	150	269	Vertical	PASS
3	3136.4318	8.82	45.45	68.23	22.78	38.13	54.00	15.87	150	316	Vertical	PASS
4	7013.2401	-11.18	46.77	68.23	21.46	40.44	54.00	13.56	150	154	Vertical	PASS
5	10517.6118	-6.54	52.96	68.23	15.27	47.10	54.00	6.90	150	96	Vertical	PASS
6	15364.9763	0.26	47.84	74.00	26.16	38.32	54.00	15.68	150	312	Vertical	PASS

Mode:	11A-5320
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	42.00	74.00	32.00	34.80	54.00	19.20	150	13	Horizontal	PASS
2	2906.5467	8.29	44.18	68.23	24.05	35.85	54.00	18.15	150	335	Horizontal	PASS
3	4235.8821	11.80	46.82	74.00	27.18	39.34	54.00	14.66	150	313	Horizontal	PASS
4	7094.1794	-11.54	44.88	68.23	23.35	36.60	54.00	17.40	150	58	Horizontal	PASS
5	10646.5151	-6.71	55.79	74.00	18.21	47.61	54.00	6.39	150	136	Horizontal	PASS
6	15445.9156	0.01	48.13	74.00	25.87	39.28	54.00	14.72	150	21	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	42.99	74.00	31.01	35.66	54.00	18.34	150	172	Vertical	PASS
2	1782.1089	4.43	43.36	68.23	24.87	33.15	54.00	20.85	150	275	Vertical	PASS
3	3236.3818	9.09	45.14	68.23	23.09	36.52	54.00	17.48	150	233	Vertical	PASS
4	7094.1794	-11.54	47.14	68.23	21.09	37.19	54.00	16.81	150	160	Vertical	PASS
5	10640.5196	-6.73	53.64	74.00	20.36	44.44	54.00	9.56	150	65	Vertical	PASS
6	13500.3747	-2.61	46.72	68.23	21.51	37.58	54.00	16.42	150	197	Vertical	PASS

Mode:	11A-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	1.97	41.46	68.23	26.77	30.15	54.00	23.85	150	142	Horizontal	PASS
2	1917.0415	5.42	41.78	68.23	26.45	33.67	54.00	20.33	150	223	Horizontal	PASS
3	7333.9995	-11.63	44.68	74.00	29.32	35.55	54.00	18.45	150	46	Horizontal	PASS
4	9063.7022	-9.47	42.60	74.00	31.40	33.66	54.00	20.34	150	184	Horizontal	PASS
5	11273.0452	-5.43	44.88	74.00	29.12	36.35	54.00	17.65	150	46	Horizontal	PASS
6	13164.6265	-2.27	46.52	68.23	21.71	37.82	54.00	16.18	150	320	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.92	74.00	30.08	35.67	54.00	18.33	150	66	Vertical	PASS
2	1782.1089	4.32	42.40	68.23	25.83	33.24	54.00	20.76	150	238	Vertical	PASS
3	3351.3243	9.36	44.88	74.00	29.12	36.80	54.00	17.20	150	145	Vertical	PASS
4	7333.9995	-11.63	47.60	74.00	26.40	37.33	54.00	16.67	150	157	Vertical	PASS
5	8958.7809	-9.43	42.86	68.23	25.37	33.77	54.00	20.23	150	346	Vertical	PASS
6	10997.2521	-5.77	47.75	74.00	26.25	41.25	54.00	12.75	150	69	Vertical	PASS

Mode:	11A-5600
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.56	74.00	32.44	33.54	54.00	20.46	150	214	Horizontal	PASS
2	2566.7166	7.38	44.37	68.23	23.86	36.75	54.00	17.25	150	265	Horizontal	PASS
3	3823.5882	10.32	45.11	74.00	28.89	37.26	54.00	16.74	150	134	Horizontal	PASS
4	7465.9006	-11.57	43.51	74.00	30.49	37.82	54.00	16.18	150	44	Horizontal	PASS
5	11198.1014	-5.48	47.60	74.00	26.40	38.78	54.00	15.22	150	144	Horizontal	PASS
6	15586.8099	-0.02	47.34	74.00	26.66	40.37	54.00	13.63	150	274	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.70	74.00	30.30	35.39	54.00	18.61	150	61	Vertical	PASS
2	1782.1089	4.32	42.21	68.23	26.02	32.85	54.00	21.15	150	234	Vertical	PASS
3	3161.4193	8.73	44.32	68.23	23.91	36.15	54.00	17.85	150	122	Vertical	PASS
4	6572.5706	-11.77	45.30	68.23	22.93	34.44	54.00	19.56	150	78	Vertical	PASS
5	7465.9006	-11.57	47.24	74.00	26.76	40.05	54.00	13.95	150	158	Vertical	PASS
6	11198.1014	-5.48	48.60	74.00	25.40	41.82	54.00	12.18	150	21	Vertical	PASS

Mode:	11A-5700
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.56	74.00	29.44	35.39	54.00	18.61	150	65	Vertical	PASS
2	1782.1089	4.32	42.86	68.23	25.37	33.02	54.00	20.98	150	286	Vertical	PASS
3	3363.8181	9.34	45.28	68.23	22.95	36.61	54.00	17.39	150	224	Vertical	PASS
4	7600.7994	-11.52	46.45	74.00	27.55	36.86	54.00	17.14	150	158	Vertical	PASS
5	11398.9508	-5.36	52.35	74.00	21.65	44.38	54.00	9.62	150	62	Vertical	PASS
6	14306.7699	-0.06	47.73	68.23	20.50	38.01	54.00	15.99	150	276	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	1.97	40.51	68.23	27.72	31.52	54.00	22.48	150	148	Horizontal	PASS
2	2624.1879	7.59	44.98	68.23	23.25	35.57	54.00	18.43	150	19	Horizontal	PASS
3	4403.2984	11.97	46.44	68.23	21.79	39.18	54.00	14.82	150	163	Horizontal	PASS
4	7600.7994	-11.52	43.74	74.00	30.26	34.55	54.00	19.45	150	36	Horizontal	PASS
5	11395.953	-5.37	55.53	74.00	18.47	45.65	54.00	8.35	150	180	Horizontal	PASS
6	17097.6767	1.96	59.02	68.23	9.21	47.92	54.00	6.08	150	180	Horizontal	PASS

Mode:	11A-5745
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1356.8216	1.93	38.88	74.00	35.12	30.20	54.00	23.80	150	246	Horizontal	PASS
2	2481.6592	7.51	44.02	68.23	24.21	35.56	54.00	18.44	150	95	Horizontal	PASS
3	3857.971	10.58	46.93	74.00	27.07	37.71	54.00	16.29	150	277	Horizontal	PASS
4	9805.8897	-7.82	43.42	68.23	24.81	34.61	54.00	19.39	150	55	Horizontal	PASS
5	11488.4951	-5.70	49.75	74.00	24.25	42.71	54.00	11.29	150	113	Horizontal	PASS
6	15319.5408	-0.50	47.96	68.23	20.27	39.39	54.00	14.61	150	36	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1968.5157	5.70	43.11	68.23	25.12	35.05	54.00	18.95	150	57	Vertical	PASS
2	2620.9895	7.65	44.49	68.23	23.74	35.80	54.00	18.20	150	101	Vertical	PASS
3	3956.5217	11.22	46.61	74.00	27.39	38.82	54.00	15.18	150	153	Vertical	PASS
4	10047.7165	-7.72	42.82	68.23	25.41	34.53	54.00	19.47	150	211	Vertical	PASS
5	11491.0407	-5.73	52.27	74.00	21.73	45.30	54.00	8.70	150	0	Vertical	PASS
6	15319.5408	-0.50	47.54	68.23	20.69	39.83	54.00	14.17	150	103	Vertical	PASS

Mode:	11A-5785
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1710.2449	3.27	39.77	68.23	28.46	32.90	54.00	21.10	150	168	Horizontal	PASS
2	2206.3968	6.32	42.40	74.00	31.60	34.20	54.00	19.80	150	31	Horizontal	PASS
3	3035.5822	8.84	44.54	68.23	23.69	35.36	54.00	18.64	150	217	Horizontal	PASS
4	4962.4188	13.63	47.20	74.00	26.80	40.70	54.00	13.30	150	78	Horizontal	PASS
5	11575.0437	-5.22	51.29	74.00	22.71	43.58	54.00	10.42	150	114	Horizontal	PASS
6	14252.9573	-0.38	46.66	68.23	21.57	38.89	54.00	15.11	150	198	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1356.8216	1.93	38.55	74.00	35.45	30.35	54.00	23.65	150	156	Vertical	PASS
2	1954.9225	5.54	43.54	68.23	24.69	33.66	54.00	20.34	150	272	Vertical	PASS
3	3283.6582	9.29	45.08	68.23	23.15	36.37	54.00	17.63	150	94	Vertical	PASS
4	9424.0579	-8.88	42.70	74.00	31.30	35.03	54.00	18.97	150	131	Vertical	PASS
5	11569.9526	-5.25	54.75	74.00	19.25	46.02	54.00	7.98	150	22	Vertical	PASS
6	15426.4537	-0.38	48.86	74.00	25.14	39.53	54.00	14.47	150	75	Vertical	PASS

Mode:	11A-5825
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1931.1344	5.57	42.00	68.23	26.23	34.12	54.00	19.88	150	196	Horizontal	PASS
2	3072.9635	8.93	45.32	68.23	22.91	35.51	54.00	18.49	150	216	Horizontal	PASS
3	4272.5637	11.79	46.37	74.00	27.63	38.39	54.00	15.61	150	152	Horizontal	PASS
4	10101.1729	-7.35	43.22	68.23	25.01	35.21	54.00	18.79	150	276	Horizontal	PASS
5	11653.9556	-5.29	51.01	74.00	22.99	43.04	54.00	10.96	150	124	Horizontal	PASS
6	14426.0544	-1.79	46.08	68.23	22.15	37.14	54.00	16.86	150	276	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1305.8471	2.16	39.12	74.00	34.88	31.83	54.00	22.17	150	7	Vertical	PASS
2	2226.7866	6.34	42.67	74.00	31.33	34.20	54.00	19.80	150	238	Vertical	PASS
3	2977.8111	8.57	45.40	68.23	22.83	37.68	54.00	16.32	150	273	Vertical	PASS
4	4092.4538	11.50	45.79	74.00	28.21	37.00	54.00	17.00	150	122	Vertical	PASS
5	9612.4283	-8.40	43.32	68.23	24.91	35.54	54.00	18.46	150	287	Vertical	PASS
6	11648.8645	-5.29	53.95	74.00	20.05	47.80	54.00	6.20	150	78	Vertical	PASS

Mode:	11N20-5180
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	41.68	68.23	26.55	31.30	54.00	22.70	150	81	Horizontal	PASS
2	1969.5152	5.69	41.88	68.23	26.35	34.63	54.00	19.37	150	148	Horizontal	PASS
3	2931.5342	8.45	43.94	68.23	24.29	36.50	54.00	17.50	150	205	Horizontal	PASS
4	3968.5157	10.96	45.93	74.00	28.07	36.64	54.00	17.36	150	308	Horizontal	PASS
5	6908.3188	-12.14	45.21	68.23	23.02	33.73	54.00	20.27	150	50	Horizontal	PASS
6	10358.731	-7.19	52.86	68.23	15.37	44.22	54.00	9.78	150	127	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	45.08	74.00	28.92	35.79	54.00	18.21	150	68	Vertical	PASS
2	1782.1089	4.43	42.93	68.23	25.30	32.46	54.00	21.54	150	272	Vertical	PASS
3	2891.5542	8.26	43.55	74.00	30.45	36.47	54.00	17.53	150	97	Vertical	PASS
4	3756.1219	10.43	46.36	74.00	27.64	37.42	54.00	16.58	150	125	Vertical	PASS
5	6905.321	-12.15	47.22	68.23	21.01	31.72	54.00	22.28	150	28	Vertical	PASS
6	10355.7332	-7.23	50.89	68.23	17.34	41.68	54.00	12.32	150	22	Vertical	PASS

Mode:	11N20-5200
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	41.97	68.23	26.26	30.47	54.00	23.53	150	86	Horizontal	PASS
2	2424.2879	7.09	48.08	68.23	20.15	41.26	54.00	12.74	150	4	Horizontal	PASS
3	3623.6882	9.99	44.72	74.00	29.28	38.13	54.00	15.87	150	344	Horizontal	PASS
4	6932.3008	-12.09	45.19	68.23	23.04	38.93	54.00	15.07	150	61	Horizontal	PASS
5	10403.6972	-6.68	52.56	68.23	15.67	45.25	54.00	8.75	150	31	Horizontal	PASS
6	13095.6782	-2.85	46.51	68.23	21.72	37.45	54.00	16.55	150	326	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.13	74.00	30.87	35.66	54.00	18.34	150	118	Vertical	PASS
2	2494.2529	7.63	44.10	74.00	29.90	36.15	54.00	17.85	150	272	Vertical	PASS
3	6932.3008	-12.09	47.62	68.23	20.61	41.18	54.00	12.82	150	102	Vertical	PASS
4	8991.7562	-9.21	42.30	68.23	25.93	33.48	54.00	20.52	150	26	Vertical	PASS
5	10391.7062	-6.79	49.59	68.23	18.64	42.79	54.00	11.21	150	15	Vertical	PASS
6	14363.7272	-0.94	47.84	68.23	20.39	38.43	54.00	15.57	150	203	Vertical	PASS

Mode:	11N20-5240
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	41.28	74.00	32.72	34.33	54.00	19.67	150	18	Horizontal	PASS
2	2616.6917	7.65	47.50	68.23	20.73	39.53	54.00	14.47	150	140	Horizontal	PASS
3	6986.2603	-11.26	44.35	68.23	23.88	33.44	54.00	20.56	150	47	Horizontal	PASS
4	10478.641	-6.57	59.67	68.23	8.56	49.40	54.00	4.60	150	135	Horizontal	PASS
5	13125.6558	-2.39	45.87	68.23	22.36	38.59	54.00	15.41	150	197	Horizontal	PASS
6	15370.9718	0.32	46.87	74.00	27.13	38.62	54.00	15.38	150	121	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1249.8751	2.02	41.71	68.23	26.52	32.51	54.00	21.49	150	61	Vertical	PASS
2	1559.7201	1.79	40.51	74.00	33.49	32.43	54.00	21.57	150	230	Vertical	PASS
3	2514.2429	7.60	42.99	68.23	25.24	36.47	54.00	17.53	150	61	Vertical	PASS
4	3908.5457	10.90	45.15	74.00	28.85	38.41	54.00	15.59	150	245	Vertical	PASS
5	6986.2603	-11.26	45.42	68.23	22.81	33.74	54.00	20.26	150	102	Vertical	PASS
6	10481.6388	-6.57	51.86	68.23	16.37	44.47	54.00	9.53	150	66	Vertical	PASS

Mode:	11N20-5260
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.82	74.00	30.18	33.30	54.00	20.70	150	9	Horizontal	PASS
2	1912.044	5.60	42.52	68.23	25.71	35.66	54.00	18.34	150	165	Horizontal	PASS
3	2831.5842	8.23	43.93	74.00	30.07	38.32	54.00	15.68	150	117	Horizontal	PASS
4	3901.0495	10.90	46.19	74.00	27.81	38.56	54.00	15.44	150	338	Horizontal	PASS
5	7013.2401	-11.18	46.26	68.23	21.97	38.90	54.00	15.10	150	47	Horizontal	PASS
6	10517.6118	-6.54	55.16	68.23	13.07	47.38	54.00	6.62	150	146	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.80	74.00	30.20	34.94	54.00	19.06	150	69	Vertical	PASS
2	1934.5327	5.53	41.80	68.23	26.43	34.40	54.00	19.60	150	248	Vertical	PASS
3	2674.1629	7.72	43.81	68.23	24.42	34.89	54.00	19.11	150	79	Vertical	PASS
4	3786.1069	10.36	45.12	74.00	28.88	37.54	54.00	16.46	150	291	Vertical	PASS
5	7013.2401	-11.18	46.18	68.23	22.05	39.91	54.00	14.09	150	111	Vertical	PASS
6	10523.6073	-6.54	49.97	68.23	18.26	42.08	54.00	11.92	150	22	Vertical	PASS

Mode:	11N20-5280
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	41.85	74.00	32.15	33.39	54.00	20.61	150	7	Horizontal	PASS
2	2356.8216	6.64	42.87	74.00	31.13	35.44	54.00	18.56	150	360	Horizontal	PASS
3	3123.938	8.85	44.71	68.23	23.52	37.04	54.00	16.96	150	128	Horizontal	PASS
4	7040.2198	-11.63	45.61	68.23	22.62	33.06	54.00	20.94	150	44	Horizontal	PASS
5	10550.5871	-6.54	56.45	68.23	11.78	44.69	54.00	9.31	150	146	Horizontal	PASS
6	13116.6625	-2.54	46.30	68.23	21.93	36.90	54.00	17.10	150	356	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.53	74.00	30.47	35.64	54.00	18.36	150	61	Vertical	PASS
2	1782.1089	4.43	42.01	68.23	26.22	32.47	54.00	21.53	150	258	Vertical	PASS
3	3101.4493	8.91	44.67	68.23	23.56	37.98	54.00	16.02	150	52	Vertical	PASS
4	7040.2198	-11.63	46.99	68.23	21.24	34.45	54.00	19.55	150	106	Vertical	PASS
5	10559.5803	-6.60	51.04	68.23	17.19	41.31	54.00	12.69	150	17	Vertical	PASS
6	13809.1431	-2.56	45.78	68.23	22.45	36.46	54.00	17.54	150	213	Vertical	PASS

Mode:	11N20-5320
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.34	74.00	30.66	34.30	54.00	19.70	150	84	Horizontal	PASS
2	1944.5277	5.49	41.93	68.23	26.30	33.45	54.00	20.55	150	216	Horizontal	PASS
3	3361.3193	9.45	44.97	68.23	23.26	36.46	54.00	17.54	150	63	Horizontal	PASS
4	7094.1794	-11.54	45.72	68.23	22.51	36.25	54.00	17.75	150	48	Horizontal	PASS
5	10640.5196	-6.73	55.65	74.00	18.35	46.51	54.00	7.49	150	26	Horizontal	PASS
6	14228.8284	-1.24	45.99	68.23	22.24	38.24	54.00	15.76	150	263	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.56	74.00	29.44	35.72	54.00	18.28	150	63	Vertical	PASS
2	1782.1089	4.43	41.98	68.23	26.25	32.52	54.00	21.48	150	245	Vertical	PASS
3	2339.3303	6.57	42.70	74.00	31.30	34.34	54.00	19.66	150	156	Vertical	PASS
4	7094.1794	-11.54	46.43	68.23	21.80	38.33	54.00	15.67	150	114	Vertical	PASS
5	10640.5196	-6.73	52.06	74.00	21.94	42.30	54.00	11.70	150	77	Vertical	PASS
6	14306.7699	-0.06	48.27	68.23	19.96	39.33	54.00	14.67	150	295	Vertical	PASS

Mode:	11N20-5500
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	42.29	74.00	31.71	34.07	54.00	19.93	150	13	Horizontal	PASS
2	2516.7416	7.39	44.07	68.23	24.16	35.73	54.00	18.27	150	32	Horizontal	PASS
3	3578.7106	9.77	45.06	68.23	23.17	35.27	54.00	18.73	150	329	Horizontal	PASS
4	7333.9995	-11.63	45.33	74.00	28.67	33.13	54.00	20.87	150	45	Horizontal	PASS
5	11006.2453	-5.75	46.98	74.00	27.02	39.17	54.00	14.83	150	224	Horizontal	PASS
6	12478.1414	-3.72	46.43	74.00	27.57	37.60	54.00	16.40	150	280	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.54	74.00	29.46	34.95	54.00	19.05	150	179	Vertical	PASS
2	1782.1089	4.32	42.31	68.23	25.92	33.35	54.00	20.65	150	229	Vertical	PASS
3	3331.3343	9.31	44.77	68.23	23.46	36.43	54.00	17.57	150	250	Vertical	PASS
4	7333.9995	-11.63	46.52	74.00	27.48	35.10	54.00	18.90	150	349	Vertical	PASS
5	11000.2498	-5.76	52.13	74.00	21.87	43.19	54.00	10.81	150	73	Vertical	PASS
6	14450.662	-1.29	46.68	68.23	21.55	37.80	54.00	16.20	150	296	Vertical	PASS

Mode:	11N20-5600
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	1.97	42.46	68.23	25.77	30.64	54.00	23.36	150	145	Horizontal	PASS
2	2486.7566	7.34	44.45	74.00	29.55	35.74	54.00	18.26	150	138	Horizontal	PASS
3	3601.1994	9.80	45.31	74.00	28.69	36.53	54.00	17.47	150	220	Horizontal	PASS
4	7465.9006	-11.57	43.69	74.00	30.31	38.03	54.00	15.97	150	43	Horizontal	PASS
5	10091.9311	-6.93	44.52	68.23	23.71	34.86	54.00	19.14	150	110	Horizontal	PASS
6	11201.0992	-5.48	48.76	74.00	25.24	41.55	54.00	12.45	150	306	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.50	74.00	30.50	35.45	54.00	18.55	150	68	Vertical	PASS
2	2001.999	5.76	42.11	68.23	26.12	34.33	54.00	19.67	150	136	Vertical	PASS
3	3361.3193	9.34	46.48	68.23	21.75	36.02	54.00	17.98	150	291	Vertical	PASS
4	7465.9006	-11.57	47.52	74.00	26.48	39.72	54.00	14.28	150	156	Vertical	PASS
5	11195.1037	-5.48	54.27	74.00	19.73	47.36	54.00	6.64	150	68	Vertical	PASS
6	14330.7519	-0.63	47.67	68.23	20.56	37.26	54.00	16.74	150	18	Vertical	PASS

Mode:	11N20-5700
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.67	74.00	32.33	33.99	54.00	20.01	150	122	Horizontal	PASS
2	2506.7466	7.42	42.50	68.23	25.73	34.52	54.00	19.48	150	68	Horizontal	PASS
3	4018.4908	11.05	45.26	74.00	28.74	38.48	54.00	15.52	150	279	Horizontal	PASS
4	7600.7994	-11.52	45.73	74.00	28.27	35.28	54.00	18.72	150	38	Horizontal	PASS
5	11398.9508	-5.36	63.07	74.00	10.93	51.94	54.00	2.06	150	178	Horizontal	PASS
6	17094.679	1.98	61.65	68.23	6.58	52.84	54.00	1.16	150	180	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.28	74.00	29.72	36.45	54.00	17.55	150	133	Vertical	PASS
2	1782.1089	4.32	43.18	68.23	25.05	32.40	54.00	21.60	150	296	Vertical	PASS
3	7600.7994	-11.52	46.73	74.00	27.27	35.08	54.00	18.92	150	151	Vertical	PASS
4	11389.9575	-5.40	54.87	74.00	19.13	40.81	54.00	13.19	150	77	Vertical	PASS
5	15200.0999	-0.84	50.35	68.23	17.88	38.37	54.00	15.63	150	106	Vertical	PASS
6	17094.679	1.98	52.82	68.23	15.41	45.97	54.00	8.03	150	77	Vertical	PASS

Mode:	11N20-5745
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1944.7276	5.51	42.02	68.23	26.21	33.89	54.00	20.11	150	325	Horizontal	PASS
2	2410.2949	7.01	44.34	68.23	23.89	35.17	54.00	18.83	150	288	Horizontal	PASS
3	2886.057	8.29	44.89	74.00	29.11	36.99	54.00	17.01	150	103	Horizontal	PASS
4	4666.7666	12.80	46.11	74.00	27.89	37.31	54.00	16.69	150	101	Horizontal	PASS
5	11491.0407	-5.73	50.04	74.00	23.96	44.06	54.00	9.94	150	117	Horizontal	PASS
6	13845.6701	-2.29	46.56	68.23	21.67	37.75	54.00	16.25	150	348	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1353.4233	1.93	39.30	74.00	34.70	30.80	54.00	23.20	150	120	Vertical	PASS
2	1968.5157	5.70	42.54	68.23	25.69	33.86	54.00	20.14	150	311	Vertical	PASS
3	3083.1584	8.92	44.37	68.23	23.86	34.84	54.00	19.16	150	296	Vertical	PASS
4	3834.1829	10.49	46.30	74.00	27.70	37.18	54.00	16.82	150	83	Vertical	PASS
5	9663.3392	-8.21	42.81	68.23	25.42	34.82	54.00	19.18	150	55	Vertical	PASS
6	11488.4951	-5.70	56.04	74.00	17.96	46.19	54.00	7.81	150	15	Vertical	PASS

Mode:	11N20-5785
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1846.1769	5.15	42.11	68.23	26.12	33.53	54.00	20.47	150	360	Horizontal	PASS
2	2943.8281	8.55	44.44	68.23	23.79	35.82	54.00	18.18	150	110	Horizontal	PASS
3	4218.1909	11.73	47.00	74.00	27.00	38.05	54.00	15.95	150	4	Horizontal	PASS
4	9648.0659	-8.17	43.25	68.23	24.98	33.57	54.00	20.43	150	247	Horizontal	PASS
5	11572.4981	-5.24	52.44	74.00	21.56	44.58	54.00	9.42	150	143	Horizontal	PASS
6	16050.1123	-0.39	47.93	74.00	26.07	39.18	54.00	14.82	150	30	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1768.016	4.17	41.09	68.23	27.14	31.50	54.00	22.50	150	21	Vertical	PASS
2	2875.8621	8.29	45.56	74.00	28.44	36.51	54.00	17.49	150	354	Vertical	PASS
3	4204.5977	11.70	45.85	74.00	28.15	37.66	54.00	16.34	150	9	Vertical	PASS
4	10136.8106	-7.37	43.20	68.23	25.03	34.51	54.00	19.49	150	307	Vertical	PASS
5	11575.0437	-5.22	53.77	74.00	20.23	48.12	54.00	5.88	150	71	Vertical	PASS
6	15426.4537	-0.38	48.27	74.00	25.73	38.56	54.00	15.44	150	109	Vertical	PASS

Mode:	11N20-5825
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2056.8716	5.68	42.52	68.23	25.71	33.17	54.00	20.83	150	177	Horizontal	PASS
2	3389.0055	9.46	45.62	68.23	22.61	36.43	54.00	17.57	150	358	Horizontal	PASS
3	4214.7926	11.72	46.70	74.00	27.30	38.72	54.00	15.28	150	249	Horizontal	PASS
4	9289.144	-9.18	42.74	68.23	25.49	33.36	54.00	20.64	150	275	Horizontal	PASS
5	11651.41	-5.30	52.39	74.00	21.61	44.18	54.00	9.82	150	113	Horizontal	PASS
6	14896.9803	-1.55	46.60	68.23	21.63	39.49	54.00	14.51	150	286	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1808.7956	4.87	40.02	68.23	28.21	33.97	54.00	20.03	150	178	Vertical	PASS
2	2495.2524	7.60	43.96	74.00	30.04	35.78	54.00	18.22	150	251	Vertical	PASS
3	3840.9795	10.51	45.53	74.00	28.47	36.91	54.00	17.09	150	351	Vertical	PASS
4	8927.6766	-9.56	42.35	68.23	25.88	33.67	54.00	20.33	150	148	Vertical	PASS
5	11648.8645	-5.29	55.06	74.00	18.94	47.70	54.00	6.30	150	74	Vertical	PASS
6	15100.6239	-0.02	46.36	68.23	21.87	38.38	54.00	15.62	150	0	Vertical	PASS

Mode:	11N40-5190
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	41.94	68.23	26.29	30.62	54.00	23.38	150	140	Horizontal	PASS
2	2081.959	5.86	42.59	68.23	25.64	33.98	54.00	20.02	150	22	Horizontal	PASS
3	3341.3293	9.44	45.07	68.23	23.16	37.62	54.00	16.38	150	222	Horizontal	PASS
4	6920.3098	-12.11	44.97	68.23	23.26	38.15	54.00	15.85	150	59	Horizontal	PASS
5	10379.7152	-6.94	52.53	68.23	15.70	40.20	54.00	13.80	150	140	Horizontal	PASS
6	14276.7924	-0.31	47.96	68.23	20.27	39.01	54.00	14.99	150	143	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.43	42.69	68.23	25.54	32.26	54.00	21.74	150	255	Vertical	PASS
2	2489.2554	7.59	43.86	74.00	30.14	35.57	54.00	18.43	150	32	Vertical	PASS
3	6920.3098	-12.11	47.63	68.23	20.60	40.19	54.00	13.81	150	13	Vertical	PASS
4	8269.298	-10.81	42.17	74.00	31.83	33.14	54.00	20.86	150	64	Vertical	PASS
5	10385.7107	-6.86	45.40	68.23	22.83	37.98	54.00	16.02	150	272	Vertical	PASS
6	14390.707	-0.63	46.60	68.23	21.63	39.77	54.00	14.23	150	315	Vertical	PASS

Mode:	11N40-5230
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.33	74.00	30.67	33.28	54.00	20.72	150	4	Horizontal	PASS
2	2339.3303	6.57	42.67	74.00	31.33	35.53	54.00	18.47	150	110	Horizontal	PASS
3	2944.028	8.53	44.62	68.23	23.61	36.26	54.00	17.74	150	198	Horizontal	PASS
4	6974.2693	-11.52	46.21	68.23	22.02	36.91	54.00	17.09	150	68	Horizontal	PASS
5	10448.6635	-6.59	52.17	68.23	16.06	42.72	54.00	11.28	150	140	Horizontal	PASS
6	14834.3742	-0.92	46.67	68.23	21.56	38.08	54.00	15.92	150	50	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.24	74.00	29.76	36.65	54.00	17.35	150	68	Vertical	PASS
2	2794.1029	8.10	43.96	74.00	30.04	35.50	54.00	18.50	150	190	Vertical	PASS
3	3941.0295	10.89	47.32	74.00	26.68	38.33	54.00	15.67	150	166	Vertical	PASS
4	6974.2693	-11.52	47.37	68.23	20.86	37.10	54.00	16.90	150	105	Vertical	PASS
5	10460.6545	-6.58	53.52	68.23	14.71	43.64	54.00	10.36	150	20	Vertical	PASS
6	13947.0397	-2.00	47.19	68.23	21.04	36.29	54.00	17.71	150	38	Vertical	PASS

Mode:	11N40-5270
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	41.71	68.23	26.52	31.25	54.00	22.75	150	148	Horizontal	PASS
2	2621.6892	7.65	43.56	68.23	24.67	35.90	54.00	18.10	150	318	Horizontal	PASS
3	3363.8181	9.45	44.34	68.23	23.89	35.93	54.00	18.07	150	77	Horizontal	PASS
4	7028.2288	-11.43	45.02	68.23	23.21	37.43	54.00	16.57	150	46	Horizontal	PASS
5	10535.5983	-6.54	53.29	68.23	14.94	41.76	54.00	12.24	150	35	Horizontal	PASS
6	14297.7767	0.07	47.63	68.23	20.60	39.87	54.00	14.13	150	120	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.58	74.00	29.42	36.21	54.00	17.79	150	174	Vertical	PASS
2	2164.4178	6.17	43.11	68.23	25.12	34.49	54.00	19.51	150	44	Vertical	PASS
3	2929.0355	8.44	43.62	68.23	24.61	37.03	54.00	16.97	150	104	Vertical	PASS
4	7028.2288	-11.43	46.32	68.23	21.91	40.09	54.00	13.91	150	90	Vertical	PASS
5	10541.5938	-6.54	50.98	68.23	17.25	43.49	54.00	10.51	150	118	Vertical	PASS
6	14318.7609	-0.35	47.28	68.23	20.95	38.53	54.00	15.47	150	10	Vertical	PASS

Mode:	11N40-5310
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	41.60	68.23	26.63	30.08	54.00	23.92	150	146	Horizontal	PASS
2	2309.3453	6.50	42.76	68.23	25.47	34.06	54.00	19.94	150	265	Horizontal	PASS
3	3368.8156	9.46	44.81	68.23	23.42	36.86	54.00	17.14	150	321	Horizontal	PASS
4	7079.1906	-11.63	44.24	68.23	23.99	32.92	54.00	21.08	150	33	Horizontal	PASS
5	10625.5309	-6.78	49.73	74.00	24.27	42.84	54.00	11.16	150	25	Horizontal	PASS
6	15131.1516	0.11	47.24	68.23	20.99	38.74	54.00	15.26	150	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.76	74.00	29.24	37.41	54.00	16.59	150	60	Vertical	PASS
2	1782.1089	4.43	42.62	68.23	25.61	33.09	54.00	20.91	150	284	Vertical	PASS
3	3141.4293	8.81	45.21	68.23	23.02	37.16	54.00	16.84	150	155	Vertical	PASS
4	7079.1906	-11.63	46.56	68.23	21.67	32.89	54.00	21.11	150	78	Vertical	PASS
5	10616.5376	-6.82	48.29	74.00	25.71	38.73	54.00	15.27	150	328	Vertical	PASS
6	15700.7245	0.65	47.52	74.00	26.48	39.45	54.00	14.55	150	291	Vertical	PASS

Mode:	11N40-5510
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	42.24	74.00	31.76	33.32	54.00	20.68	150	1	Horizontal	PASS
2	2511.7441	7.40	42.97	68.23	25.26	35.48	54.00	18.52	150	110	Horizontal	PASS
3	3698.6507	10.13	46.16	74.00	27.84	37.37	54.00	16.63	150	300	Horizontal	PASS
4	7345.9905	-11.52	45.53	74.00	28.47	33.22	54.00	20.78	150	52	Horizontal	PASS
5	11018.2363	-5.71	44.93	74.00	29.07	39.14	54.00	14.86	150	23	Horizontal	PASS
6	12708.9683	-3.39	46.51	68.23	21.72	37.15	54.00	16.85	150	268	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1342.3288	2.01	44.56	74.00	29.44	30.99	54.00	23.01	150	169	Vertical	PASS
2	1782.1089	4.32	43.39	68.23	24.84	33.14	54.00	20.86	150	241	Vertical	PASS
3	3846.077	10.34	45.89	74.00	28.11	37.46	54.00	16.54	150	129	Vertical	PASS
4	7345.9905	-11.52	46.29	74.00	27.71	32.66	54.00	21.34	150	162	Vertical	PASS
5	11018.2363	-5.71	50.64	74.00	23.36	38.10	54.00	15.90	150	82	Vertical	PASS
6	15167.1247	-0.08	47.68	68.23	20.55	38.00	54.00	16.00	150	279	Vertical	PASS

Mode:	11N40-5590
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.63	74.00	32.37	34.82	54.00	19.18	150	0	Horizontal	PASS
2	2144.4278	6.01	41.77	68.23	26.46	33.83	54.00	20.17	150	96	Horizontal	PASS
3	3448.7756	9.39	44.19	68.23	24.04	36.06	54.00	17.94	150	222	Horizontal	PASS
4	7453.9096	-11.54	45.40	74.00	28.60	36.25	54.00	17.75	150	29	Horizontal	PASS
5	11180.1149	-5.48	46.38	74.00	27.62	40.48	54.00	13.52	150	310	Horizontal	PASS
6	14291.7812	-0.04	46.88	68.23	21.35	38.62	54.00	15.38	150	360	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.32	43.97	68.23	24.26	32.70	54.00	21.30	150	279	Vertical	PASS
2	2854.073	8.08	45.18	74.00	28.82	36.74	54.00	17.26	150	114	Vertical	PASS
3	3806.097	10.30	44.54	74.00	29.46	37.59	54.00	16.41	150	120	Vertical	PASS
4	7453.9096	-11.54	47.05	74.00	26.95	38.60	54.00	15.40	150	154	Vertical	PASS
5	11186.1104	-5.48	48.91	74.00	25.09	39.38	54.00	14.62	150	81	Vertical	PASS
6	15460.9043	-0.18	48.05	74.00	25.95	38.55	54.00	15.45	150	91	Vertical	PASS

Mode:	11N40-5670
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.28	74.00	32.72	33.88	54.00	20.12	150	346	Horizontal	PASS
2	2129.4353	5.94	42.40	68.23	25.83	34.30	54.00	19.70	150	166	Horizontal	PASS
3	3141.4293	8.72	45.79	68.23	22.44	36.47	54.00	17.53	150	99	Horizontal	PASS
4	7558.8309	-11.43	44.02	74.00	29.98	37.99	54.00	16.01	150	124	Horizontal	PASS
5	11338.9958	-5.49	52.76	74.00	21.24	42.06	54.00	11.94	150	196	Horizontal	PASS
6	17043.7172	2.32	52.89	68.23	15.34	42.68	54.00	11.32	150	179	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.91	74.00	30.09	35.56	54.00	18.44	150	172	Vertical	PASS
2	2636.6817	7.60	44.46	68.23	23.77	35.66	54.00	18.34	150	30	Vertical	PASS
3	3591.2044	9.79	45.40	68.23	22.83	37.41	54.00	16.59	150	227	Vertical	PASS
4	7558.8309	-11.43	47.10	74.00	26.90	39.51	54.00	14.49	150	38	Vertical	PASS
5	11338.9958	-5.49	51.21	74.00	22.79	44.82	54.00	9.18	150	90	Vertical	PASS
6	15469.8976	-0.29	47.15	74.00	26.85	40.43	54.00	13.57	150	230	Vertical	PASS

Mode:	11N40-5755
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1937.931	5.54	42.14	68.23	26.09	33.52	54.00	20.48	150	33	Horizontal	PASS
2	2420.4898	7.08	43.45	68.23	24.78	35.90	54.00	18.10	150	93	Horizontal	PASS
3	3735.6322	10.44	46.22	74.00	27.78	37.94	54.00	16.06	150	328	Horizontal	PASS
4	9630.2471	-8.28	42.30	68.23	25.93	35.67	54.00	18.33	150	359	Horizontal	PASS
5	11511.405	-5.72	47.38	74.00	26.62	39.23	54.00	14.77	150	151	Horizontal	PASS
6	14413.3267	-1.62	46.23	68.23	22.00	37.71	54.00	16.29	150	280	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2152.024	6.20	43.16	68.23	25.07	34.60	54.00	19.40	150	327	Vertical	PASS
2	3110.3448	8.88	46.53	68.23	21.70	37.77	54.00	16.23	150	29	Vertical	PASS
3	4925.0375	13.40	47.80	74.00	26.20	39.10	54.00	14.90	150	162	Vertical	PASS
4	9174.5945	-9.14	43.26	74.00	30.74	34.63	54.00	19.37	150	64	Vertical	PASS
5	11508.8595	-5.74	52.01	74.00	21.99	46.48	54.00	7.52	150	73	Vertical	PASS
6	15347.5418	-0.05	47.08	68.23	21.15	41.53	54.00	12.47	150	51	Vertical	PASS

Mode:	11N40-5795
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1856.3718	5.25	41.94	68.23	26.29	32.94	54.00	21.06	150	322	Horizontal	PASS
2	2648.1759	7.71	44.47	68.23	23.76	34.14	54.00	19.86	150	100	Horizontal	PASS
3	4204.5977	11.70	47.55	74.00	26.45	37.88	54.00	16.12	150	39	Horizontal	PASS
4	11597.9536	-5.06	49.75	74.00	24.25	43.48	54.00	10.52	150	134	Horizontal	PASS
5	15400.9983	-0.20	47.26	74.00	26.74	38.59	54.00	15.41	150	100	Horizontal	PASS
6	16895.2333	2.77	50.45	68.23	17.78	42.49	54.00	11.51	150	292	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1832.5837	5.05	42.26	68.23	25.97	31.39	54.00	22.61	150	290	Vertical	PASS
2	2495.2524	7.60	43.85	74.00	30.15	36.51	54.00	17.49	150	348	Vertical	PASS
3	3980.3098	11.25	46.25	74.00	27.75	37.53	54.00	16.47	150	102	Vertical	PASS
4	4959.0205	13.66	48.33	74.00	25.67	41.15	54.00	12.85	150	244	Vertical	PASS
5	11600.4991	-5.05	52.57	74.00	21.43	47.48	54.00	6.52	150	85	Vertical	PASS
6	15454.4547	-0.52	49.09	74.00	24.91	42.69	54.00	11.31	150	115	Vertical	PASS

Mode:	11AC20-5180
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.01	74.00	30.99	33.79	54.00	20.21	150	179	Horizontal	PASS
2	2446.7766	7.21	42.54	68.23	25.69	35.36	54.00	18.64	150	79	Horizontal	PASS
3	3141.4293	8.81	45.66	68.23	22.57	37.59	54.00	16.41	150	96	Horizontal	PASS
4	6905.321	-12.15	46.33	68.23	21.90	33.16	54.00	20.84	150	51	Horizontal	PASS
5	10352.7354	-7.27	53.76	68.23	14.47	42.31	54.00	11.69	150	130	Horizontal	PASS
6	14315.7632	-0.28	47.23	68.23	21.00	38.44	54.00	15.56	150	158	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	45.50	74.00	28.50	35.78	54.00	18.22	150	62	Vertical	PASS
2	2476.7616	7.47	43.01	68.23	25.22	35.37	54.00	18.63	150	81	Vertical	PASS
3	3943.5282	10.89	46.66	74.00	27.34	37.17	54.00	16.83	150	127	Vertical	PASS
4	6905.321	-12.15	47.50	68.23	20.73	32.74	54.00	21.26	150	30	Vertical	PASS
5	10355.7332	-7.23	50.97	68.23	17.26	44.01	54.00	9.99	150	30	Vertical	PASS
6	15233.0752	-0.69	47.29	68.23	20.94	38.44	54.00	15.56	150	269	Vertical	PASS

Mode:	11AC20-5200
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	42.24	74.00	31.76	33.74	54.00	20.26	150	86	Horizontal	PASS
2	1842.079	5.16	41.28	68.23	26.95	35.06	54.00	18.94	150	254	Horizontal	PASS
3	3863.5682	10.63	46.21	74.00	27.79	37.06	54.00	16.94	150	310	Horizontal	PASS
4	6932.3008	-12.09	45.62	68.23	22.61	39.77	54.00	14.23	150	54	Horizontal	PASS
5	10406.695	-6.68	52.63	68.23	15.60	44.85	54.00	9.15	150	31	Horizontal	PASS
6	15176.1179	-0.29	47.77	68.23	20.46	39.37	54.00	14.63	150	92	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.17	74.00	29.83	36.20	54.00	17.80	150	120	Vertical	PASS
2	2116.9415	6.00	42.69	68.23	25.54	34.02	54.00	19.98	150	44	Vertical	PASS
3	3521.2394	9.64	44.74	68.23	23.49	36.15	54.00	17.85	150	188	Vertical	PASS
4	6932.3008	-12.09	47.29	68.23	20.94	40.49	54.00	13.51	150	21	Vertical	PASS
5	10397.7017	-6.72	53.54	68.23	14.69	44.12	54.00	9.88	150	21	Vertical	PASS
6	14480.6395	-1.26	47.26	74.00	26.74	38.63	54.00	15.37	150	80	Vertical	PASS

Mode:	11AC20-5240
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	42.87	74.00	31.13	33.96	54.00	20.04	150	83	Horizontal	PASS
2	2189.4053	6.23	42.44	68.23	25.79	34.43	54.00	19.57	150	290	Horizontal	PASS
3	4198.4008	11.75	45.85	74.00	28.15	39.13	54.00	14.87	150	0	Horizontal	PASS
4	6986.2603	-11.26	45.49	68.23	22.74	32.79	54.00	21.21	150	78	Horizontal	PASS
5	10484.6365	-6.57	55.04	68.23	13.19	46.01	54.00	7.99	150	135	Horizontal	PASS
6	15131.1516	0.11	47.72	68.23	20.51	39.82	54.00	14.18	150	129	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.70	74.00	30.30	36.93	54.00	17.07	150	58	Vertical	PASS
2	2161.919	6.16	42.56	68.23	25.67	33.96	54.00	20.04	150	192	Vertical	PASS
3	3236.3818	9.09	44.08	68.23	24.15	36.90	54.00	17.10	150	128	Vertical	PASS
4	6986.2603	-11.26	46.85	68.23	21.38	34.09	54.00	19.91	150	109	Vertical	PASS
5	10484.6365	-6.57	54.17	68.23	14.06	44.99	54.00	9.01	150	21	Vertical	PASS
6	14867.3495	-0.86	46.71	68.23	21.52	38.76	54.00	15.24	150	68	Vertical	PASS

Mode:	11AC20-5260
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	42.29	68.23	25.94	31.17	54.00	22.83	150	140	Horizontal	PASS
2	1927.0365	5.55	42.31	68.23	25.92	33.81	54.00	20.19	150	251	Horizontal	PASS
3	3308.8456	9.47	45.05	68.23	23.18	39.50	54.00	14.50	150	83	Horizontal	PASS
4	7013.2401	-11.18	46.70	68.23	21.53	39.43	54.00	14.57	150	61	Horizontal	PASS
5	10529.6028	-6.54	56.40	68.23	11.83	49.49	54.00	4.51	150	35	Horizontal	PASS
6	14363.7272	-0.94	47.18	68.23	21.05	40.15	54.00	13.85	150	320	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.54	74.00	29.46	35.90	54.00	18.10	150	61	Vertical	PASS
2	2164.4178	6.17	43.22	68.23	25.01	34.45	54.00	19.55	150	331	Vertical	PASS
3	3801.0994	10.33	45.65	74.00	28.35	36.91	54.00	17.09	150	0	Vertical	PASS
4	7013.2401	-11.18	46.98	68.23	21.25	40.36	54.00	13.64	150	120	Vertical	PASS
5	10511.6163	-6.56	51.10	68.23	17.13	44.06	54.00	9.94	150	65	Vertical	PASS
6	14300.7744	0.09	46.68	68.23	21.55	38.44	54.00	15.56	150	87	Vertical	PASS

Mode:	11AC20-5280
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.04	74.00	30.96	34.20	54.00	19.80	150	92	Horizontal	PASS
2	2084.4578	5.87	41.97	68.23	26.26	33.72	54.00	20.28	150	92	Horizontal	PASS
3	2769.1154	7.99	44.92	74.00	29.08	36.48	54.00	17.52	150	349	Horizontal	PASS
4	7040.2198	-11.63	45.46	68.23	22.77	32.07	54.00	21.93	150	53	Horizontal	PASS
5	10562.5781	-6.61	53.85	68.23	14.38	46.94	54.00	7.06	150	142	Horizontal	PASS
6	14411.6912	-0.70	47.68	68.23	20.55	38.46	54.00	15.54	150	267	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.67	74.00	29.33	35.63	54.00	18.37	150	128	Vertical	PASS
2	1934.5327	5.53	42.49	68.23	25.74	34.68	54.00	19.32	150	222	Vertical	PASS
3	3141.4293	8.81	44.32	68.23	23.91	37.33	54.00	16.67	150	113	Vertical	PASS
4	7040.2198	-11.63	48.11	68.23	20.12	32.79	54.00	21.21	150	98	Vertical	PASS
5	10556.5826	-6.58	49.99	68.23	18.24	43.90	54.00	10.10	150	61	Vertical	PASS
6	14414.689	-0.74	47.68	68.23	20.55	38.60	54.00	15.40	150	2	Vertical	PASS

Mode:	11AC20-5320
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	42.27	68.23	25.96	30.15	54.00	23.85	150	144	Horizontal	PASS
2	2784.1079	8.06	44.93	74.00	29.07	36.37	54.00	17.63	150	192	Horizontal	PASS
3	4205.8971	11.77	46.91	74.00	27.09	40.19	54.00	13.81	150	199	Horizontal	PASS
4	7094.1794	-11.54	44.65	68.23	23.58	36.35	54.00	17.65	150	47	Horizontal	PASS
5	10634.5241	-6.75	54.70	74.00	19.30	44.75	54.00	9.25	150	35	Horizontal	PASS
6	13830.1274	-2.45	47.80	68.23	20.43	36.93	54.00	17.07	150	233	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.15	74.00	29.85	37.05	54.00	16.95	150	172	Vertical	PASS
2	2061.969	5.77	42.48	68.23	25.75	34.42	54.00	19.58	150	121	Vertical	PASS
3	4248.3758	11.82	46.00	74.00	28.00	38.31	54.00	15.69	150	167	Vertical	PASS
4	7094.1794	-11.54	46.21	68.23	22.02	37.15	54.00	16.85	150	110	Vertical	PASS
5	10634.5241	-6.75	50.62	74.00	23.38	40.86	54.00	13.14	150	118	Vertical	PASS
6	15233.0752	-0.69	47.38	68.23	20.85	39.41	54.00	14.59	150	151	Vertical	PASS

Mode:	11AC20-5500
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.27	74.00	32.73	33.61	54.00	20.39	150	4	Horizontal	PASS
2	2616.6917	7.59	46.84	68.23	21.39	38.73	54.00	15.27	150	102	Horizontal	PASS
3	3896.052	10.66	45.96	74.00	28.04	37.60	54.00	16.40	150	114	Horizontal	PASS
4	7333.9995	-11.63	44.36	74.00	29.64	34.95	54.00	19.05	150	50	Horizontal	PASS
5	11003.2476	-5.75	46.43	74.00	27.57	38.70	54.00	15.30	150	315	Horizontal	PASS
6	14900.3248	-1.03	46.73	68.23	21.50	37.99	54.00	16.01	150	98	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.91	74.00	29.09	36.75	54.00	17.25	150	189	Vertical	PASS
2	2464.2679	7.18	43.71	68.23	24.52	35.06	54.00	18.94	150	93	Vertical	PASS
3	4473.2634	12.15	47.71	68.23	20.52	39.77	54.00	14.23	150	24	Vertical	PASS
4	7333.9995	-11.63	46.10	74.00	27.90	34.60	54.00	19.40	150	113	Vertical	PASS
5	10997.2521	-5.77	49.68	74.00	24.32	44.19	54.00	9.81	150	64	Vertical	PASS
6	13893.0802	-2.50	47.28	68.23	20.95	40.06	54.00	13.94	150	230	Vertical	PASS

Mode:	11AC20-5600
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	41.33	74.00	32.67	34.62	54.00	19.38	150	185	Horizontal	PASS
2	2106.9465	5.83	42.62	68.23	25.61	34.14	54.00	19.86	150	203	Horizontal	PASS
3	3153.923	8.72	44.72	68.23	23.51	36.60	54.00	17.40	150	350	Horizontal	PASS
4	7465.9006	-11.57	42.53	74.00	31.47	36.97	54.00	17.03	150	96	Horizontal	PASS
5	11198.1014	-5.48	48.47	74.00	25.53	41.64	54.00	12.36	150	115	Horizontal	PASS
6	15152.1359	0.27	47.66	68.23	20.57	39.42	54.00	14.58	150	250	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1874.5627	5.29	41.18	68.23	27.05	34.02	54.00	19.98	150	124	Vertical	PASS
2	2411.7941	6.86	43.40	68.23	24.83	35.02	54.00	18.98	150	80	Vertical	PASS
3	2821.5892	7.98	44.30	74.00	29.70	36.16	54.00	17.84	150	344	Vertical	PASS
4	6566.5751	-11.86	45.29	68.23	22.94	33.62	54.00	20.38	150	284	Vertical	PASS
5	9525.356	-8.04	43.09	68.23	25.14	34.47	54.00	19.53	150	47	Vertical	PASS
6	14276.7924	-0.31	47.88	68.23	20.35	38.29	54.00	15.71	150	112	Vertical	PASS

Mode:	11AC20-5700
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1697.1514	2.96	40.64	74.00	33.36	31.34	54.00	22.66	150	36	Horizontal	PASS
2	2621.6892	7.59	45.22	68.23	23.01	35.77	54.00	18.23	150	103	Horizontal	PASS
3	3968.5157	10.91	45.70	74.00	28.30	37.97	54.00	16.03	150	306	Horizontal	PASS
4	7600.7994	-11.52	45.36	74.00	28.64	35.53	54.00	18.47	150	88	Horizontal	PASS
5	11398.9508	-5.36	58.55	74.00	15.45	47.47	54.00	6.53	150	188	Horizontal	PASS
6	17085.6857	2.04	66.50	68.23	1.73	51.00	54.00	3.00	150	183	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	45.07	74.00	28.93	36.05	54.00	17.95	150	73	Vertical	PASS
2	1782.1089	4.32	42.64	68.23	25.59	33.52	54.00	20.48	150	258	Vertical	PASS
3	3268.8656	9.07	44.17	68.23	24.06	37.24	54.00	16.76	150	270	Vertical	PASS
4	7600.7994	-11.52	46.73	74.00	27.27	35.96	54.00	18.04	150	38	Vertical	PASS
5	11398.9508	-5.36	56.32	74.00	17.68	48.35	54.00	5.65	150	58	Vertical	PASS
6	17097.6767	1.96	54.43	68.23	13.80	44.59	54.00	9.41	150	81	Vertical	PASS

Mode:	11AC20-5745
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1965.1174	5.66	42.37	68.23	25.86	33.12	54.00	20.88	150	203	Horizontal	PASS
2	2508.8456	7.61	44.45	68.23	23.78	35.67	54.00	18.33	150	227	Horizontal	PASS
3	3990.5047	11.26	46.79	74.00	27.21	36.53	54.00	17.47	150	130	Horizontal	PASS
4	4948.8256	13.72	48.08	74.00	25.92	41.65	54.00	12.35	150	264	Horizontal	PASS
5	11491.0407	-5.73	49.58	74.00	24.42	42.19	54.00	11.81	150	45	Horizontal	PASS
6	14265.6851	-0.33	47.14	68.23	21.09	39.19	54.00	14.81	150	4	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1835.982	5.08	41.34	68.23	26.89	34.80	54.00	19.20	150	57	Vertical	PASS
2	2556.4218	7.50	42.99	68.23	25.24	36.30	54.00	17.70	150	163	Vertical	PASS
3	3885.1574	10.74	46.75	74.00	27.25	37.60	54.00	16.40	150	287	Vertical	PASS
4	4962.4188	13.63	47.26	74.00	26.74	40.29	54.00	13.71	150	290	Vertical	PASS
5	11493.5862	-5.76	56.83	74.00	17.17	48.80	54.00	5.20	150	89	Vertical	PASS
6	14278.4128	-0.27	47.16	68.23	21.07	38.47	54.00	15.53	150	346	Vertical	PASS

Mode:	11AC20-5785
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1941.3293	5.52	41.74	68.23	26.49	33.64	54.00	20.36	150	63	Horizontal	PASS
2	2634.5827	7.68	44.17	68.23	24.06	33.35	54.00	20.65	150	329	Horizontal	PASS
3	3796.8016	10.40	46.82	74.00	27.18	37.52	54.00	16.48	150	280	Horizontal	PASS
4	9627.7015	-8.29	43.35	68.23	24.88	34.76	54.00	19.24	150	87	Horizontal	PASS
5	11569.9526	-5.25	50.86	74.00	23.14	44.56	54.00	9.44	150	45	Horizontal	PASS
6	15426.4537	-0.38	48.71	74.00	25.29	38.71	54.00	15.29	150	30	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1638.8806	2.51	39.48	68.23	28.75	30.77	54.00	23.23	150	7	Vertical	PASS
2	2485.0575	7.53	42.78	74.00	31.22	35.44	54.00	18.56	150	206	Vertical	PASS
3	3990.5047	11.26	46.28	74.00	27.72	36.87	54.00	17.13	150	250	Vertical	PASS
4	9676.0669	-8.26	42.79	68.23	25.44	35.08	54.00	18.92	150	282	Vertical	PASS
5	11572.4981	-5.24	56.18	74.00	17.82	48.42	54.00	5.58	150	17	Vertical	PASS
6	14273.3217	-0.29	47.85	68.23	20.38	39.37	54.00	14.63	150	130	Vertical	PASS

Mode:	11AC20-5825
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1798.6007	4.77	41.87	68.23	26.36	34.44	54.00	19.56	150	142	Horizontal	PASS
2	2984.6077	8.57	44.34	68.23	23.89	36.03	54.00	17.97	150	254	Horizontal	PASS
3	4959.0205	13.66	48.23	74.00	25.77	40.52	54.00	13.48	150	130	Horizontal	PASS
4	10391.3651	-7.41	42.76	68.23	25.47	35.06	54.00	18.94	150	316	Horizontal	PASS
5	11653.9556	-5.29	54.67	74.00	19.33	43.18	54.00	10.82	150	118	Horizontal	PASS
6	15617.3696	0.38	48.70	74.00	25.30	39.24	54.00	14.76	150	100	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2114.6427	5.97	42.77	68.23	25.46	33.87	54.00	20.13	150	342	Vertical	PASS
2	2756.9215	7.97	46.00	74.00	28.00	35.75	54.00	18.25	150	89	Vertical	PASS
3	4187.6062	11.65	46.85	74.00	27.15	37.80	54.00	16.20	150	140	Vertical	PASS
4	9737.16	-8.06	43.26	68.23	24.97	33.93	54.00	20.07	150	319	Vertical	PASS
5	11646.3189	-5.28	52.98	74.00	21.02	45.20	54.00	8.80	150	9	Vertical	PASS
6	15533.3666	-0.03	48.12	74.00	25.88	39.54	54.00	14.46	150	117	Vertical	PASS

Mode:	11AC40-5190
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	2.03	43.22	68.23	25.01	30.97	54.00	23.03	150	146	Horizontal	PASS
2	2359.3203	6.66	43.52	74.00	30.48	35.58	54.00	18.42	150	106	Horizontal	PASS
3	3366.3168	9.46	44.98	68.23	23.25	36.16	54.00	17.84	150	299	Horizontal	PASS
4	6920.3098	-12.11	44.97	68.23	23.26	39.21	54.00	14.79	150	45	Horizontal	PASS
5	10379.7152	-6.94	51.26	68.23	16.97	41.80	54.00	12.20	150	127	Horizontal	PASS
6	14399.7002	-0.52	47.26	68.23	20.97	38.99	54.00	15.01	150	99	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.79	74.00	29.21	36.55	54.00	17.45	150	73	Vertical	PASS
2	1782.1089	4.43	43.81	68.23	24.42	33.38	54.00	20.62	150	336	Vertical	PASS
3	2636.6817	7.66	43.86	68.23	24.37	36.81	54.00	17.19	150	101	Vertical	PASS
4	6920.3098	-12.11	46.33	68.23	21.90	40.33	54.00	13.67	150	159	Vertical	PASS
5	10361.7287	-7.16	46.97	68.23	21.26	36.44	54.00	17.56	150	19	Vertical	PASS
6	14393.7047	-0.59	47.70	68.23	20.53	39.76	54.00	14.24	150	63	Vertical	PASS

Mode:	11AC40-5230
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.39	74.00	30.61	34.75	54.00	19.25	150	91	Horizontal	PASS
2	2064.4678	5.78	42.44	68.23	25.79	34.57	54.00	19.43	150	94	Horizontal	PASS
3	2946.5267	8.54	44.48	68.23	23.75	35.71	54.00	18.29	150	299	Horizontal	PASS
4	6974.2693	-11.52	45.07	68.23	23.16	35.05	54.00	18.95	150	59	Horizontal	PASS
5	10454.659	-6.59	52.50	68.23	15.73	45.60	54.00	8.40	150	137	Horizontal	PASS
6	14393.7047	-0.59	47.70	68.23	20.53	37.98	54.00	16.02	150	18	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	45.24	74.00	28.76	37.64	54.00	16.36	150	63	Vertical	PASS
2	2549.2254	7.41	43.58	68.23	24.65	35.45	54.00	18.55	150	113	Vertical	PASS
3	4505.7471	12.20	47.54	74.00	26.46	38.45	54.00	15.55	150	70	Vertical	PASS
4	6974.2693	-11.52	45.56	68.23	22.67	37.07	54.00	16.93	150	51	Vertical	PASS
5	10454.659	-6.59	48.65	68.23	19.58	38.12	54.00	15.88	150	110	Vertical	PASS
6	15152.1359	0.27	48.45	68.23	19.78	40.66	54.00	13.34	150	159	Vertical	PASS

Mode:	11AC40-5270
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	42.50	74.00	31.50	35.07	54.00	18.93	150	67	Horizontal	PASS
2	1977.0115	5.77	42.10	68.23	26.13	35.05	54.00	18.95	150	57	Horizontal	PASS
3	2801.5992	8.12	43.71	74.00	30.29	35.66	54.00	18.34	150	187	Horizontal	PASS
4	7028.2288	-11.43	45.24	68.23	22.99	39.60	54.00	14.40	150	67	Horizontal	PASS
5	10538.5961	-6.53	54.48	68.23	13.75	49.02	54.00	4.98	150	49	Horizontal	PASS
6	15161.1292	0.06	48.10	68.23	20.13	40.21	54.00	13.79	150	300	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1439.7801	1.86	41.54	74.00	32.46	31.37	54.00	22.63	150	102	Vertical	PASS
2	1782.1089	4.43	43.00	68.23	25.23	31.66	54.00	22.34	150	206	Vertical	PASS
3	3326.3368	9.45	44.44	68.23	23.79	37.40	54.00	16.60	150	257	Vertical	PASS
4	7028.2288	-11.43	47.59	68.23	20.64	40.96	54.00	13.04	150	152	Vertical	PASS
5	10535.5983	-6.54	50.51	68.23	17.72	41.18	54.00	12.82	150	71	Vertical	PASS
6	14306.7699	-0.06	47.49	68.23	20.74	38.50	54.00	15.50	150	79	Vertical	PASS

Mode:	11AC40-5310
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.52	74.00	30.48	34.48	54.00	19.52	150	141	Horizontal	PASS
2	2616.6917	7.65	45.77	68.23	22.46	39.13	54.00	14.87	150	141	Horizontal	PASS
3	3773.6132	10.39	45.74	74.00	28.26	37.48	54.00	16.52	150	158	Horizontal	PASS
4	7079.1906	-11.63	46.43	68.23	21.80	33.34	54.00	20.66	150	70	Horizontal	PASS
5	10613.5398	-6.83	51.57	74.00	22.43	45.30	54.00	8.70	150	142	Horizontal	PASS
6	15556.8324	-0.03	46.87	74.00	27.13	40.75	54.00	13.25	150	319	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	45.47	74.00	28.53	35.20	54.00	18.80	150	138	Vertical	PASS
2	1782.1089	4.43	43.14	68.23	25.09	32.67	54.00	21.33	150	250	Vertical	PASS
3	3116.4418	8.87	45.54	68.23	22.69	36.84	54.00	17.16	150	324	Vertical	PASS
4	7079.1906	-11.63	48.35	68.23	19.88	32.24	54.00	21.76	150	146	Vertical	PASS
5	10616.5376	-6.82	48.49	74.00	25.51	40.66	54.00	13.34	150	142	Vertical	PASS
6	14432.6755	-1.02	46.40	68.23	21.83	38.51	54.00	15.49	150	148	Vertical	PASS

Mode:	11AC40-5510
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1664.6677	2.65	39.03	74.00	34.97	31.53	54.00	22.47	150	30	Horizontal	PASS
2	2386.8066	6.71	43.41	74.00	30.59	34.27	54.00	19.73	150	285	Horizontal	PASS
3	4303.3483	11.65	46.15	74.00	27.85	39.14	54.00	14.86	150	254	Horizontal	PASS
4	7345.9905	-11.52	43.84	74.00	30.16	33.68	54.00	20.32	150	71	Horizontal	PASS
5	11315.0137	-5.37	45.21	74.00	28.79	36.35	54.00	17.65	150	37	Horizontal	PASS
6	13296.5276	-2.47	46.52	74.00	27.48	36.71	54.00	17.29	150	223	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.91	74.00	30.09	36.73	54.00	17.27	150	106	Vertical	PASS
2	1782.1089	4.32	43.46	68.23	24.77	34.16	54.00	19.84	150	302	Vertical	PASS
3	3141.4293	8.72	47.57	68.23	20.66	39.89	54.00	14.11	150	134	Vertical	PASS
4	3951.0245	10.85	48.82	74.00	25.18	43.49	54.00	10.51	150	113	Vertical	PASS
5	7345.9905	-11.52	48.29	74.00	25.71	33.31	54.00	20.69	150	160	Vertical	PASS
6	11018.2363	-5.71	50.55	74.00	23.45	41.05	54.00	12.95	150	74	Vertical	PASS

Mode:	11AC40-5590
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	1.97	42.28	68.23	25.95	31.06	54.00	22.94	150	80	Horizontal	PASS
2	2106.9465	5.83	42.81	68.23	25.42	33.30	54.00	20.70	150	277	Horizontal	PASS
3	3573.7131	9.77	44.34	68.23	23.89	36.86	54.00	17.14	150	54	Horizontal	PASS
4	7453.9096	-11.54	44.75	74.00	29.25	36.55	54.00	17.45	150	55	Horizontal	PASS
5	11180.1149	-5.48	45.57	74.00	28.43	39.31	54.00	14.69	150	243	Horizontal	PASS
6	14906.3203	-1.10	48.24	68.23	19.99	39.04	54.00	14.96	150	122	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.64	74.00	29.36	35.60	54.00	18.40	150	101	Vertical	PASS
2	1782.1089	4.32	43.83	68.23	24.40	33.47	54.00	20.53	150	307	Vertical	PASS
3	3016.4918	8.60	45.29	68.23	22.94	35.93	54.00	18.07	150	304	Vertical	PASS
4	7453.9096	-11.54	47.70	74.00	26.30	39.94	54.00	14.06	150	154	Vertical	PASS
5	11186.1104	-5.48	51.77	74.00	22.23	41.93	54.00	12.07	150	78	Vertical	PASS
6	14906.3203	-1.10	48.67	68.23	19.56	40.21	54.00	13.79	150	74	Vertical	PASS

Mode:	11AC40-5670
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1247.3763	1.97	42.56	68.23	25.67	31.65	54.00	22.35	150	82	Horizontal	PASS
2	2551.7241	7.29	43.03	68.23	25.20	36.15	54.00	17.85	150	180	Horizontal	PASS
3	3838.5807	10.33	44.97	74.00	29.03	37.79	54.00	16.21	150	240	Horizontal	PASS
4	7561.8286	-11.44	45.06	74.00	28.94	37.67	54.00	16.33	150	48	Horizontal	PASS
5	11341.9935	-5.50	58.85	74.00	15.15	46.13	54.00	7.87	150	184	Horizontal	PASS
6	16998.7509	2.81	62.97	68.23	5.26	51.11	54.00	2.89	150	178	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.43	74.00	29.57	35.58	54.00	18.42	150	120	Vertical	PASS
2	1782.1089	4.32	42.78	68.23	25.45	33.07	54.00	20.93	150	268	Vertical	PASS
3	7558.8309	-11.43	47.65	74.00	26.35	40.47	54.00	13.53	150	155	Vertical	PASS
4	9150.637	-9.11	43.46	74.00	30.54	34.71	54.00	19.29	150	301	Vertical	PASS
5	11341.9935	-5.50	51.39	74.00	22.61	43.64	54.00	10.36	150	26	Vertical	PASS
6	17019.7352	2.59	58.60	68.23	9.63	44.85	54.00	9.15	150	98	Vertical	PASS

Mode:	11AC40-5755
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1890.3548	5.61	42.79	68.23	25.44	32.56	54.00	21.44	150	298	Horizontal	PASS
2	2770.5147	8.01	44.00	74.00	30.00	36.53	54.00	17.47	150	174	Horizontal	PASS
3	4224.9875	11.74	47.20	74.00	26.80	38.12	54.00	15.88	150	209	Horizontal	PASS
4	9154.2301	-9.56	42.81	74.00	31.19	34.58	54.00	19.42	150	125	Horizontal	PASS
5	11519.0417	-5.65	47.83	74.00	26.17	38.57	54.00	15.43	150	117	Horizontal	PASS
6	15793.0122	-0.39	48.16	74.00	25.84	39.95	54.00	14.05	150	299	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1798.6007	4.77	40.21	68.23	28.02	33.80	54.00	20.20	150	188	Vertical	PASS
2	2410.2949	7.01	43.05	68.23	25.18	34.32	54.00	19.68	150	206	Vertical	PASS
3	3759.4203	10.46	46.21	74.00	27.79	37.17	54.00	16.83	150	259	Vertical	PASS
4	9416.4213	-8.94	43.51	74.00	30.49	35.37	54.00	18.63	150	150	Vertical	PASS
5	11498.6773	-5.81	51.64	74.00	22.36	39.04	54.00	14.96	150	73	Vertical	PASS
6	14331.8692	-0.91	47.47	68.23	20.76	38.89	54.00	15.11	150	295	Vertical	PASS

Mode:	11AC40-5795
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2223.3883	6.33	42.66	74.00	31.34	35.21	54.00	18.79	150	233	Horizontal	PASS
2	2614.1929	7.63	44.81	68.23	23.42	35.35	54.00	18.65	150	38	Horizontal	PASS
3	3827.3863	10.47	46.26	74.00	27.74	36.66	54.00	17.34	150	86	Horizontal	PASS
4	4456.072	12.29	47.39	68.23	20.84	37.71	54.00	16.29	150	7	Horizontal	PASS
5	9861.8917	-8.21	43.07	68.23	25.16	35.31	54.00	18.69	150	332	Horizontal	PASS
6	11585.2259	-5.15	48.53	74.00	25.47	42.85	54.00	11.15	150	113	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1954.9225	5.54	42.57	68.23	25.66	33.60	54.00	20.40	150	4	Vertical	PASS
2	2753.5232	7.96	43.73	74.00	30.27	35.78	54.00	18.22	150	57	Vertical	PASS
3	3857.971	10.58	45.69	74.00	28.31	36.76	54.00	17.24	150	172	Vertical	PASS
4	4935.2324	13.54	48.88	74.00	25.12	39.69	54.00	14.31	150	351	Vertical	PASS
5	11597.9536	-5.06	49.46	74.00	24.54	43.97	54.00	10.03	150	0	Vertical	PASS
6	15454.4547	-0.52	49.55	74.00	24.45	44.76	54.00	9.24	150	106	Vertical	PASS

Mode:	11AC80-5210
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1890.3548	5.61	42.58	68.23	25.65	32.74	54.00	21.26	150	86	Horizontal	PASS
2	2553.0235	7.49	43.90	68.23	24.33	36.69	54.00	17.31	150	86	Horizontal	PASS
3	3942.9285	11.16	46.61	74.00	27.39	37.41	54.00	16.59	150	18	Horizontal	PASS
4	9953.5313	-8.31	43.41	68.23	24.82	35.05	54.00	18.95	150	1	Horizontal	PASS
5	11717.5942	-5.07	45.79	74.00	28.21	35.64	54.00	18.36	150	244	Horizontal	PASS
6	15617.3696	0.38	48.93	74.00	25.07	40.02	54.00	13.98	150	142	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1282.059	2.14	41.04	68.23	27.19	31.65	54.00	22.35	150	222	Vertical	PASS
2	2315.1424	6.55	44.14	74.00	29.86	34.84	54.00	19.16	150	298	Vertical	PASS
3	3355.0225	9.47	44.58	74.00	29.42	37.32	54.00	16.68	150	36	Vertical	PASS
4	4204.5977	11.70	47.97	74.00	26.03	39.08	54.00	14.92	150	144	Vertical	PASS
5	11183.0297	-5.48	45.14	74.00	28.86	36.40	54.00	17.60	150	138	Vertical	PASS
6	14400.599	-1.45	46.11	68.23	22.12	39.40	54.00	14.60	150	0	Vertical	PASS

Mode:	11AC80-5290
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1832.5837	5.05	41.66	68.23	26.57	33.26	54.00	20.74	150	334	Horizontal	PASS
2	2410.2949	7.01	43.39	68.23	24.84	35.95	54.00	18.05	150	27	Horizontal	PASS
3	3127.3363	8.86	44.93	68.23	23.30	36.92	54.00	17.08	150	71	Horizontal	PASS
4	10574.6444	-6.87	48.29	68.23	19.94	39.48	54.00	14.52	150	39	Horizontal	PASS
5	11832.1437	-4.58	44.73	74.00	29.27	38.05	54.00	15.95	150	186	Horizontal	PASS
6	14364.9613	-1.36	47.45	68.23	20.78	39.57	54.00	14.43	150	211	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1995.7021	6.01	42.77	68.23	25.46	36.12	54.00	17.88	150	288	Vertical	PASS
2	2658.3708	7.72	44.47	68.23	23.76	35.65	54.00	18.35	150	265	Vertical	PASS
3	3341.4293	9.45	44.60	68.23	23.63	36.00	54.00	18.00	150	252	Vertical	PASS
4	9360.4193	-8.96	42.32	74.00	31.68	34.53	54.00	19.47	150	164	Vertical	PASS
5	13074.3699	-3.28	45.93	68.23	22.30	37.88	54.00	16.12	150	255	Vertical	PASS
6	15594.4597	0.13	47.85	74.00	26.15	40.95	54.00	13.05	150	274	Vertical	PASS

Mode:	11AC80-5530
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1893.7531	5.66	42.42	68.23	25.81	34.76	54.00	19.24	150	92	Horizontal	PASS
2	2529.2354	7.55	45.14	68.23	23.09	36.09	54.00	17.91	150	356	Horizontal	PASS
3	3701.6492	10.36	44.68	74.00	29.32	38.00	54.00	16.00	150	167	Horizontal	PASS
4	4721.1394	12.88	46.58	74.00	27.42	37.42	54.00	16.58	150	51	Horizontal	PASS
5	10472.8226	-7.37	43.68	68.23	24.55	35.24	54.00	18.76	150	344	Horizontal	PASS
6	14296.2316	-0.19	46.77	68.23	21.46	38.17	54.00	15.83	150	126	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2192.8036	6.30	42.22	68.23	26.01	33.35	54.00	20.65	150	11	Vertical	PASS
2	3171.5142	8.85	45.49	68.23	22.74	35.85	54.00	18.15	150	310	Vertical	PASS
3	4014.2929	11.34	48.01	74.00	25.99	37.85	54.00	16.15	150	149	Vertical	PASS
4	11300.1248	-5.53	44.37	74.00	29.63	36.78	54.00	17.22	150	27	Vertical	PASS
5	13219.4659	-2.12	45.41	68.23	22.82	37.39	54.00	16.61	150	191	Vertical	PASS
6	16930.871	2.30	49.04	68.23	19.19	41.55	54.00	12.45	150	124	Vertical	PASS

Mode:	11AC80-5610
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.12	74.00	29.88	36.04	54.00	17.96	150	348	Horizontal	PASS
2	1829.5852	4.93	41.28	68.23	26.95	33.89	54.00	20.11	150	126	Horizontal	PASS
3	2976.5117	8.50	43.76	68.23	24.47	36.82	54.00	17.18	150	290	Horizontal	PASS
4	4258.3708	11.63	45.85	74.00	28.15	38.72	54.00	15.28	150	228	Horizontal	PASS
5	7585.8106	-11.49	44.76	74.00	29.24	33.34	54.00	20.66	150	106	Horizontal	PASS
6	13125.6558	-2.39	46.33	68.23	21.90	37.91	54.00	16.09	150	36	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.40	74.00	29.60	35.85	54.00	18.15	150	126	Vertical	PASS
2	1782.1089	4.32	42.57	68.23	25.66	33.46	54.00	20.54	150	276	Vertical	PASS
3	3071.4643	8.71	45.68	68.23	22.55	36.05	54.00	17.95	150	34	Vertical	PASS
4	7585.8106	-11.49	46.40	74.00	27.60	32.84	54.00	21.16	150	134	Vertical	PASS
5	11392.9553	-5.39	50.93	74.00	23.07	43.57	54.00	10.43	150	59	Vertical	PASS
6	15173.1202	-0.21	48.82	68.23	19.41	41.21	54.00	12.79	150	115	Vertical	PASS

Mode:	11AC80-5775
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1774.8126	4.30	43.27	68.23	24.96	32.56	54.00	21.44	150	138	Horizontal	PASS
2	2546.2269	7.49	44.29	68.23	23.94	36.01	54.00	17.99	150	9	Horizontal	PASS
3	3688.056	10.29	45.62	74.00	28.38	36.44	54.00	17.56	150	277	Horizontal	PASS
4	10101.1729	-7.35	43.27	68.23	24.96	34.77	54.00	19.23	150	220	Horizontal	PASS
5	11559.7704	-5.32	44.75	74.00	29.25	37.57	54.00	16.43	150	120	Horizontal	PASS
6	15362.8151	-0.06	47.35	74.00	26.65	41.21	54.00	12.79	150	111	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2230.1849	6.34	44.34	74.00	29.66	34.72	54.00	19.28	150	353	Vertical	PASS
2	3072.9635	8.93	44.82	68.23	23.41	36.01	54.00	17.99	150	135	Vertical	PASS
3	4252.1739	11.79	47.10	74.00	26.90	38.53	54.00	15.47	150	229	Vertical	PASS
4	10775.7425	-6.80	44.58	74.00	29.42	35.15	54.00	18.85	150	102	Vertical	PASS
5	11554.6793	-5.36	46.81	74.00	27.19	38.38	54.00	15.62	150	85	Vertical	PASS
6	15400.9983	-0.20	48.14	74.00	25.86	38.81	54.00	15.19	150	113	Vertical	PASS

Mode:	11AX20-5180
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1879.5602	5.48	42.91	68.23	25.32	33.51	54.00	20.49	150	101	Horizontal	PASS
2	2534.2329	7.50	43.69	68.23	24.54	36.04	54.00	17.96	150	70	Horizontal	PASS
3	3976.012	10.99	45.70	74.00	28.30	37.57	54.00	16.43	150	30	Horizontal	PASS
4	6908.3188	-12.14	46.22	68.23	22.01	33.84	54.00	20.16	150	53	Horizontal	PASS
5	10364.7265	-7.13	50.22	68.23	18.01	42.75	54.00	11.25	150	146	Horizontal	PASS
6	15775.6682	-0.36	48.51	74.00	25.49	38.57	54.00	15.43	150	360	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2041.979	5.78	41.60	68.23	26.63	34.50	54.00	19.50	150	195	Vertical	PASS
2	2911.5442	8.32	44.13	68.23	24.10	36.05	54.00	17.95	150	96	Vertical	PASS
3	3951.0245	10.89	46.14	74.00	27.86	38.54	54.00	15.46	150	110	Vertical	PASS
4	6908.3188	-12.14	46.40	68.23	21.83	32.76	54.00	21.24	150	153	Vertical	PASS
5	10355.7332	-7.23	49.02	68.23	19.21	40.77	54.00	13.23	150	7	Vertical	PASS
6	14396.7025	-0.56	46.97	68.23	21.26	40.03	54.00	13.97	150	116	Vertical	PASS

Mode:	11AX20-5200
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1934.5327	5.53	42.26	68.23	25.97	33.80	54.00	20.20	150	356	Horizontal	PASS
2	2511.7441	7.62	43.69	68.23	24.54	35.16	54.00	18.84	150	250	Horizontal	PASS
3	2811.5942	8.16	44.49	74.00	29.51	36.52	54.00	17.48	150	250	Horizontal	PASS
4	3743.6282	10.45	45.58	74.00	28.42	37.99	54.00	16.01	150	35	Horizontal	PASS
5	6932.3008	-12.09	45.76	68.23	22.47	39.09	54.00	14.91	150	64	Horizontal	PASS
6	10403.6972	-6.68	51.04	68.23	17.19	43.70	54.00	10.30	150	55	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	45.27	74.00	28.73	35.35	54.00	18.65	150	124	Vertical	PASS
2	2306.8466	6.49	43.74	68.23	24.49	34.77	54.00	19.23	150	284	Vertical	PASS
3	3341.3293	9.44	44.64	68.23	23.59	37.01	54.00	16.99	150	328	Vertical	PASS
4	6932.3008	-12.09	47.07	68.23	21.16	40.85	54.00	13.15	150	14	Vertical	PASS
5	10406.695	-6.68	51.40	68.23	16.83	40.63	54.00	13.37	150	14	Vertical	PASS
6	15364.9763	0.26	48.21	74.00	25.79	39.43	54.00	14.57	150	258	Vertical	PASS

Mode:	11AX20-5240
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1969.5152	5.69	41.88	68.23	26.35	34.35	54.00	19.65	150	237	Horizontal	PASS
2	2806.5967	8.14	43.57	74.00	30.43	37.60	54.00	16.40	150	147	Horizontal	PASS
3	3728.6357	10.46	45.84	74.00	28.16	36.83	54.00	17.17	150	112	Horizontal	PASS
4	6986.2603	-11.26	44.74	68.23	23.49	33.21	54.00	20.79	150	56	Horizontal	PASS
5	10487.6343	-6.57	53.60	68.23	14.63	45.16	54.00	8.84	150	137	Horizontal	PASS
6	14423.6822	-0.88	47.21	68.23	21.02	37.96	54.00	16.04	150	99	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1902.049	5.64	42.06	68.23	26.17	33.70	54.00	20.30	150	16	Vertical	PASS
2	2241.8791	6.31	42.69	74.00	31.31	34.19	54.00	19.81	150	52	Vertical	PASS
3	3328.8356	9.46	45.11	68.23	23.12	38.45	54.00	15.55	150	32	Vertical	PASS
4	8703.972	-10.32	43.30	68.23	24.93	32.46	54.00	21.54	150	122	Vertical	PASS
5	11851.6113	-4.51	46.32	74.00	27.68	37.88	54.00	16.12	150	175	Vertical	PASS
6	14390.707	-0.63	47.54	68.23	20.69	38.56	54.00	15.44	150	330	Vertical	PASS

Mode:	11AX20-5260
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1969.5152	5.69	41.92	68.23	26.31	36.38	54.00	17.62	150	80	Horizontal	PASS
2	2616.6917	7.65	45.03	68.23	23.20	38.29	54.00	15.71	150	70	Horizontal	PASS
3	3786.1069	10.36	45.92	74.00	28.08	38.56	54.00	15.44	150	235	Horizontal	PASS
4	7013.2401	-11.18	43.69	68.23	24.54	39.33	54.00	14.67	150	71	Horizontal	PASS
5	10514.614	-6.55	53.81	68.23	14.42	43.79	54.00	10.21	150	143	Horizontal	PASS
6	14303.7722	0.02	47.46	68.23	20.77	38.39	54.00	15.61	150	228	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.43	42.08	68.23	26.15	31.39	54.00	22.61	150	296	Vertical	PASS
2	2344.3278	6.58	44.12	74.00	29.88	36.01	54.00	17.99	150	291	Vertical	PASS
3	3346.3268	9.44	45.27	74.00	28.73	37.58	54.00	16.42	150	204	Vertical	PASS
4	7013.2401	-11.18	47.74	68.23	20.49	40.96	54.00	13.04	150	144	Vertical	PASS
5	10529.6028	-6.54	51.25	68.23	16.98	39.95	54.00	14.05	150	32	Vertical	PASS
6	14387.7092	-0.66	48.28	68.23	19.95	38.59	54.00	15.41	150	203	Vertical	PASS

Mode:	11AX20-5280
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1957.0215	5.55	41.64	68.23	26.59	34.84	54.00	19.16	150	245	Horizontal	PASS
2	2299.3503	6.48	43.33	74.00	30.67	35.35	54.00	18.65	150	268	Horizontal	PASS
3	3878.5607	10.74	45.41	74.00	28.59	37.61	54.00	16.39	150	73	Horizontal	PASS
4	7040.2198	-11.63	46.86	68.23	21.37	33.99	54.00	20.01	150	65	Horizontal	PASS
5	10562.5781	-6.61	53.69	68.23	14.54	46.77	54.00	7.23	150	138	Horizontal	PASS
6	14930.3023	-1.38	46.73	68.23	21.50	38.80	54.00	15.20	150	101	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1979.5102	5.81	42.09	68.23	26.14	33.62	54.00	20.38	150	207	Vertical	PASS
2	3073.963	8.86	45.36	68.23	22.87	36.77	54.00	17.23	150	281	Vertical	PASS
3	4260.8696	11.82	47.84	74.00	26.16	39.06	54.00	14.94	150	103	Vertical	PASS
4	7040.2198	-11.63	48.06	68.23	20.17	33.37	54.00	20.63	150	133	Vertical	PASS
5	10562.5781	-6.61	48.34	68.23	19.89	43.55	54.00	10.45	150	270	Vertical	PASS
6	14468.6485	-1.28	47.97	68.23	20.26	37.61	54.00	16.39	150	183	Vertical	PASS

Mode:	11AX20-5320
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1439.7801	1.86	42.25	74.00	31.75	31.40	54.00	22.60	150	138	Horizontal	PASS
2	2129.4353	6.05	43.54	68.23	24.69	34.36	54.00	19.64	150	292	Horizontal	PASS
3	2856.5717	8.29	44.98	74.00	29.02	36.39	54.00	17.61	150	58	Horizontal	PASS
4	3893.5532	10.85	46.53	74.00	27.47	38.56	54.00	15.44	150	98	Horizontal	PASS
5	7094.1794	-11.54	45.61	68.23	22.62	37.07	54.00	16.93	150	72	Horizontal	PASS
6	10646.5151	-6.71	49.55	74.00	24.45	42.28	54.00	11.72	150	224	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2061.969	5.77	43.16	68.23	25.07	35.24	54.00	18.76	150	2	Vertical	PASS
2	3053.973	8.83	44.03	68.23	24.20	36.72	54.00	17.28	150	171	Vertical	PASS
3	3786.1069	10.36	45.33	74.00	28.67	38.20	54.00	15.80	150	52	Vertical	PASS
4	7094.1794	-11.54	48.28	68.23	19.95	39.03	54.00	14.97	150	128	Vertical	PASS
5	10634.5241	-6.75	50.76	74.00	23.24	40.12	54.00	13.88	150	65	Vertical	PASS
6	15778.666	-0.35	47.58	74.00	26.42	39.55	54.00	14.45	150	326	Vertical	PASS

Mode:	11AX20-5500
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	43.99	74.00	30.01	35.55	54.00	18.45	150	128	Horizontal	PASS
2	2074.4628	5.67	42.72	68.23	25.51	32.95	54.00	21.05	150	355	Horizontal	PASS
3	3021.4893	8.61	44.46	68.23	23.77	36.66	54.00	17.34	150	158	Horizontal	PASS
4	7333.9995	-11.63	44.46	74.00	29.54	34.09	54.00	19.91	150	55	Horizontal	PASS
5	11000.2498	-5.76	48.15	74.00	25.85	39.96	54.00	14.04	150	127	Horizontal	PASS
6	13143.6423	-2.11	47.13	68.23	21.10	39.32	54.00	14.68	150	9	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.32	42.64	68.23	25.59	33.53	54.00	20.47	150	245	Vertical	PASS
2	2701.6492	7.61	43.75	74.00	30.25	34.90	54.00	19.10	150	137	Vertical	PASS
3	3688.6557	10.11	44.50	74.00	29.50	36.93	54.00	17.07	150	69	Vertical	PASS
4	7333.9995	-11.63	47.27	74.00	26.73	35.83	54.00	18.17	150	138	Vertical	PASS
5	10997.2521	-5.77	46.38	74.00	27.62	40.52	54.00	13.48	150	138	Vertical	PASS
6	15269.0482	-0.42	47.59	68.23	20.64	39.06	54.00	14.94	150	175	Vertical	PASS

Mode:	11AX20-5600
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2099.4503	5.80	42.76	68.23	25.47	34.55	54.00	19.45	150	87	Horizontal	PASS
2	3003.998	8.57	44.38	68.23	23.85	36.30	54.00	17.70	150	65	Horizontal	PASS
3	4293.3533	11.65	46.10	74.00	27.90	38.12	54.00	15.88	150	224	Horizontal	PASS
4	7465.9006	-11.57	46.57	74.00	27.43	39.29	54.00	14.71	150	51	Horizontal	PASS
5	11207.0947	-5.48	47.75	74.00	26.25	40.48	54.00	13.52	150	149	Horizontal	PASS
6	14369.7227	-0.87	48.07	68.23	20.16	38.55	54.00	15.45	150	169	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.32	43.49	68.23	24.74	34.97	54.00	19.03	150	262	Vertical	PASS
2	2544.2279	7.30	44.70	68.23	23.53	36.21	54.00	17.79	150	255	Vertical	PASS
3	3921.0395	10.76	45.01	74.00	28.99	37.71	54.00	16.29	150	205	Vertical	PASS
4	7465.9006	-11.57	46.87	74.00	27.13	40.02	54.00	13.98	150	123	Vertical	PASS
5	11198.1014	-5.48	50.31	74.00	23.69	43.97	54.00	10.03	150	28	Vertical	PASS
6	15694.729	0.55	47.95	74.00	26.05	40.14	54.00	13.86	150	325	Vertical	PASS

Mode:	11AX20-5700
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1944.5277	5.35	43.44	68.23	24.79	34.57	54.00	19.43	150	307	Horizontal	PASS
2	2809.0955	7.94	43.51	74.00	30.49	38.03	54.00	15.97	150	11	Horizontal	PASS
3	3831.0845	10.32	45.15	74.00	28.85	37.22	54.00	16.78	150	38	Horizontal	PASS
4	7600.7994	-11.52	44.78	74.00	29.22	35.66	54.00	18.34	150	54	Horizontal	PASS
5	11389.9575	-5.40	54.95	74.00	19.05	42.72	54.00	11.28	150	348	Horizontal	PASS
6	17103.6722	1.92	55.82	68.23	12.41	47.15	54.00	6.85	150	173	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.32	44.20	68.23	24.03	33.77	54.00	20.23	150	281	Vertical	PASS
2	2904.048	8.18	43.98	68.23	24.25	35.05	54.00	18.95	150	222	Vertical	PASS
3	4033.4833	11.07	46.75	74.00	27.25	37.63	54.00	16.37	150	274	Vertical	PASS
4	7600.7994	-11.52	47.91	74.00	26.09	36.42	54.00	17.58	150	151	Vertical	PASS
5	11398.9508	-5.36	54.15	74.00	19.85	47.18	54.00	6.82	150	71	Vertical	PASS
6	15700.7245	0.65	48.27	74.00	25.73	39.71	54.00	14.29	150	279	Vertical	PASS

Mode:	11AX20-5745
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1380.6097	1.93	38.64	74.00	35.36	31.07	54.00	22.93	150	221	Horizontal	PASS
2	1917.5412	5.64	42.69	68.23	25.54	33.98	54.00	20.02	150	201	Horizontal	PASS
3	2994.8026	8.57	44.60	68.23	23.63	37.46	54.00	16.54	150	50	Horizontal	PASS
4	4262.3688	11.79	46.83	74.00	27.17	37.62	54.00	16.38	150	100	Horizontal	PASS
5	11493.5862	-5.76	46.98	74.00	27.02	39.89	54.00	14.11	150	229	Horizontal	PASS
6	15352.6329	-0.02	48.09	74.00	25.91	38.53	54.00	15.47	150	71	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1333.0335	2.02	39.97	74.00	34.03	31.54	54.00	22.46	150	167	Vertical	PASS
2	2165.6172	6.23	43.32	68.23	24.91	34.74	54.00	19.26	150	61	Vertical	PASS
3	3599.7002	9.98	45.10	68.23	23.13	36.50	54.00	17.50	150	214	Vertical	PASS
4	9380.7836	-9.01	43.12	74.00	30.88	35.29	54.00	18.71	150	60	Vertical	PASS
5	11493.5862	-5.76	49.70	74.00	24.30	40.21	54.00	13.79	150	24	Vertical	PASS
6	15319.5408	-0.50	49.42	68.23	18.81	39.41	54.00	14.59	150	111	Vertical	PASS

Mode:	11AX20-5785
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2080.6597	5.79	43.41	68.23	24.82	33.38	54.00	20.62	150	230	Horizontal	PASS
2	2709.3453	7.79	43.93	74.00	30.07	35.75	54.00	18.25	150	165	Horizontal	PASS
3	4214.7926	11.72	46.85	74.00	27.15	37.04	54.00	16.96	150	118	Horizontal	PASS
4	9574.2451	-8.48	42.88	68.23	25.35	35.46	54.00	18.54	150	234	Horizontal	PASS
5	11575.0437	-5.22	50.89	74.00	23.11	41.69	54.00	12.31	150	120	Horizontal	PASS
6	13980.584	-1.86	47.54	68.23	20.69	37.47	54.00	16.53	150	197	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1846.1769	5.15	42.11	68.23	26.12	33.63	54.00	20.37	150	208	Vertical	PASS
2	2230.1849	6.34	42.01	74.00	31.99	35.41	54.00	18.59	150	85	Vertical	PASS
3	3219.0905	8.99	44.32	68.23	23.91	36.38	54.00	17.62	150	142	Vertical	PASS
4	3990.5047	11.26	46.52	74.00	27.48	36.91	54.00	17.09	150	220	Vertical	PASS
5	11569.9526	-5.25	50.32	74.00	23.68	46.21	54.00	7.79	150	76	Vertical	PASS
6	15426.4537	-0.38	48.18	74.00	25.82	38.27	54.00	15.73	150	100	Vertical	PASS

Mode:	11AX20-5825
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2199.6002	6.31	43.11	68.23	25.12	34.79	54.00	19.21	150	37	Horizontal	PASS
2	3015.1924	8.69	44.46	68.23	23.77	35.23	54.00	18.77	150	239	Horizontal	PASS
3	4874.063	13.12	46.97	74.00	27.03	38.16	54.00	15.84	150	190	Horizontal	PASS
4	8418.5675	-10.60	41.77	74.00	32.23	33.34	54.00	20.66	150	23	Horizontal	PASS
5	11651.41	-5.30	53.06	74.00	20.94	43.96	54.00	10.04	150	125	Horizontal	PASS
6	16915.5977	2.60	50.22	68.23	18.01	40.59	54.00	13.41	150	192	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1893.7531	5.66	42.98	68.23	25.25	31.95	54.00	22.05	150	43	Vertical	PASS
2	2865.6672	8.28	44.62	74.00	29.38	36.11	54.00	17.89	150	43	Vertical	PASS
3	3990.5047	11.26	47.19	74.00	26.81	37.11	54.00	16.89	150	66	Vertical	PASS
4	9263.6885	-9.15	43.09	68.23	25.14	33.81	54.00	20.19	150	206	Vertical	PASS
5	11653.9556	-5.29	50.67	74.00	23.33	45.37	54.00	8.63	150	80	Vertical	PASS
6	15533.3666	-0.03	49.00	74.00	25.00	39.66	54.00	14.34	150	117	Vertical	PASS

Mode:	11AX40-5190
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1842.079	5.16	41.79	68.23	26.44	34.58	54.00	19.42	150	239	Horizontal	PASS
2	2516.7416	7.59	43.71	68.23	24.52	35.49	54.00	18.51	150	248	Horizontal	PASS
3	3496.2519	9.53	44.60	68.23	23.63	37.27	54.00	16.73	150	246	Horizontal	PASS
4	6920.3098	-12.11	46.22	68.23	22.01	39.66	54.00	14.34	150	62	Horizontal	PASS
5	10388.7085	-6.83	45.98	68.23	22.25	41.03	54.00	12.97	150	32	Horizontal	PASS
6	13134.649	-2.25	46.09	68.23	22.14	37.25	54.00	16.75	150	187	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.43	42.04	68.23	26.19	31.80	54.00	22.20	150	265	Vertical	PASS
2	2626.6867	7.66	43.63	68.23	24.60	38.58	54.00	15.42	150	114	Vertical	PASS
3	6920.3098	-12.11	48.48	68.23	19.75	40.97	54.00	13.03	150	144	Vertical	PASS
4	7591.8061	-11.50	42.17	74.00	31.83	33.23	54.00	20.77	150	266	Vertical	PASS
5	10397.7017	-6.72	44.76	68.23	23.47	36.07	54.00	17.93	150	113	Vertical	PASS
6	13173.6198	-2.43	46.71	68.23	21.52	38.32	54.00	15.68	150	144	Vertical	PASS

Mode:	11AX40-5230
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1819.5902	4.99	41.41	68.23	26.82	33.67	54.00	20.33	150	175	Horizontal	PASS
2	3241.3793	9.11	44.55	68.23	23.68	35.79	54.00	18.21	150	127	Horizontal	PASS
3	4533.2334	12.18	45.92	74.00	28.08	38.34	54.00	15.66	150	107	Horizontal	PASS
4	6974.2693	-11.52	46.39	68.23	21.84	36.80	54.00	17.20	150	62	Horizontal	PASS
5	10457.6568	-6.59	46.92	68.23	21.31	41.12	54.00	12.88	150	163	Horizontal	PASS
6	13164.6265	-2.27	46.43	68.23	21.80	37.57	54.00	16.43	150	237	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1934.5327	5.53	42.18	68.23	26.05	34.68	54.00	19.32	150	96	Vertical	PASS
2	2414.2929	7.03	43.70	68.23	24.53	34.70	54.00	19.30	150	205	Vertical	PASS
3	3231.3843	9.06	44.68	68.23	23.55	35.85	54.00	18.15	150	267	Vertical	PASS
4	6974.2693	-11.52	48.02	68.23	20.21	38.31	54.00	15.69	150	143	Vertical	PASS
5	10472.6455	-6.58	46.24	68.23	21.99	38.88	54.00	15.12	150	94	Vertical	PASS
6	15349.9875	0.12	47.16	68.23	21.07	38.38	54.00	15.62	150	183	Vertical	PASS

Mode:	11AX40-5270
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1842.079	5.16	41.84	68.23	26.39	34.18	54.00	19.82	150	88	Horizontal	PASS
2	2616.6917	7.65	44.44	68.23	23.79	38.83	54.00	15.17	150	138	Horizontal	PASS
3	3716.1419	10.46	44.96	74.00	29.04	37.04	54.00	16.96	150	125	Horizontal	PASS
4	7028.2288	-11.43	45.76	68.23	22.47	39.49	54.00	14.51	150	65	Horizontal	PASS
5	10544.5916	-6.53	49.64	68.23	18.59	42.01	54.00	11.99	150	32	Horizontal	PASS
6	14321.7587	-0.41	48.09	68.23	20.14	37.72	54.00	16.28	150	76	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1817.0915	4.97	40.85	68.23	27.38	33.19	54.00	20.81	150	109	Vertical	PASS
2	2481.7591	7.52	43.48	68.23	24.75	35.84	54.00	18.16	150	260	Vertical	PASS
3	3823.5882	10.42	45.46	74.00	28.54	37.69	54.00	16.31	150	40	Vertical	PASS
4	7025.2311	-11.38	48.33	68.23	19.90	41.37	54.00	12.63	150	146	Vertical	PASS
5	10538.5961	-6.53	47.60	68.23	20.63	40.57	54.00	13.43	150	135	Vertical	PASS
6	14372.7205	-0.83	47.51	68.23	20.72	38.09	54.00	15.91	150	295	Vertical	PASS

Mode:	11AX40-5310
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1439.7801	1.86	41.84	74.00	32.16	31.22	54.00	22.78	150	138	Horizontal	PASS
2	1854.5727	5.26	43.11	68.23	25.12	33.36	54.00	20.64	150	106	Horizontal	PASS
3	2959.0205	8.57	44.29	68.23	23.94	37.55	54.00	16.45	150	10	Horizontal	PASS
4	7079.1906	-11.63	46.81	68.23	21.42	32.24	54.00	21.76	150	65	Horizontal	PASS
5	10619.5353	-6.80	48.45	74.00	25.55	39.98	54.00	14.02	150	226	Horizontal	PASS
6	15164.1269	-0.01	48.71	68.23	19.52	38.18	54.00	15.82	150	56	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.23	74.00	29.77	36.09	54.00	17.91	150	118	Vertical	PASS
2	1932.034	5.53	43.04	68.23	25.19	34.59	54.00	19.41	150	36	Vertical	PASS
3	3033.983	8.75	44.52	68.23	23.71	36.24	54.00	17.76	150	95	Vertical	PASS
4	7079.1906	-11.63	49.94	68.23	18.29	32.10	54.00	21.90	150	135	Vertical	PASS
5	10607.5443	-6.85	46.56	74.00	27.44	37.82	54.00	16.18	150	340	Vertical	PASS
6	15263.0527	-0.48	47.26	68.23	20.97	38.52	54.00	15.48	150	7	Vertical	PASS

Mode:	11AX40-5510
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1689.6552	2.89	39.86	74.00	34.14	30.89	54.00	23.11	150	258	Horizontal	PASS
2	2359.3203	6.52	43.33	74.00	30.67	34.69	54.00	19.31	150	344	Horizontal	PASS
3	3391.3043	9.30	45.04	68.23	23.19	36.69	54.00	17.31	150	70	Horizontal	PASS
4	7345.9905	-11.52	44.37	74.00	29.63	32.77	54.00	21.23	150	55	Horizontal	PASS
5	10415.6882	-6.66	43.65	68.23	24.58	34.33	54.00	19.67	150	12	Horizontal	PASS
6	14390.707	-0.63	47.92	68.23	20.31	39.53	54.00	14.47	150	198	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1899.5502	5.48	42.64	68.23	25.59	33.24	54.00	20.76	150	254	Vertical	PASS
2	2789.1054	7.89	44.75	74.00	29.25	35.31	54.00	18.69	150	302	Vertical	PASS
3	4068.4658	11.16	45.32	74.00	28.68	37.35	54.00	16.65	150	165	Vertical	PASS
4	7345.9905	-11.52	47.89	74.00	26.11	33.51	54.00	20.49	150	158	Vertical	PASS
5	11039.2206	-5.66	46.69	74.00	27.31	37.96	54.00	16.04	150	80	Vertical	PASS
6	14393.7047	-0.59	46.20	68.23	22.03	38.93	54.00	15.07	150	16	Vertical	PASS

Mode:	11AX40-5590
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1804.5977	4.72	41.52	68.23	26.71	32.86	54.00	21.14	150	130	Horizontal	PASS
2	2356.8216	6.51	43.79	74.00	30.21	34.15	54.00	19.85	150	29	Horizontal	PASS
3	3141.4293	8.72	44.84	68.23	23.39	37.54	54.00	16.46	150	191	Horizontal	PASS
4	7453.9096	-11.54	45.28	74.00	28.72	38.42	54.00	15.58	150	54	Horizontal	PASS
5	11177.1172	-5.48	47.83	74.00	26.17	40.64	54.00	13.36	150	144	Horizontal	PASS
6	14402.698	-0.56	47.76	68.23	20.47	38.98	54.00	15.02	150	339	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	45.70	74.00	28.30	35.48	54.00	18.52	150	110	Vertical	PASS
2	1907.0465	5.45	42.90	68.23	25.33	34.48	54.00	19.52	150	132	Vertical	PASS
3	2939.0305	8.37	44.25	68.23	23.98	35.95	54.00	18.05	150	1	Vertical	PASS
4	7453.9096	-11.54	47.52	74.00	26.48	39.40	54.00	14.60	150	148	Vertical	PASS
5	11180.1149	-5.48	51.12	74.00	22.88	39.82	54.00	14.18	150	85	Vertical	PASS
6	14285.7857	-0.14	46.43	68.23	21.80	40.04	54.00	13.96	150	190	Vertical	PASS

Mode:	11AX40-5670
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	44.30	74.00	29.70	35.15	54.00	18.85	150	120	Horizontal	PASS
2	1967.0165	5.48	41.94	68.23	26.29	34.37	54.00	19.63	150	135	Horizontal	PASS
3	3378.8106	9.31	44.09	68.23	24.14	36.71	54.00	17.29	150	122	Horizontal	PASS
4	7558.8309	-11.43	44.85	74.00	29.15	38.15	54.00	15.85	150	55	Horizontal	PASS
5	11330.0025	-5.44	47.41	74.00	26.59	40.21	54.00	13.79	150	199	Horizontal	PASS
6	12906.8199	-3.01	46.56	68.23	21.67	36.74	54.00	17.26	150	204	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.00	46.11	74.00	27.89	35.87	54.00	18.13	150	130	Vertical	PASS
2	2014.4928	5.70	42.17	68.23	26.06	35.39	54.00	18.61	150	61	Vertical	PASS
3	3848.5757	10.34	44.92	74.00	29.08	37.51	54.00	16.49	150	14	Vertical	PASS
4	7558.8309	-11.43	47.49	74.00	26.51	40.21	54.00	13.79	150	156	Vertical	PASS
5	11350.9868	-5.54	48.48	74.00	25.52	42.06	54.00	11.94	150	26	Vertical	PASS
6	14393.7047	-0.59	47.61	68.23	20.62	39.98	54.00	14.02	150	112	Vertical	PASS

Mode:	11AX40-5755
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1985.5072	5.89	42.77	68.23	25.46	33.38	54.00	20.62	150	177	Horizontal	PASS
2	2743.3283	7.92	43.89	74.00	30.11	34.41	54.00	19.59	150	238	Horizontal	PASS
3	3198.7007	8.88	46.01	68.23	22.22	37.15	54.00	16.85	150	120	Horizontal	PASS
4	4343.928	11.54	46.16	74.00	27.84	37.36	54.00	16.64	150	80	Horizontal	PASS
5	9614.9738	-8.38	43.15	68.23	25.08	34.09	54.00	19.91	150	49	Horizontal	PASS
6	16747.5917	2.36	48.65	68.23	19.58	42.54	54.00	11.46	150	139	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1968.5157	5.70	43.53	68.23	24.70	34.75	54.00	19.25	150	327	Vertical	PASS
2	2644.7776	7.70	44.78	68.23	23.45	36.34	54.00	17.66	150	203	Vertical	PASS
3	3293.8531	9.34	45.09	68.23	23.14	36.89	54.00	17.11	150	49	Vertical	PASS
4	4272.5637	11.79	46.46	74.00	27.54	37.94	54.00	16.06	150	304	Vertical	PASS
5	11496.1318	-5.78	48.70	74.00	25.30	40.55	54.00	13.45	150	64	Vertical	PASS
6	15347.5418	-0.05	48.86	68.23	19.37	40.72	54.00	13.28	150	114	Vertical	PASS