


1	2	3	4	SEQ. NO.	REV. P/NO.	ECO NO.	DATE	DESCRIPTION	APPROVED
		87							

imation Charging Dock 설치 가이드

imation Charging Dock을 구매해 주셔서 진심으로 감사드리며, 다음은 해당 제품의 설치 가이드와 품질 보증 관련 안내입니다.

■ 구성품



■ 연결하기

- 케이블 연결 - imation 충전 독을 동봉된 TYPE-C 케이블로 PC / 노트북과 연결하십시오.
- 충전 모듈 교환 - 기존 마우스 바닥 면에 있는 원형 캡을 제거하고 imation Charging Dock에 동봉된 충전용 캡을 삽입하십시오.
- 마우스 충전 - 충전용 캡을 삽입한 뒤 imation Charging Dock 위에 마우스를 놓으십시오.
- 마우스 리시버 삽입 - 무선 마우스 사용시 최적의 환경을 위해 충전 독에 마우스 리시버를 삽입하십시오.
- 충전 확인 - 마우스 충전이 올바르게 진행되는 경우 LED가 빨간색으로 표시됩니다.

호환 모델 G403 PRODIGY, G502, G703, G903, G703 HERO, G903 HERO, G PRO X SUPERLIGHT, G PRO WIRELESS

■ 충전 상태별 LED

대기모드 - White / 마우스 충전 - Red / 마우스 충전완료 - White

■ 주의사항

- 본 제품을 가격하거나, 구부리거나, 떨어뜨리거나, 습기 또는 액체에 접촉시키거나 과도한 힘을 가하지 마십시오. 본체가 손상되어 올바르게 작동하지 않을 수 있습니다.
- 본 제품을 분해하거나 훼손하지 마십시오. 사용자가 본 제품을 훼손한 경우 제품에 대해서 보증하지 않습니다.

■ 보증정책

imation Charging Dock의 품질보증기준은 해당 제품의 최초 구입일로부터 1년입니다. imation 제품 보증 정책에 따라 정상적인 사용 환경에서 제품 불량이 발생하였을 경우, 제품 보증 서비스를 받으실 수 있습니다. 명시된 보증 기간이 원료되며 imation은 더 이상 보증 서비스를 제공하지 않습니다.

■ 보증의 제한

다음과 같은 사유로 인하여 발생한 제품의 파손과 손상에 대해서는 제품 보증을 받으실 수 없습니다.

- 고객의 취급 부주의(사용 범위를 넘어선 습기 및 온도에 장기간 노출 등)
- 다른 장비로 인한 오작동으로 인하여 발생한 문제
- 화재, 폭수, 해자, 지진 등 천재지변에 의한 고장 및 손상
- 구입한 이후의 수송 낙하 등으로 인한 고장 및 손상
- 제품의 커넥터가 파손일 경우 - 적정습기 : RH 70% 이하 / 적정온도 0~70°C(설비)

■ 제품 사용시 주의사항

imation은 고객의 사용 및 관리상의 부주의로 인한 제품의 손상 및 파손에 관하여 보상하지 않습니다.

■ 제품 스펙


Rated Input	5V ≈ 0.5A
Interface	USB 2.0 Type C
Operational Temperature	0°C to 70°C
Physical Dimension(LxWxH)	62.5mm x 45.5mm x 52mm
Weight	70g

■ 오전상사주

고객상담실 : 1899-3743
주소 : 서울시 양천구 신정로 11길 54, 오전상사 물류 고객 지원 센터
imation 및 imation 로고는 오전상사주의 상표권입니다. 다른 로고 및 상표권은 각 소유자에게 권한이 있습니다.

FCC Statement This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications (including the antennas) to this device that are not expressly approved by the manufacturer may void the user's authority to operate the equipment. Note : This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: - Reorient or relocate the receiving antenna. - Increase the separation between the equipment and receiver. - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. - Consult the dealer or an experienced radio/TV technician for help. Modifications not expressly approved by the manufacturer could void your authority to operate the equipment under FCC rules.

접는 부분

 <p>imation Connect Everything</p> <h1>imation CHARGING DOCK</h1> <p>IMCD100</p> <h2>USER GUIDE</h2> <p>O-jin Corporation www.imation.com</p>	<p>imation Charging Dock Quick Start Guide</p> <p>Thank you for purchasing imation Charging Dock. Please refer below for installation guide of proper installation and warranty policy</p> <p>■ The components</p>  <p>■ How to connect</p> <ol style="list-style-type: none"> Cable connection - Connect imation charging dock to the computer with an enclosed USB Type-C cable. Replacing a charging module - Remove the charging cap at the bottom of the mouse and put it on the enclosed charging cap in the same place. Charging Mouse - Place the mouse on imation Charging Dock properly. Reducing Delays - Plunge the USB receiver of the mouse on the USB port on imation Charging Dock. Charging confirmation - If the mouse is charging correctly, the LED of imation Charging Dock will be red. <p>Compatibility G403 PRODIGY, G502, G703, G903, G703 HERO, G903 HERO, G PRO X SUPERLIGHT, G PRO WIRELESS</p> <p>■ WIRELESS</p> <p>Please note imation Charging Dock is compatible for only wireless rechargeable mouse.</p> <p>■ LED STATUS</p> <p>Standby Mode - White / Charging Mode - Red / Complete Charging - White</p> <p>■ Precautions</p> <ol style="list-style-type: none"> Do not strike, bend, drop, wet or apply excessive force to imation Charging Dock. This may cause data losses or damages to the product. Do not disassemble or damage imation Charging Dock. If imation Charging Dock has been disassembled by user, all warranties will be void. <p>■ Warranty Policy</p> <p>imation Charging Dock covered by 1 year limited warranty from the original purchase date. Pursuant to the terms of imation warranty policy, imation will provide proper warranty service if product fail under normal use. For the products that are out-of-warranty period hereunder, imation may refuse to provide any warranty service. Product customer service will be varied by region or country. If the product service is not available, please contact resellers.</p> <p>■ Warranty Limitations</p> <p>The warranty stated herein does not apply if any product failure caused by</p> <ol style="list-style-type: none"> Act of improper use such as prolonged exposure to Malfunction of other equipment Acts of nature Defects or damages from moving or dropping after purchase Damaged connector or cable - Operational Humidity : RH 70% / Temperature : 0~70°C <p>■ Warning and Precautions</p> <p>imation is not responsible for any cost caused by defects or damages of products from misuse or neglect.</p> <p>■ Product Specification</p> <table border="1"> <tr><td>Rated Input</td><td>5V ≈ 0.5A</td></tr> <tr><td>Interface</td><td>USB 2.0 Type C</td></tr> <tr><td>Operational Temperature</td><td>0°C to 70°C</td></tr> <tr><td>Physical Dimension(LxWxH)</td><td>62.5mm x 45.5mm x 52mm</td></tr> <tr><td>Weight</td><td>70g</td></tr> </table>	Rated Input	5V ≈ 0.5A	Interface	USB 2.0 Type C	Operational Temperature	0°C to 70°C	Physical Dimension(LxWxH)	62.5mm x 45.5mm x 52mm	Weight	70g
Rated Input	5V ≈ 0.5A										
Interface	USB 2.0 Type C										
Operational Temperature	0°C to 70°C										
Physical Dimension(LxWxH)	62.5mm x 45.5mm x 52mm										
Weight	70g										

Drawn	Check	Approval	Unit	mm	Model Name	Power_Dock
		S. Lee	Scale	1.000	Part Name	QSG
		2021.10.15	Size	A3	Material	Simili Paper (모조지)
		GENERAL TOLERANCE (")	Q'ty	1EA	Part No.	
TYPE	DIM	0~10	10~50	50~120	120~250	250~
A		0.05	0.07	0.1	0.15	0.2
			Sheet	1	DWG No.	

imation