



FCC RF EXPOSURE REPORT

For

LTE MODULE

MODEL NUMBER: EG25-G

REPORT NUMBER: 4791806224-1-RF-6

ISSUE DATE: July 12, 2025

FCC ID: 2A46G-EG25-G

Prepared for

**Guangzhou Xaircraft Technology CO., LTD
Block C, No.115, Gaopu Road, Tianhe District, GuangzhouCity, Guangdong, P.R. 510663 China**

Prepared by

**UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch
Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech
Development Zone Dongguan, 523808, People's Republic of China**

Tel: +86 769 22038881

Fax: +86 769 33244054

Website: www.ul.com

Revision History

Rev.	Issue Date	Revisions	Revised By
V0	July 12, 2025	Initial Issue	\

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	4
2. TEST METHODOLOGY	5
3. FACILITIES AND ACCREDITATION	5
4. REQUIREMENT	6

1. ATTESTATION OF TEST RESULTS

Applicant Information

Company Name: Guangzhou Xaircraft Technology CO., LTD
Address: Block C, No.115, Gaopu Road, Tianhe District, Guangzhou City, Guangdong, P.R. 510663 China

Manufacturer Information1

Company Name: Guangzhou Xaircraft Technology CO., LTD
Address: Block C, No.115, Gaopu Road, Tianhe District, Guangzhou City, Guangdong, P.R. 510663 China

EUT Information


EUT Name: LTE MODULE
Model: EG25-G
Sample Received Date: May 23, 2025
Sample Status: Normal
Sample ID: 8526717
Date of Tested: May 24, 2025 to July 11, 2025

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC 47CFR§2.1091	PASS
KDB 447498 D01	PASS

Prepared By:



Checked By:



James Qin
Project Engineer

Kebo Zhang
Senior Project Engineer

Approved By:



Stephen Guo
Operations Manager

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 and KDB447498 D01 v06.

3. FACILITIES AND ACCREDITATION

Accreditation Certificate	<p>A2LA (Certificate No.: 4102.01) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been assessed and proved to be in compliance with A2LA.</p> <p>FCC (FCC Designation No.: CN1187) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. Has been recognized to perform compliance testing on equipment subject to the Commission's Delcaration of Conformity (DoC) and Certification rules</p> <p>ISED (Company No.: 21320) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been registered and fully described in a report filed with ISED. The Company Number is 21320 and the test lab Conformity Assessment Body Identifier (CABID) is CN0046.</p> <p>VCCI (Registration No.: C-20202, G-20240, R-20248 and T-20202) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been assessed and proved to be in compliance with VCCI, the membership No. is 3793. Facility Name: Chamber E, the VCCI registration No. is G-20240 and R-20248 Shielding Room F, the VCCI registration No. is C-20202 and T-20202</p>
---------------------------	--

Note 1: All tests measurement facilities use to collect the measurement data are located at Room 101, Building 2, No.4, Information Road, Songshan Lake, Dongguan, Guangdong, China.

Note 2: The test anechoic chamber in UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch had been calibrated and compared to the open field sites and the test anechoic chamber is shown to be equivalent to or worst case from the open field site.

Note 3: For below 30MHz, lab had performed measurements at test anechoic chamber and comparing to measurements obtained on an open field site. And these measurements below 30MHz had been correlated to measurements performed on an OFS.

4. REQUIREMENT

LIMIT AND CALCULATION METHOD

Systems operating under the provisions of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as mobile device whereby a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit shall comply with.

Limits for General Population/Uncontrolled Exposure

RF EXPOSURE LIMIT

Frequency Range (MHz)	E-field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (Minutes)
0.3 -- 1.34	614	1.63	(100)*	30
1.34 -- 30	824/f	2.19/f	(180/f ²)*	30
30 -- 300	27.5	0.073	0.2	30
300 -- 1500	--	--	f/1500	30
1500 -- 100,000	--	--	1.0	30

CALCULATION METHOD

$$S=PG/4\pi R^2$$

Where:

S=power density

P=power input to antenna

G=power gain of the antenna in the direction of interest relative to an isotropic radiator R=distance to the center of radiation of the antenna

CALCULATED RESULTS

For Single RF Source

Operation Band	Frequency (MHz)	Antenna Gain (dBi)	Tune-up Limit (dBm)	Power Density at R = 20 cm (W/m ²)	FCC Limit (W/m ²)	FCC Conclusion
GSM850-GPRS 1TS	824	0.85	34.0	0.7597	5.4933	Pass
GSM850-GPRS 2TS	824	0.85	32.5	1.0756	5.4933	Pass
GSM850-GPRS 3TS	824	0.85	31.0	1.1423	5.4933	Pass
GSM850-GPRS 4TS	824	0.85	29.5	1.0782	5.4933	Pass
GSM1900-GPRS 1TS	1850	2.69	28.5	0.3271	10.0000	Pass
GSM1900-GPRS 2TS	1850	2.69	27.5	3.1176	10.0000	Pass
GSM1900-GPRS 3TS	1850	2.69	25.5	0.4918	10.0000	Pass
GSM1900-GPRS 4TS	1850	2.69	24.5	0.5208	10.0000	Pass
WCDMA B2	1850	2.69	21.0	0.4653	10.0000	Pass
WCDMA B4	1710	1.91	22.0	0.4895	10.0000	Pass
WCDMA B5	824	0.85	24.0	0.6078	5.4933	Pass
LTE B2	1850	2.69	22.0	0.5858	10.0000	Pass
LTE B4	1710	1.91	23.0	0.6162	10.0000	Pass
LTE B5	824	0.85	24.5	0.6819	5.4933	Pass
LTE B7	2500	2.65	22.0	0.5804	10.0000	Pass
LTE B25	1850	2.69	22.0	0.5858	10.0000	Pass
LTE B26(FCC)	814	0.85	24.0	0.6078	5.4267	Pass
LTE B38	2570	2.65	23.0	0.7307	10.0000	Pass
LTE B41(FCC)	2496	2.69	22.5	0.6572	10.0000	Pass

Simultaneous Analysis:

Co-location of this module with other transmitters that operate simultaneously are required to be evaluated using the FCC multi-transmitter procedures.

Note:

1. The calculated distance is 20 cm.
2. The power comes from operation description.

END OF REPORT