

LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1710.7 MHz Ref. Level: 40.90 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation


PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

- Multi Evaluation **RDY**
- RF Settings
- Trigger
- Display
- Signaling Parameter
- LTE Signaling **ON**

Band4-1.4MHz-QPSK-20175-6RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1732.5 MHz Ref. Level: 39.80 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation


PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

- Multi Evaluation **RDY**
- RF Settings
- Trigger
- Display
- Signaling Parameter
- LTE Signaling **ON**

Band4-1.4MHz-QPSK-20393-6RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1754.3 MHz Ref. Level: 40.20 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

- Multi Evaluation **RDY**
- RF Settings
- Trigger
- Display
- Signaling Parameter
- LTE Signaling **ON**

Band4-1.4MHz-16QAM-19957-6RB#0

