






 <p>LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement</p> <p>Multi Evaluation PRACH SRS</p> <p>FDD Freq: 1850.7 MHz Ref. Level: 39.50 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All</p> <p>IO Constellation</p> <p>Q</p> <p>1</p> <p>0</p> <p>-1</p> <p>-1 0 1 I</p> <p>PS: Connection Established RRC State: Connected</p> <p>Go To Local Show Remote Screen</p>	
Band25-1.4MHz-QPSK-26365-6RB#0	
 <p>LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement</p> <p>Multi Evaluation PRACH SRS</p> <p>FDD Freq: 1882.5 MHz Ref. Level: 39.90 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All</p> <p>IO Constellation</p> <p>Q</p> <p>1</p> <p>0</p> <p>-1</p> <p>-1 0 1 I</p> <p>PS: Connection Established RRC State: Connected</p> <p>Go To Local Show Remote Screen</p>	
Band25-1.4MHz-QPSK-26683-6RB#0	
 <p>LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement</p> <p>Multi Evaluation PRACH SRS</p> <p>FDD Freq: 1914.3 MHz Ref. Level: 40.60 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 2 / All</p> <p>IO Constellation</p> <p>Q</p> <p>1</p> <p>0</p> <p>-1</p> <p>-1 0 1 I</p> <p>PS: Connection Established RRC State: Connected</p> <p>Go To Local Show Remote Screen</p>	
Band25-1.4MHz-16QAM-26047-6RB#0	














LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1855.0 MHz Ref. Level: 40.50 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings


Trigger

Display

Signaling Parameter

LTE Signaling ON

Band25-10MHz-QPSK-26365-50RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1882.5 MHz Ref. Level: 40.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings


Trigger

Display

Signaling Parameter

LTE Signaling ON

Band25-10MHz-QPSK-26640-50RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 1910.0 MHz Ref. Level: 40.50 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON

Band25-10MHz-16QAM-26090-50RB#0

