




Band26-5MHz-QPSK-26915-25RB#0





Band26-5MHz-QPSK-27015-25RB#0





Band26-5MHz-16QAM-26715-25RB#0











LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 836.5 MHz Ref. Level: 41.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings


Trigger

Display

Signaling Parameter

LTE Signaling ON

Band26-10MHz-16QAM-26990-50RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 844.0 MHz Ref. Level: 40.90 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings


Trigger

Display

Signaling Parameter

LTE Signaling ON

Band26-15MHz-QPSK-26765-75RB#0



LTE Measurement - V3.5.50 - Base V 3.5.120 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq: 821.5 MHz Ref. Level: 41.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 2 / All

IO Constellation

PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON

Band26-15MHz-QPSK-26865-75RB#0

