


# Operation Instruction for Portable Power Source

Please read this operation instruction before using the product.

## Product Ports



## Product Features

**Safety:** With multiple protection designs, several abnormal conditions such as overcharge, overdischarge, high temperature and short circuit can be easily handled no matter in charging, discharging or standby state to provide reliable guarantee for your mobile phone and digital device.

**Efficiency:** With quick charging and discharging efficiency, supporting quick charging and discharging, multi-protocol intelligent output.

**Compatibility:** embedded with intelligent USB charge controller, compatible with main stream mobile phone and digital device, supporting main stream quick charging and discharging device.

**Quality:** high-quality Li-polymer electric core is selected with customized charging and discharging electric chip.

## Product Introduction

Thanks for using this product. This product is a high-capacity outdoor mobile power, Two-way fast charge, Support solar charging. Three lighting modes, constant light, SOS, and flash. It is manufactured using high-quality lithium polymer batteries and custom charge and discharge chips, which performs well in safety, efficiency and compatibility, etc.

## parameter

Product model: HX200Q9

Battery type: Li-polymer electric core

Input parameter: Type-c:5V/3A,9V/2A Micro:5V/2.1A

Output parameter: Type-C--5V/3A,12V/1.67A,9V/2.77A(Max)


2USB QC--5V/3A,9V/2A,12V/1.5A,4.5V/5A(Max)

Wireless charging output: 15W(Max)

Dimension: ~29.5×87.9×175.9 mm

Usage temperature: 0°C~45°C

### **Product Operation**




### **Power Indicator Switch**

After the product stops working, the LED indicator will automatically turn off in about 32 seconds. If you want to check the current remaining power of the product, you can press this switch lightly, re-light the LED indicator, and press 2 times continuously: stop charging

### **led flashlight**

Long press the key switch to turn on the lighting mode, then short press to turn on the SOS mode, short press again to turn on the flash mode, and finally short press to turn off. In any light mode, long press the key switch to turn off the light



**led flashlight**

### **Charging**

Charge the product with a brand power adapter connection. LED light shows current battery charge while charging

capacity	0~25%	25~50%	50~75%	75~100%	finished charging
Indicator light	flicker	bright	bright	bright	bright
LED1					
LED2					

LED3			flicker	bright	bright
LED4				bright	bright

### Solar charging

Please put the solar charging board on the front, Let the solar charging board fully receive the amount of solar energy and charge it. the corresponding relation between the displayed status and electric quantity is as follows:

capacity Indicator light	0~25%	25~50%	50~75%	75~100%	finished charging
LED1	flicker	bright	bright	bright	bright
LED2		flicker	bright	bright	bright
LED3			flicker	bright	bright
LED4				flicker	bright

### Discharging

This product uses a smart identification charging design. When the digital product is connected with a USB power cable, the digital product can be intelligently and automatically recognized, and the charging function can be activated. LED light shows current battery charge during charging

Wireless charging function: align the position of the receiver of the digital product supporting wireless charging with the position of the wireless charging indicator of the mobile power supply, Press the button to start the charging function (The wireless charging is abnormal, there is a foreign object or the LED5 is red when it is fully charged) . During the charging process, the LED indicator shows the current battery level. At the same time, LED5 flashes green to indicate.

capacity	low battery	0~25%	25~50%	50~75%	75~100%
Indicator light					
LED1	flicker	bright	bright	bright	bright
LED2			bright	bright	bright
LED3				bright	bright
LED4					bright

## Notice

- Please fully charge this product before first usage.
- During the usage of this product, please lighten the screen of digital product and confirm that the charging connection label is correctly displayed to ensure that the product is in normal working condition.
- During the charging for this product or charging for digital product with this product, please select adaptive connecting line by yourself.
- If the LED light of this product goes out during the charging process of the digital product, it means that the battery of the product is low, please charge it immediately.
- During the connection between the digital product and this product, the digital product has priority to use the electric quantity of this product.
- When the digital product is fully charged, please take out the connecting line in time to avoid loss.
- If the product enters into protection status due to output short circuit or other reasons (LED has no display after pressing buttons), it can be recovered by charging activation via external charger.

## Warning

Since this product contains Li-ion electric core, it's forbidden to dismantle the product shell arbitrarily to avoid possible damage to electric core or other dangers.

It's forbidden to arbitrarily dismantle, squeeze, puncture this product or put it in short circuit, water, fire or exposed to an environment with a temperature higher than 60°C (140°F).

## FCC Statement

This device complies with Part 18 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

• Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

### IMPORTANT NOTE:

#### FCC RF Radiation Exposure Statement:

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

