


Remote control introduction



Static Key- Increase/decrease LED brightness

Dynamic Keys- Adjusting speed

When static, long press- can realize stepless





Introductions of LED wall washer light

LED wall washer lights are widely used in outdoors, for advertising lighting, building lighting, Architecture Lighting, etc. High efficiency & low consumption - save 70% power compared with incandescent light; No flickering, No UV, No infra-red radiation.

Characteristics:

1 Beam angle: 30°

2. Wavelength: Red: 60nm
Green: 120nm
Blue: 40nm

3 Case color: Black

4 Voltage: AC85V ~ 265V

5 Waterproof: IP65

6 Working temperature: -20 °C~ 40 °C

7 Power: 108W

8 Color temperature: RGB

9 Installation: Open the knob down

Note:

2.25-1-12

1. product installation before cut off the power supply, prevent to get an electric shock.
2. lamps and lanterns lit to avoid touch lamps and lanterns surface.
3. power supply connection do waterproof, in order to avoid leakage produce safety accidents.
4. because of lamps and lanterns has glass accessories, in handling, storage time please note that gentle with, do not weigh.
5. and when installation, please do not force extrusion lamps and lanterns previous to light cover, in order to avoid damage to the lamps and lanterns and scratches fingers.
6. product should avoid installed in heat source place and hot steam, corrosive gas place, lest affect life.



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction