





Appendix A

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: WIFI Camera

Test Model: SD18

Environmental Conditions

Temperature:	23.7° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	
Supervised by:	



A.1 6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	6 dB Bandwidth (MHz)	Limit 6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.61	0.5	Pass
NVNT	b	2437	Ant1	10.052	0.5	Pass
NVNT	b	2462	Ant1	9.175	0.5	Pass
NVNT	g	2412	Ant1	15.93	0.5	Pass
NVNT	g	2437	Ant1	15.924	0.5	Pass
NVNT	g	2462	Ant1	16.052	0.5	Pass
NVNT	n20	2412	Ant1	17.281	0.5	Pass
NVNT	n20	2437	Ant1	17.197	0.5	Pass
NVNT	n20	2462	Ant1	17.18	0.5	Pass
NVNT	n40	2422	Ant1	35.55	0.5	Pass
NVNT	n40	2437	Ant1	35.642	0.5	Pass
NVNT	n40	2452	Ant1	35.676	0.5	Pass



Test Graphs

6dB Bandwidth NVNT b 2412MHz Ant1



6dB Bandwidth NVNT b 2437MHz Ant1






6dB Bandwidth NVNT b 2462MHz Ant1




6dB Bandwidth NVNT g 2412MHz Ant1






6dB Bandwidth NVNT g 2437MHz Ant1




6dB Bandwidth NVNT g 2462MHz Ant1






6dB Bandwidth NVNT n20 2412MHz Ant1




6dB Bandwidth NVNT n20 2437MHz Ant1






6dB Bandwidth NVNT n20 2462MHz Ant1




6dB Bandwidth NVNT n40 2422MHz Ant1






6dB Bandwidth NVNT n40 2437MHz Ant1



6dB Bandwidth NVNT n40 2452MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	14.44	30	Pass
NVNT	b	2437	Ant1	14.51	30	Pass
NVNT	b	2462	Ant1	14.31	30	Pass
NVNT	g	2412	Ant1	14.69	30	Pass
NVNT	g	2437	Ant1	14.12	30	Pass
NVNT	g	2462	Ant1	14.61	30	Pass
NVNT	n20	2412	Ant1	14.22	30	Pass
NVNT	n20	2437	Ant1	14.68	30	Pass
NVNT	n20	2462	Ant1	14.13	30	Pass
NVNT	n40	2422	Ant1	14.28	30	Pass
NVNT	n40	2437	Ant1	14.78	30	Pass
NVNT	n40	2452	Ant1	14.67	30	Pass




A.3 Maximum Power Spectral Density

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.93	0	-9.93	8	Pass
NVNT	b	2437	Ant1	-8.24	0	-8.24	8	Pass
NVNT	b	2462	Ant1	-9.59	0	-9.59	8	Pass
NVNT	g	2412	Ant1	-14.48	0	-14.48	8	Pass
NVNT	g	2437	Ant1	-14.35	0	-14.35	8	Pass
NVNT	g	2462	Ant1	-13.66	0	-13.66	8	Pass
NVNT	n20	2412	Ant1	-15.1	0	-15.1	8	Pass
NVNT	n20	2437	Ant1	-14.02	0	-14.02	8	Pass
NVNT	n20	2462	Ant1	-15.25	0	-15.25	8	Pass
NVNT	n40	2422	Ant1	-17.88	0	-17.88	8	Pass
NVNT	n40	2437	Ant1	-17.36	0	-17.36	8	Pass
NVNT	n40	2452	Ant1	-16.76	0	-16.76	8	Pass




Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1






PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1






PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1






PSD NVNT n20 2462MHz Ant1




PSD NVNT n40 2422MHz Ant1






PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1





B.4 Band edge measurements

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-44.19	-20	Pass
NVNT	b	2462	Ant1	-59.26	-20	Pass
NVNT	g	2412	Ant1	-35.44	-20	Pass
NVNT	g	2462	Ant1	-45.08	-20	Pass
NVNT	n20	2412	Ant1	-36.33	-20	Pass
NVNT	n20	2462	Ant1	-44.88	-20	Pass
NVNT	n40	2422	Ant1	-34.29	-20	Pass
NVNT	n40	2452	Ant1	-32.36	-20	Pass




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission









Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission











Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission






A.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.26	-20	Pass
NVNT	b	2437	Ant1	-49.71	-20	Pass
NVNT	b	2462	Ant1	-50.01	-20	Pass
NVNT	g	2412	Ant1	-46.23	-20	Pass
NVNT	g	2437	Ant1	-42.96	-20	Pass
NVNT	g	2462	Ant1	-45	-20	Pass
NVNT	n20	2412	Ant1	-46.06	-20	Pass
NVNT	n20	2437	Ant1	-45.29	-20	Pass
NVNT	n20	2462	Ant1	-45.37	-20	Pass
NVNT	n40	2422	Ant1	-41.5	-20	Pass
NVNT	n40	2437	Ant1	-42.59	-20	Pass
NVNT	n40	2452	Ant1	-41.68	-20	Pass




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission







Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission








Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref




Tx. Spurious NVNT n40 2452MHz Ant1 Emission








A.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.67	0	0.12
NVNT	b	2437	Ant1	99.67	0	0.12
NVNT	b	2462	Ant1	99.67	0	0.12
NVNT	g	2412	Ant1	97.48	0.11	0.72
NVNT	g	2437	Ant1	97.62	0.1	0.72
NVNT	g	2462	Ant1	97.62	0.1	0.72
NVNT	n20	2412	Ant1	97.46	0.11	0.77
NVNT	n20	2437	Ant1	97.46	0.11	0.77
NVNT	n20	2462	Ant1	97.46	0.11	0.77
NVNT	n40	2422	Ant1	95.31	0.21	1.54
NVNT	n40	2437	Ant1	95.01	0.22	1.54
NVNT	n40	2452	Ant1	95.32	0.21	1.53
















B.7 Emissions in Restricted Bands

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.73	2	45.53	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.71	2	36.55	Average	54	Pass
NVNT	b	2412	Ant1	2387.75	-46.44	2	50.82	Peak	74	Pass
NVNT	b	2412	Ant1	2388.01	-56.56	2	40.7	Average	54	Pass
NVNT	b	2412	Ant1	2390	-47.18	2	50.08	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-56.92	2	40.34	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-48.09	2	49.17	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-58.26	2	39	Average	54	Pass
NVNT	b	2462	Ant1	2488.07	-46.64	2	50.62	Peak	74	Pass
NVNT	b	2462	Ant1	2486.75	-57.57	2	39.69	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.69	2	48.57	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-59.14	2	38.12	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.07	2	47.19	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-59.85	2	37.41	Average	54	Pass
NVNT	g	2412	Ant1	2389.96	-39.58	2	57.68	Peak	74	Pass
NVNT	g	2412	Ant1	2389.96	-53.11	2	44.15	Average	54	Pass
NVNT	g	2412	Ant1	2390	-41.36	2	55.9	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-53.1	2	44.16	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-38.02	2	59.24	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-50.19	2	47.07	Average	54	Pass
NVNT	g	2462	Ant1	2483.89	-32.59	2	64.67	Peak	74	Pass
NVNT	g	2462	Ant1	2483.56	-50.19	2	47.07	Average	54	Pass
NVNT	g	2462	Ant1	2500	-45.87	2	51.39	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.73	2	41.53	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-48.62	2	48.64	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-59.71	2	37.55	Average	54	Pass
NVNT	n20	2412	Ant1	2389.44	-34.96	2	62.3	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.96	-52.21	2	45.05	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-39.8	2	57.46	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-51.95	2	45.31	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-34.42	2	62.84	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-49.86	2	47.4	Average	54	Pass
NVNT	n20	2462	Ant1	2483.56	-34.42	2	62.84	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.56	-49.86	2	47.4	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-46.93	2	50.33	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.56	2	41.7	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-51.14	2	46.12	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-59.57	2	37.69	Average	54	Pass



NVNT	n40	2422	Ant1	2388.01	-26.95	2	70.31	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.83	-45.77	2	51.49	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-33.77	2	63.49	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-45.72	2	51.54	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-37.68	2	59.58	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-47.99	2	49.27	Average	54	Pass
NVNT	n40	2452	Ant1	2484	-25.87	2	71.39	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.67	-47.5	2	49.76	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-42.45	2	54.81	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-53.67	2	43.59	Average	54	Pass

