



















802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV





3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			Ant1	Limit	
802.11a	SISO	5180	5.66	<=23.98	Pass
		5200	5.59	<=23.98	Pass
		5240	4.98	<=23.98	Pass
		5260	1.75	<=23.98	Pass
		5300	2.08	<=23.98	Pass
		5320	2.30	<=23.98	Pass
		5500	2.54	<=23.98	Pass
		5580	1.89	<=23.98	Pass
		5700	3.14	<=23.98	Pass
		5745	3.46	<=30	Pass
		5785	4.24	<=30	Pass
		5825	3.99	<=30	Pass
802.11n (HT20)	SISO	5180	3.97	<=23.98	Pass
		5200	3.95	<=23.98	Pass
		5240	5.35	<=23.98	Pass
		5260	1.67	<=23.98	Pass
		5300	2.05	<=23.98	Pass
		5320	2.26	<=23.98	Pass
		5500	2.42	<=23.98	Pass
		5580	1.88	<=23.98	Pass
		5700	3.04	<=23.98	Pass
		5745	2.69	<=30	Pass
		5785	3.87	<=30	Pass
		5825	3.65	<=30	Pass
802.11n (HT40)	SISO	5190	-4.56	<=23.98	Pass
		5230	-4.32	<=23.98	Pass
		5270	-3.29	<=23.98	Pass
		5310	-2.13	<=23.98	Pass
		5510	-1.80	<=23.98	Pass
		5550	-2.56	<=23.98	Pass
		5670	-1.70	<=23.98	Pass
		5755	-0.49	<=30	Pass
		5795	-0.55	<=30	Pass
802.11ac (VHT20)	SISO	5180	3.21	<=23.98	Pass
		5200	3.08	<=23.98	Pass
		5240	4.51	<=23.98	Pass
		5260	5.19	<=23.98	Pass
		5300	5.39	<=23.98	Pass
		5320	5.54	<=23.98	Pass
		5500	5.65	<=23.98	Pass
		5580	5.02	<=23.98	Pass
		5700	4.01	<=23.98	Pass
		5745	3.89	<=30	Pass
		5785	4.67	<=30	Pass
		5825	5.25	<=30	Pass
802.11ac	SISO	5190	-5.22	<=23.98	Pass

(VHT40)		5230	-4.96	<=23.98	Pass
		5270	-3.10	<=23.98	Pass
		5310	-1.52	<=23.98	Pass
		5510	-2.44	<=23.98	Pass
		5550	-3.07	<=23.98	Pass
		5670	-2.18	<=23.98	Pass
		5755	-1.88	<=30	Pass
		5795	-1.96	<=30	Pass
802.11ac (VHT80)	SISO	5210	3.80	<=23.98	Pass
		5290	5.28	<=23.98	Pass
		5530	4.92	<=23.98	Pass
		5610	5.04	<=23.98	Pass
		5775	4.50	<=30	Pass

Note1: Antenna Gain: Ant1: 1.50dBi;

3.1.2 Test Graph

