




EUT Information

EUT:Wine climate cabinet

Supply:Uin 120V/60Hz

Operating mode:TX 802.11g 2412 MHz 54Mbit 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17886.250000	---	44.52	54.00	9.48	150.0	V	0.0
16613.000000	---	41.68	54.00	12.32	150.0	H	0.0
15353.500000	---	40.95	54.00	13.05	150.0	H	0.0
17828.250000	58.38	---	74.00	15.62	150.0	H	0.0
16611.750000	54.81	---	74.00	19.19	150.0	H	0.0
15201.500000	53.55	---	74.00	20.45	150.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11g 2412 MHz 54 Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24907.750000	---	49.08	54.00	4.92	150.0	V	0.0
24426.250000	---	48.22	54.00	5.78	150.0	H	0.0
23697.000000	---	47.83	54.00	6.17	150.0	H	0.0
24903.000000	62.71	---	74.00	11.29	150.0	H	0.0
23210.000000	61.43	---	74.00	12.57	150.0	V	0.0



Channel 2437 MHz:

EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin: 120V 60Hz

TX 802.11g 2437 MHz 54 Mbit 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
6.654750	32.15	69.50	37.35	102.0	H	0.0
0.514500	34.97	73.38	38.41	102.0	H	0.0
0.584250	33.74	72.28	38.54	102.0	H	0.0
5.145000	27.92	69.50	41.58	102.0	H	0.0
1.594500	21.65	63.58	41.93	102.0	H	0.0

EUT Information

EUT: Wine climate cabinet
Supply: 120V, 60Hz
Operating mode: TX 802.11g 2437 MHz 54Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	DET 2 (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
38.850000	39.88	---	40.00	0.12	102.0	V	291.0
72.150000	37.78	---	40.00	2.22	175.0	H	11.0
31.380000	36.90	---	40.00	3.10	102.0	V	5.0
71.880000	36.52	---	40.00	3.48	154.0	H	11.0
42.720000	35.61	---	40.00	4.39	102.0	V	5.0
50.790000	27.20	---	40.00	12.80	102.0	V	307.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin: 120V 60Hz
TX 802.11g 2437 MHz 54 Mbit 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3834.250000	---	36.25	54.00	17.75	175.0	H	0.0
3705.000000	---	35.16	54.00	18.84	175.0	V	0.0
3377.000000	---	34.64	54.00	19.36	125.0	V	0.0
3195.000000	---	34.15	54.00	19.85	165.0	H	0.0
3878.000000	49.71	---	74.00	24.29	125.0	V	0.0
3609.750000	49.21	---	74.00	24.79	175.0	V	0.0
3463.750000	47.73	---	74.00	26.27	152.0	H	0.0
3153.500000	46.68	---	74.00	27.32	175.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11g 2437 MHz 54Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17882.250000	---	44.49	54.00	9.51	150.0	H	0.0
16680.500000	---	41.53	54.00	12.47	150.0	H	0.0
15214.250000	---	40.67	54.00	13.33	150.0	V	0.0
17966.250000	57.38	---	74.00	16.62	150.0	H	0.0
15226.750000	53.99	---	74.00	20.01	150.0	V	0.0
15496.500000	53.69	---	74.00	20.31	150.0	H	0.0




EUT Information

EUT:Wine climate cabinet

Supply:Uin 120V/60Hz

Operating mode:TX 802.11g 2437 MHz 54 Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24881.000000	---	49.04	54.00	4.96	150.0	H	0.0
24399.000000	---	48.31	54.00	5.69	150.0	V	0.0
24016.500000	---	47.75	54.00	6.25	150.0	V	0.0
24970.500000	62.64	---	74.00	11.36	150.0	H	0.0
24573.000000	60.94	---	74.00	13.06	150.0	V	0.0
23229.000000	60.56	---	74.00	13.44	150.0	V	0.0

Channel 2462 MHz:

EUT Information

EUT:

Wine climate cabinet


Supply:

Uin: 120V 60Hz

Operating mode:

TX 802.11g 2462 MHz 54 Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.514500	38.29	73.38	35.09	102.0	H	193.0
0.559500	39.74	72.65	32.91	102.0	H	188.0
1.574250	23.05	63.69	40.64	102.0	H	23.0
5.910000	32.22	69.50	37.28	102.0	H	34.0
6.173250	32.53	69.50	36.97	102.0	H	217.0



EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

120V, 60Hz

TX 802.11g 2462 MHz 54Mbit 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	DET 2 (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
38.550000	37.78	---	40.00	2.22	102.0	V	118.0
31.110000	36.92	---	40.00	3.08	100.0	V	42.0
71.850000	34.96	---	40.00	5.04	130.0	H	316.0
72.120000	34.93	---	40.00	5.07	122.0	H	316.0
374.760000	40.29	---	46.00	5.71	100.0	H	35.0
43.020000	33.28	---	40.00	6.72	100.0	V	4.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin: 120V 60Hz
Operating mode: TX 802.11g 2462 MHz 54 Mbit 20 MHz BW

Full Spectrum



Comment

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3852.750000	---	36.19	54.00	17.81	129.0	H	0.0
3725.000000	---	35.55	54.00	18.45	166.0	H	0.0
3377.000000	---	34.62	54.00	19.38	175.0	H	0.0
3206.000000	---	33.69	54.00	20.31	129.0	H	0.0
3917.250000	49.57	---	74.00	24.43	175.0	V	0.0
3611.750000	48.71	---	74.00	25.29	125.0	V	0.0
3267.500000	48.06	---	74.00	25.94	167.0	H	0.0
3205.750000	47.56	---	74.00	26.44	156.0	V	0.0



EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin 120V/60Hz

TX 802.11g 2462 MHz 54Mbit 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17884.750000	---	44.50	54.00	9.50	150.0	V	0.0
16514.250000	---	41.42	54.00	12.58	150.0	H	0.0
15371.750000	---	40.79	54.00	13.21	150.0	V	0.0
17953.000000	57.86	---	74.00	16.14	150.0	V	0.0
16018.250000	53.86	---	74.00	20.14	150.0	H	0.0
15011.500000	53.49	---	74.00	20.51	150.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11g 2462 MHz 54 Mbit 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24887.750000	---	49.04	54.00	4.96	150.0	H	0.0
24385.750000	---	48.26	54.00	5.74	150.0	H	0.0
23152.500000	---	47.69	54.00	6.31	150.0	H	0.0
24982.000000	62.39	---	74.00	11.61	150.0	V	0.0
22884.500000	60.94	---	74.00	13.06	150.0	H	0.0



802.11n 20 MHz bandwidth :


Channel 2412 MHz:

EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin: 120V 60Hz
TX 802.11n 2412 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.564000	39.43	72.58	33.15	102.0	H	221.0
0.519000	38.42	73.30	34.89	102.0	H	193.0
5.894250	31.33	69.50	38.17	102.0	H	63.0
6.200250	31.22	69.50	38.28	102.0	H	199.0
1.668750	22.73	63.19	40.46	102.0	H	180.0

EUT Information

EUT: Wine climate cabinet
Supply: 120V, 60Hz
Operating mode: TX 802.11n 2412 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	DET 2 (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
30.870000	37.97	---	40.00	2.03	102.0	V	257.0
274.830000	43.72	---	46.00	2.28	108.0	H	30.0
38.880000	36.91	---	40.00	3.09	122.0	V	211.0
72.090000	33.64	---	40.00	6.36	122.0	H	306.0
71.490000	33.06	---	40.00	6.94	111.0	H	0.0
42.810000	32.47	---	40.00	7.53	102.0	V	311.0



EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin: 120V 60Hz

TX 802.11n 2412 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3854.500000	---	36.20	54.00	17.80	168.0	V	0.0
3643.750000	---	35.49	54.00	18.51	175.0	V	0.0
3366.250000	---	34.56	54.00	19.44	129.0	V	0.0
3194.250000	---	34.14	54.00	19.86	125.0	V	0.0
3927.500000	49.57	---	74.00	24.43	169.0	H	0.0
3652.500000	48.79	---	74.00	25.21	167.0	V	0.0
3380.250000	48.39	---	74.00	25.61	156.0	H	0.0
3244.000000	47.55	---	74.00	26.45	129.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11n 2412 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17895.750000	---	44.39	54.00	9.61	150.0	V	0.0
16545.750000	---	41.59	54.00	12.41	150.0	V	0.0
15313.000000	---	40.93	54.00	13.07	150.0	H	0.0
17731.250000	57.00	---	74.00	17.00	150.0	H	0.0
16181.250000	54.95	---	74.00	19.05	150.0	V	0.0
15285.750000	54.34	---	74.00	19.66	150.0	V	0.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin 120V/60Hz
TX 802.11n 2412 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24889.750000	---	49.01	54.00	4.99	150.0	H	0.0
24426.000000	---	48.19	54.00	5.81	150.0	V	0.0
24016.500000	---	47.74	54.00	6.26	150.0	H	0.0
24916.500000	62.56	---	74.00	11.44	150.0	H	0.0
24573.250000	61.02	---	74.00	12.98	150.0	V	0.0
23952.750000	60.38	---	74.00	13.62	150.0	V	0.0

Channel 2437 MHz:

EUT Information

EUT:

Wine climate cabinet


Supply:

Uin: 120V 60Hz

Operating mode:

TX 802.11n 2437 MHz mcs7 20 MHz BW

Full Spectrum



Preview Result 1-PK+
FCC Part 15.209

* Critical_Freqs PK+
◆ Final_Result QPK

Comment

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.559500	40.07	72.65	32.58	102.0	H	199.0
0.501000	39.45	73.61	34.16	102.0	H	199.0
6.078750	34.25	69.50	35.25	102.0	H	30.0
5.880750	33.83	69.50	35.67	102.0	H	44.0
1.659750	22.57	63.23	40.67	102.0	H	219.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
120V, 60Hz
TX 802.11n 2437 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	DET 2 (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
31.290000	37.41	---	40.00	2.59	102.0	V	3.0
38.550000	37.06	---	40.00	2.94	104.0	V	9.0
71.820000	35.58	---	40.00	4.42	130.0	H	331.0
72.330000	35.28	---	40.00	4.72	130.0	H	317.0
43.560000	34.75	---	40.00	5.25	100.0	V	356.0
114.240000	30.88	---	43.50	12.62	117.0	H	13.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin: 120V 60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum



Comment

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3857.750000	---	36.18	54.00	17.82	150.0	H	0.0
3727.500000	---	35.65	54.00	18.35	150.0	H	0.0
3352.750000	---	34.52	54.00	19.48	150.0	H	0.0
3176.250000	---	33.92	54.00	20.08	150.0	V	0.0
3863.000000	49.84	---	74.00	24.16	150.0	H	0.0
3629.000000	49.52	---	74.00	24.48	150.0	H	0.0
3287.250000	48.12	---	74.00	25.88	150.0	V	0.0
3159.500000	47.99	---	74.00	26.01	150.0	H	0.0



EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin 120V/60Hz

TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17888.500000	---	44.71	54.00	9.29	150.0	H	0.0
16577.250000	---	41.74	54.00	12.26	150.0	H	0.0
15353.500000	---	40.99	54.00	13.01	150.0	H	0.0
17861.750000	58.21	---	74.00	15.79	150.0	H	0.0
14840.500000	53.57	---	74.00	20.43	150.0	V	0.0
16293.000000	53.37	---	74.00	20.63	150.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24889.750000	---	49.03	54.00	4.97	150.0	H	0.0
24416.500000	---	48.19	54.00	5.81	150.0	H	0.0
23697.000000	---	47.82	54.00	6.18	150.0	H	0.0
24903.500000	62.35	---	74.00	11.65	150.0	V	0.0
24407.000000	61.67	---	74.00	12.33	150.0	V	0.0
23691.750000	60.78	---	74.00	13.22	150.0	V	0.0



Channel 2462 MHz:

EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin: 120V 60Hz

TX 802.11n 2462 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.561750	37.67	72.62	34.95	102.0	H	0.0
0.494250	36.19	73.73	37.53	102.0	H	0.0
6.504000	31.78	69.50	37.72	102.0	H	0.0
1.277250	25.04	65.50	40.47	102.0	H	0.0
5.896500	28.50	69.50	41.00	102.0	H	0.0

EUT Information

EUT: Wine climate cabinet
Supply: 120V, 60Hz
Operating mode: TX 802.11n 2462 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	DET 2 (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
30.690000	38.07	---	40.00	1.93	102.0	V	243.0
38.940000	37.26	---	40.00	2.74	111.0	V	243.0
72.300000	37.00	---	40.00	3.00	130.0	H	0.0
71.970000	35.87	---	40.00	4.13	122.0	H	0.0
42.780000	31.93	---	40.00	8.07	102.0	V	268.0
85.950000	28.76	---	40.00	11.24	117.0	V	347.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin: 120V 60Hz
TX 802.11n 2462 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3833.000000	---	36.19	54.00	17.81	155.0	V	0.0
3717.750000	---	35.46	54.00	18.54	125.0	V	0.0
3377.000000	---	34.65	54.00	19.35	175.0	V	0.0
3195.250000	---	34.14	54.00	19.86	166.0	H	0.0
3994.250000	50.00	---	74.00	24.00	142.0	V	0.0
3612.250000	48.97	---	74.00	25.03	175.0	V	0.0
3408.000000	47.77	---	74.00	26.23	128.0	H	0.0
2997.000000	44.99	---	74.00	29.01	145.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11n 2462 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17991.500000	---	44.50	54.00	9.50	150.0	V	0.0
16577.250000	---	41.66	54.00	12.34	150.0	H	0.0
15416.250000	---	40.58	54.00	13.42	150.0	V	0.0
17868.500000	58.38	---	74.00	15.62	150.0	H	0.0
15348.750000	54.03	---	74.00	19.97	150.0	H	0.0
15749.250000	53.65	---	74.00	20.35	150.0	H	0.0




EUT Information

EUT:Wine climate cabinet

Supply:Uin 120V/60Hz

Operating mode:TX 802.11n 2462 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24894.000000	---	49.06	54.00	4.94	150.0	V	0.0
24408.000000	---	48.24	54.00	5.76	150.0	V	0.0
23661.750000	---	47.78	54.00	6.22	150.0	H	0.0
24930.500000	62.70	---	74.00	11.30	150.0	V	0.0
23696.750000	61.72	---	74.00	12.28	150.0	H	0.0

802.11n 40 MHz bandwidth :

Channel 2422 MHz:

EUT Information

EUT:

Wine climate cabinet


Supply:

Uin: 120V 60Hz

Operating mode:

TX 802.11n 2422 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.532500	39.58	73.08	33.50	102.0	H	206.0
0.507750	39.16	73.49	34.33	102.0	H	199.0
6.114750	33.18	69.50	36.32	102.0	H	212.0
5.901000	31.68	69.50	37.82	102.0	H	44.0
1.689000	22.38	63.08	40.70	102.0	H	199.0



EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin: 120V 60Hz

TX 802.11n 2422 MHz mcs7 40 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	DET 2 (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
39.330000	38.43	---	40.00	1.57	102.0	V	322.0
31.110000	37.77	---	40.00	2.23	100.0	V	268.0
72.450000	36.28	---	40.00	3.72	115.0	H	0.0
115.350000	37.82	---	43.50	5.68	109.0	H	0.0
42.600000	34.05	---	40.00	5.95	102.0	V	332.0
71.970000	32.92	---	40.00	7.08	115.0	H	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin: 120V 60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 20 MHz BW

Full Spectrum



Comment

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	PoI	Azimuth (deg)
3855.250000	---	36.18	54.00	17.82	166.0	H	0.0
3725.250000	---	35.56	54.00	18.44	175.0	H	0.0
3355.250000	---	34.40	54.00	19.60	175.0	H	0.0
3248.750000	---	33.93	54.00	20.07	163.0	V	0.0
3860.250000	50.32	---	74.00	23.68	128.0	H	0.0
3681.500000	48.47	---	74.00	25.53	175.0	H	0.0
3310.250000	47.93	---	74.00	26.07	141.0	H	0.0
3237.250000	47.17	---	74.00	26.83	143.0	H	0.0




EUT Information

EUT:Wine climate cabinet

Supply:Uin 120V/60Hz

Operating mode:TX 802.11n 2437 MHz mcs7 20 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17877.750000	---	44.43	54.00	9.57	150.0	H	0.0
16635.750000	---	41.56	54.00	12.44	150.0	V	0.0
15214.000000	---	40.67	54.00	13.33	150.0	V	0.0
17839.250000	57.89	---	74.00	16.11	150.0	V	0.0
16648.500000	55.17	---	74.00	18.83	150.0	V	0.0
15277.500000	55.00	---	74.00	19.00	150.0	V	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 20 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24903.000000	---	49.07	54.00	4.93	150.0	V	0.0
24394.000000	---	48.30	54.00	5.70	150.0	H	0.0
23697.250000	---	47.83	54.00	6.17	150.0	V	0.0
24901.250000	61.98	---	74.00	12.02	150.0	H	0.0
22417.500000	61.12	---	74.00	12.88	150.0	H	0.0



Channel 2437 MHz:

EUT Information

EUT:

Supply:


Operating mode:

Wine climate cabinet

Uin: 120V 60Hz

TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.557250	39.04	72.69	33.65	102.0	H	40.0
0.501000	39.26	73.61	34.35	102.0	H	210.0
6.186750	34.80	69.50	34.70	102.0	H	204.0
5.919000	33.78	69.50	35.72	102.0	H	74.0
1.677750	22.41	63.14	40.73	102.0	H	53.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin: 120V 60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV/m)	DET 2 (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
39.060000	38.82	---	40.00	1.18	102.0	V	230.0
30.750000	37.63	---	40.00	2.37	102.0	V	138.0
72.000000	36.40	---	40.00	3.60	130.0	H	348.0
72.300000	34.21	---	40.00	5.79	130.0	H	348.0
43.860000	34.11	---	40.00	5.89	102.0	V	0.0
114.660000	33.96	---	43.50	9.54	130.0	H	355.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin: 120V 60Hz
TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3857.750000	---	36.18	54.00	17.82	150.0	H	0.0
3727.500000	---	35.65	54.00	18.35	150.0	H	0.0
3352.750000	---	34.52	54.00	19.48	150.0	H	0.0
3176.250000	---	33.92	54.00	20.08	150.0	V	0.0
3863.000000	49.84	---	74.00	24.16	150.0	H	0.0
3629.000000	49.52	---	74.00	24.48	150.0	H	0.0
3287.250000	48.12	---	74.00	25.88	150.0	V	0.0
3159.500000	47.99	---	74.00	26.01	150.0	H	0.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin 120V/60Hz
Operating mode: TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17888.500000	---	44.71	54.00	9.29	150.0	H	0.0
16577.250000	---	41.74	54.00	12.26	150.0	H	0.0
15353.500000	---	40.99	54.00	13.01	150.0	H	0.0
17861.750000	58.21	---	74.00	15.79	150.0	H	0.0
14840.500000	53.57	---	74.00	20.43	150.0	V	0.0
16293.000000	53.37	---	74.00	20.63	150.0	V	0.0



EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin 120V/60Hz
TX 802.11n 2437 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
24889.750000	---	49.03	54.00	4.97	150.0	H	0.0
24416.500000	---	48.19	54.00	5.81	150.0	H	0.0
23697.000000	---	47.82	54.00	6.18	150.0	H	0.0
24903.500000	62.35	---	74.00	11.65	150.0	V	0.0
24407.000000	61.67	---	74.00	12.33	150.0	V	0.0
23691.750000	60.78	---	74.00	13.22	150.0	V	0.0

Channel 2452 MHz:

EUT Information

EUT:

Wine climate cabinet


Supply:

Uin: 120V 60Hz

Operating mode:

TX 802.11n 2452 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
0.561750	39.13	72.62	33.49	102.0	H	228.0
6.175500	35.82	69.50	33.68	102.0	H	30.0
0.503250	39.47	73.57	34.10	102.0	H	208.0
5.887500	34.67	69.50	34.83	102.0	H	43.0
1.704750	22.87	63.00	40.13	102.0	H	173.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin: 120V 60Hz
TX 802.11n 2452 MHz mcs7 40 MHz BW

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	DET 2 (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
31.140000	37.64	---	40.00	2.36	102.0	V	356.0
39.030000	36.97	---	40.00	3.03	102.0	V	0.0
374.760000	42.60	---	46.00	3.40	102.0	V	53.0
72.330000	35.03	---	40.00	4.97	130.0	H	358.0
71.940000	34.62	---	40.00	5.38	130.0	H	358.0
44.160000	31.24	---	40.00	8.76	102.0	V	356.0

EUT Information

EUT: Wine climate cabinet
Supply: Uin: 120V 60Hz
Operating mode: TX 802.11n 2452 MHz mcs7 40 MHz BW

Full Spectrum



Comment

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
3876.750000	---	36.17	54.00	17.83	150.0	V	0.0
3666.000000	---	35.22	54.00	18.78	150.0	V	0.0
3356.250000	---	34.41	54.00	19.59	150.0	V	0.0
3205.750000	---	33.75	54.00	20.25	150.0	V	0.0
3596.750000	49.07	---	74.00	24.93	150.0	H	0.0
3758.000000	49.04	---	74.00	24.96	150.0	V	0.0
3417.000000	47.84	---	74.00	26.16	150.0	H	0.0
3112.750000	46.87	---	74.00	27.13	150.0	H	0.0




EUT Information

EUT:
Supply:
Operating mode:

Wine climate cabinet
Uin 120V/60Hz
TX 802.11n 2452 MHz mcs7 40 MHz BW

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)
17882.250000	---	44.69	54.00	9.31	150.0	V	0.0
16676.250000	---	41.72	54.00	12.28	150.0	H	0.0
15385.250000	---	40.81	54.00	13.19	150.0	V	0.0
17812.000000	57.82	---	74.00	16.18	150.0	V	0.0
16633.750000	55.13	---	74.00	18.87	150.0	V	0.0
15386.500000	53.70	---	74.00	20.30	150.0	H	0.0