

FCC Appendix RF Test Data for 5.2GWIFI

FCC ID : 2A4GN-N6

Company: : Shenzhen Ruiying Electronic Co., Ltd

EUT : Projector

Model Number : N5

Report No. : CTA25072501504


Reviewed By : Eric Wang

1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	29.716	---	Pass
NVNT	a	5200	Ant1	26.184	---	Pass
NVNT	a	5240	Ant1	27.303	---	Pass
NVNT	n20	5180	Ant1	29.159	---	Pass
NVNT	n20	5200	Ant1	27.925	---	Pass
NVNT	n20	5240	Ant1	26.986	---	Pass
NVNT	n40	5190	Ant1	44.202	---	Pass
NVNT	n40	5230	Ant1	51.013	---	Pass
NVNT	ac20	5180	Ant1	28.429	---	Pass
NVNT	ac20	5200	Ant1	28.365	---	Pass
NVNT	ac20	5240	Ant1	24.905	---	Pass
NVNT	ac40	5190	Ant1	47.361	---	Pass
NVNT	ac40	5230	Ant1	55.481	---	Pass
NVNT	ax20	5180	Ant1	27.508	---	Pass
NVNT	ax20	5200	Ant1	28.383	---	Pass
NVNT	ax20	5240	Ant1	26.445	---	Pass
NVNT	ax40	5190	Ant1	46.522	---	Pass
NVNT	ax40	5230	Ant1	45.493	---	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ax20 5180MHz Ant1




-26dB Bandwidth NVNT ax20 5200MHz Ant1




-26dB Bandwidth NVNT ax20 5240MHz Ant1



-26dB Bandwidth NVNT ax40 5190MHz Ant1




-26dB Bandwidth NVNT ax40 5230MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	25.322	---	Pass
NVNT	a	5200	Ant2	29.397	---	Pass
NVNT	a	5240	Ant2	28.567	---	Pass
NVNT	n20	5180	Ant2	27.367	---	Pass
NVNT	n20	5200	Ant2	28.484	---	Pass
NVNT	n20	5240	Ant2	27.045	---	Pass
NVNT	n40	5190	Ant2	52.17	---	Pass
NVNT	n40	5230	Ant2	45.916	---	Pass
NVNT	ac20	5180	Ant2	27.886	---	Pass
NVNT	ac20	5200	Ant2	29.596	---	Pass
NVNT	ac20	5240	Ant2	25.322	---	Pass
NVNT	ac40	5190	Ant2	56.086	---	Pass
NVNT	ac40	5230	Ant2	47.924	---	Pass
NVNT	ax20	5180	Ant2	27.434	---	Pass
NVNT	ax20	5200	Ant2	26.239	---	Pass
NVNT	ax20	5240	Ant2	27.384	---	Pass
NVNT	ax40	5190	Ant2	50.346	---	Pass
NVNT	ax40	5230	Ant2	40.801	---	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2




-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2




-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2




-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2




-26dB Bandwidth NVNT ax20 5180MHz Ant2




-26dB Bandwidth NVNT ax20 5200MHz Ant2




-26dB Bandwidth NVNT ax20 5240MHz Ant2



-26dB Bandwidth NVNT ax40 5190MHz Ant2



-26dB Bandwidth NVNT ax40 5230MHz Ant2




2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.539
NVNT	a	5200	Ant1	16.572
NVNT	a	5240	Ant1	16.555
NVNT	n20	5180	Ant1	17.61
NVNT	n20	5200	Ant1	17.624
NVNT	n20	5240	Ant1	17.622
NVNT	n40	5190	Ant1	36.242
NVNT	n40	5230	Ant1	36.307
NVNT	ac20	5180	Ant1	17.621
NVNT	ac20	5200	Ant1	17.628
NVNT	ac20	5240	Ant1	17.607
NVNT	ac40	5190	Ant1	36.292
NVNT	ac40	5230	Ant1	36.278
NVNT	ax20	5180	Ant1	17.634
NVNT	ax20	5200	Ant1	17.635
NVNT	ax20	5240	Ant1	17.615
NVNT	ax40	5190	Ant1	36.283
NVNT	ax40	5230	Ant1	36.295

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ax20 5180MHz Ant1




OBW NVNT ax20 5200MHz Ant1




OBW NVNT ax20 5240MHz Ant1



OBW NVNT ax40 5190MHz Ant1




OBW NVNT ax40 5230MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant2	16.546
NVNT	a	5200	Ant2	16.542
NVNT	a	5240	Ant2	16.52
NVNT	n20	5180	Ant2	17.639
NVNT	n20	5200	Ant2	17.647
NVNT	n20	5240	Ant2	17.621
NVNT	n40	5190	Ant2	36.234
NVNT	n40	5230	Ant2	36.282
NVNT	ac20	5180	Ant2	17.632
NVNT	ac20	5200	Ant2	17.63
NVNT	ac20	5240	Ant2	17.635
NVNT	ac40	5190	Ant2	36.297
NVNT	ac40	5230	Ant2	36.311
NVNT	ax20	5180	Ant2	17.619
NVNT	ax20	5200	Ant2	17.631
NVNT	ax20	5240	Ant2	17.609
NVNT	ax40	5190	Ant2	36.293
NVNT	ax40	5230	Ant2	36.234

Test Graphs


OBW NVNT a 5180MHz Ant2




OBW NVNT a 5200MHz Ant2




OBW NVNT a 5240MHz Ant2




OBW NVNT n20 5180MHz Ant2




OBW NVNT n20 5200MHz Ant2




OBW NVNT n20 5240MHz Ant2




OBW NVNT n40 5190MHz Ant2




OBW NVNT n40 5230MHz Ant2




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2




OBW NVNT ax20 5180MHz Ant2




OBW NVNT ax20 5200MHz Ant2




OBW NVNT ax20 5240MHz Ant2



OBW NVNT ax40 5190MHz Ant2



OBW NVNT ax40 5230MHz Ant2



3 Maximum Conducted Output Power and e.i.r.p.

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.57	0.24	11.81	3.4	15.21	23.01	Pass
NVNT	a	5200	Ant1	11.72	0.24	11.96	3.4	15.36	23.01	Pass
NVNT	a	5240	Ant1	11.63	0.24	11.87	3.4	15.27	23.01	Pass
NVNT	n20	5180	Ant1	11.39	0.12	11.51	3.4	14.91	23.01	Pass
NVNT	n20	5200	Ant1	11.18	0.12	11.3	3.4	14.7	23.01	Pass
NVNT	n20	5240	Ant1	11.29	0.12	11.41	3.4	14.81	23.01	Pass
NVNT	n40	5190	Ant1	10.03	0.24	10.27	3.4	13.67	23.01	Pass
NVNT	n40	5230	Ant1	10.43	0.24	10.67	3.4	14.07	23.01	Pass
NVNT	ac20	5180	Ant1	11.32	0.12	11.44	3.4	14.84	23.01	Pass
NVNT	ac20	5200	Ant1	11.04	0.12	11.16	3.4	14.56	23.01	Pass
NVNT	ac20	5240	Ant1	11.18	0.12	11.3	3.4	14.7	23.01	Pass
NVNT	ac40	5190	Ant1	10.04	0.24	10.28	3.4	13.68	23.01	Pass
NVNT	ac40	5230	Ant1	10.23	0.24	10.47	3.4	13.87	23.01	Pass
NVNT	ax20	5180	Ant1	11.3	0.12	11.42	3.4	14.82	23.01	Pass
NVNT	ax20	5200	Ant1	11	0.12	11.12	3.4	14.52	23.01	Pass
NVNT	ax20	5240	Ant1	11.18	0.12	11.3	3.4	14.7	23.01	Pass
NVNT	ax40	5190	Ant1	10.92	0.24	11.16	3.4	14.56	23.01	Pass
NVNT	ax40	5230	Ant1	10.05	0.24	10.29	3.4	13.69	23.01	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	11.83	0.24	12.07	3.4	15.47	23.01	Pass
NVNT	a	5200	Ant2	11.51	0.24	11.75	3.4	15.15	23.01	Pass
NVNT	a	5240	Ant2	11.76	0.24	12	3.4	15.4	23.01	Pass
NVNT	n20	5180	Ant2	11.27	0.12	11.39	3.4	14.79	23.01	Pass
NVNT	n20	5200	Ant2	11.03	0.12	11.15	3.4	14.55	23.01	Pass
NVNT	n20	5240	Ant2	11.19	0.12	11.31	3.4	14.71	23.01	Pass
NVNT	n40	5190	Ant2	9.92	0.24	10.16	3.4	13.56	23.01	Pass
NVNT	n40	5230	Ant2	10.17	0.24	10.41	3.4	13.81	23.01	Pass
NVNT	ac20	5180	Ant2	11.38	0.12	11.5	3.4	14.9	23.01	Pass
NVNT	ac20	5200	Ant2	11.07	0.12	11.19	3.4	14.59	23.01	Pass
NVNT	ac20	5240	Ant2	11.27	0.12	11.39	3.4	14.79	23.01	Pass
NVNT	ac40	5190	Ant2	9.97	0.24	10.21	3.4	13.61	23.01	Pass
NVNT	ac40	5230	Ant2	10.22	0.24	10.46	3.4	13.86	23.01	Pass
NVNT	ax20	5180	Ant1	11.38	0.12	11.5	3.4	14.9	23.01	Pass
NVNT	ax20	5200	Ant1	11.09	0.12	11.21	3.4	14.61	23.01	Pass
NVNT	ax20	5240	Ant1	11.16	0.12	11.28	3.4	14.68	23.01	Pass
NVNT	ax40	5190	Ant1	10.01	0.24	10.25	3.4	13.65	23.01	Pass

NVNT	ax40	5230	Ant1	10.07	0.23	10.3	3.4	13.7	23.01	Pass
------	------	------	------	-------	------	------	-----	------	-------	------

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	11.51	11.39	14.46	22.6	Pass
NVNT	n20	5200	11.3	11.15	14.24	22.6	Pass
NVNT	n20	5240	11.41	11.31	14.37	22.6	Pass
NVNT	n40	5190	10.27	10.16	13.23	22.6	Pass
NVNT	n40	5230	10.67	10.41	13.55	22.6	Pass
NVNT	ac20	5180	11.44	11.5	14.48	22.6	Pass
NVNT	ac20	5200	11.16	11.19	14.19	22.6	Pass
NVNT	ac20	5240	11.3	11.39	14.36	22.6	Pass
NVNT	ac40	5190	10.28	10.21	13.26	22.6	Pass
NVNT	ac40	5230	10.47	10.46	13.48	22.6	Pass
NVNT	ax20	5180	11.42	11.5	14.47	22.6	Pass
NVNT	ax20	5200	11.12	11.21	14.18	22.6	Pass
NVNT	ax20	5240	11.3	11.28	14.30	22.6	Pass
NVNT	ax40	5190	11.16	10.25	13.74	22.6	Pass
NVNT	ax40	5230	10.29	10.3	13.31	22.6	Pass

EIRP MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	14.91	14.79	17.86	23.01	Pass
NVNT	n20	5200	14.7	14.55	17.64	23.01	Pass
NVNT	n20	5240	14.81	14.71	17.77	23.01	Pass
NVNT	n40	5190	13.67	13.56	16.63	23.01	Pass
NVNT	n40	5230	14.07	13.81	16.95	23.01	Pass
NVNT	ac20	5180	14.84	14.9	17.88	23.01	Pass
NVNT	ac20	5200	14.56	14.59	17.59	23.01	Pass
NVNT	ac20	5240	14.7	14.79	17.76	23.01	Pass
NVNT	ac40	5190	13.68	13.61	16.66	23.01	Pass
NVNT	ac40	5230	13.87	13.86	16.88	23.01	Pass
NVNT	ax20	5180	14.82	14.9	17.87	23.01	Pass
NVNT	ax20	5200	14.52	14.61	17.58	23.01	Pass
NVNT	ax20	5240	14.7	14.68	17.70	23.01	Pass
NVNT	ax40	5190	14.56	13.65	17.14	23.01	Pass
NVNT	ax40	5230	13.69	13.7	16.71	23.01	Pass

4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.59	0.24	1.83	3.4	5.23	10	Pass
NVNT	a	5200	Ant1	1.25	0.24	1.49	3.4	4.89	10	Pass
NVNT	a	5240	Ant1	1.18	0.24	1.42	3.4	4.82	10	Pass
NVNT	n20	5180	Ant1	0.7	0.12	0.82	3.4	4.22	10	Pass
NVNT	n20	5200	Ant1	0.31	0.12	0.43	3.4	3.83	10	Pass
NVNT	n20	5240	Ant1	0.39	0.12	0.51	3.4	3.91	10	Pass
NVNT	n40	5190	Ant1	-3.35	0.24	-3.11	3.4	0.29	10	Pass
NVNT	n40	5230	Ant1	-3.56	0.24	-3.32	3.4	0.08	10	Pass
NVNT	ac20	5180	Ant1	0.46	0.12	0.58	3.4	3.98	10	Pass
NVNT	ac20	5200	Ant1	0.45	0.12	0.57	3.4	3.97	10	Pass
NVNT	ac20	5240	Ant1	0.54	0.12	0.66	3.4	4.06	10	Pass
NVNT	ac40	5190	Ant1	-3.25	0.24	-3.01	3.4	0.39	10	Pass
NVNT	ac40	5230	Ant1	-3.18	0.24	-2.94	3.4	0.46	10	Pass
NVNT	ax20	5180	Ant1	0.66	0.12	0.78	3.4	4.18	10	Pass
NVNT	ax20	5200	Ant1	0.1	0.12	0.22	3.4	3.62	10	Pass
NVNT	ax20	5240	Ant1	0.32	0.12	0.44	3.4	3.84	10	Pass
NVNT	ax40	5190	Ant1	-2.74	0.24	-2.5	3.4	0.9	10	Pass
NVNT	ax40	5230	Ant1	-3.46	0.24	-3.22	3.4	0.18	10	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	1.26	0.24	1.5	3.4	4.9	10	Pass
NVNT	a	5200	Ant2	0.8	0.24	1.04	3.4	4.44	10	Pass
NVNT	a	5240	Ant2	1.28	0.24	1.52	3.4	4.92	10	Pass
NVNT	n20	5180	Ant2	0.49	0.12	0.61	3.4	4.01	10	Pass
NVNT	n20	5200	Ant2	0.36	0.12	0.48	3.4	3.88	10	Pass
NVNT	n20	5240	Ant2	0.28	0.12	0.4	3.4	3.8	10	Pass
NVNT	n40	5190	Ant2	-3.27	0.24	-3.03	3.4	0.37	10	Pass
NVNT	n40	5230	Ant2	-3.36	0.24	-3.12	3.4	0.28	10	Pass
NVNT	ac20	5180	Ant2	0.69	0.12	0.81	3.4	4.21	10	Pass
NVNT	ac20	5200	Ant2	0.48	0.12	0.6	3.4	4	10	Pass
NVNT	ac20	5240	Ant2	0.55	0.12	0.67	3.4	4.07	10	Pass
NVNT	ac40	5190	Ant2	-3.74	0.24	-3.5	3.4	-0.1	10	Pass
NVNT	ac40	5230	Ant2	-2.87	0.24	-2.63	3.4	0.77	10	Pass
NVNT	ax20	5180	Ant2	0.78	0.12	0.9	3.4	4.3	10	Pass
NVNT	ax20	5200	Ant2	0.62	0.12	0.74	3.4	4.14	10	Pass
NVNT	ax20	5240	Ant2	0.81	0.12	0.93	3.4	4.33	10	Pass


NVNT	ax40	5190	Ant2	-3.58	0.24	-3.34	3.4	0.06	10	Pass
NVNT	ax40	5230	Ant2	-3.73	0.23	-3.5	3.4	-0.1	10	Pass

EIRP MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	4.22	4.01	7.13	9.59	Pass
NVNT	n20	5200	3.83	3.88	6.87	9.59	Pass
NVNT	n20	5240	3.91	3.8	6.87	9.59	Pass
NVNT	n40	5190	0.29	0.37	3.34	9.59	Pass
NVNT	n40	5230	0.08	0.28	3.19	9.59	Pass
NVNT	ac20	5180	3.98	4.21	7.11	9.59	Pass
NVNT	ac20	5200	3.97	4	7.00	9.59	Pass
NVNT	ac20	5240	4.06	4.07	7.08	9.59	Pass
NVNT	ac40	5190	0.39	-0.1	3.16	9.59	Pass
NVNT	ac40	5230	0.46	0.77	3.63	9.59	Pass
NVNT	ax20	5180	4.18	4.3	7.25	9.59	Pass
NVNT	ax20	5200	3.62	4.14	6.90	9.59	Pass
NVNT	ax20	5240	3.84	4.33	7.10	9.59	Pass
NVNT	ax40	5190	0.9	0.06	3.51	9.59	Pass
NVNT	ax40	5230	0.18	-0.1	3.05	9.59	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ax20 5180MHz Ant1




PSD NVNT ax20 5200MHz Ant1




PSD NVNT ax20 5240MHz Ant1




PSD NVNT ax40 5190MHz Ant1




PSD NVNT ax40 5230MHz Ant1




PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2




PSD NVNT a 5240MHz Ant2




PSD NVNT n20 5180MHz Ant2




PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2




PSD NVNT n40 5190MHz Ant2




PSD NVNT n40 5230MHz Ant2




PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2




PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2




PSD NVNT ax20 5180MHz Ant2




PSD NVNT ax20 5200MHz Ant2




PSD NVNT ax20 5240MHz Ant2



PSD NVNT ax40 5190MHz Ant2



PSD NVNT ax40 5230MHz Ant2





5 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-50.64	3.4	-	48.02	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-58.39	3.4	0.24	40.51	Average	54	Pass
NVNT	a	5180	Ant1	5148.2	-45.79	3.4	-	52.87	Peak	68.2	Pass
NVNT	a	5180	Ant1	5148.2	-55.88	3.4	0.24	43.02	Average	54	Pass
NVNT	a	5180	Ant1	5150	-46.06	3.4	-	52.60	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-56.14	3.4	0.24	42.76	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.56	3.4	-	49.10	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57	3.4	0.24	41.90	Average	54	Pass
NVNT	a	5240	Ant1	5388.24	-47.4	3.4	-	51.26	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350.8	-56.58	3.4	0.24	42.32	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.67	3.4	-	48.99	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-58.61	3.4	0.24	40.29	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.93	3.4	-	47.73	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-59.07	3.4	0.12	39.71	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-44.65	3.4	-	54.01	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5148.9	-55.65	3.4	0.12	43.13	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-43.98	3.4	-	54.68	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-56.49	3.4	0.12	42.29	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.27	3.4	-	49.39	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-58.25	3.4	0.12	40.53	Average	54	Pass
NVNT	n20	5240	Ant1	5359.92	-47.37	3.4	-	51.29	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5422.32	-57.33	3.4	0.12	41.45	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-48.53	3.4	-	50.13	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-58.73	3.4	0.12	40.05	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-48.2	3.4	-	50.46	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-58.9	3.4	0.24	40.00	Average	54	Pass
NVNT	n40	5190	Ant1	5149.7	-41.38	3.4	-	57.28	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5145.32	-55.56	3.4	0.24	43.34	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-41.38	3.4	-	57.28	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-55.98	3.4	0.24	42.92	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-50.34	3.4	-	48.32	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.47	3.4	0.24	41.43	Average	54	Pass
NVNT	n40	5230	Ant1	5355.78	-47.1	3.4	-	51.56	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5441.91	-57.33	3.4	0.24	41.57	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-50.37	3.4	-	48.29	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-58.23	3.4	0.24	40.67	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-50.69	3.4	-	47.97	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-58.89	3.4	0.12	39.89	Average	54	Pass
NVNT	ac20	5180	Ant1	5148.2	-46.3	3.4	-	52.36	Peak	68.2	Pass

NVNT	ac20	5180	Ant1	5149.6	-55.93	3.4	0.12	42.85	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-45.51	3.4	-	53.15	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-55.33	3.4	0.12	43.45	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.03	3.4	-	49.63	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.78	3.4	0.12	41.00	Average	54	Pass
NVNT	ac20	5240	Ant1	5397.84	-47.76	3.4	-	50.90	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5382.48	-57.29	3.4	0.12	41.49	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-50.05	3.4	-	48.61	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.76	3.4	0.12	41.02	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.2	3.4	-	48.46	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.99	3.4	0.24	39.91	Average	54	Pass
NVNT	ac40	5190	Ant1	5147.51	-45.35	3.4	-	53.31	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-55.22	3.4	0.24	43.68	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-46.19	3.4	-	52.47	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-55.22	3.4	0.24	43.68	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-50.43	3.4	-	48.23	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-58.89	3.4	0.24	40.01	Average	54	Pass
NVNT	ac40	5230	Ant1	5404.38	-47.14	3.4	-	51.52	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5422.2	-57.32	3.4	0.24	41.58	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.16	3.4	-	49.50	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.53	3.4	0.24	40.37	Average	54	Pass
NVNT	ax20	5180	Ant1	4500	-51.02	3.4	-	47.64	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	4500	-59.05	3.4	0.12	39.73	Average	54	Pass
NVNT	ax20	5180	Ant1	5149.6	-44.53	3.4	-	54.13	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5148.9	-55.32	3.4	0.12	43.46	Average	54	Pass
NVNT	ax20	5180	Ant1	5150	-45.04	3.4	-	53.62	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5150	-55.62	3.4	0.12	43.16	Average	54	Pass
NVNT	ax20	5240	Ant1	5350	-50.72	3.4	-	47.94	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5350	-58.18	3.4	0.12	40.60	Average	54	Pass
NVNT	ax20	5240	Ant1	5420.64	-46.94	3.4	-	51.72	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5443.92	-57.41	3.4	0.12	41.37	Average	54	Pass
NVNT	ax20	5240	Ant1	5460	-50.59	3.4	-	48.07	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5460	-58.52	3.4	0.12	40.26	Average	54	Pass
NVNT	ax40	5190	Ant1	4500	-50.39	3.4	-	48.27	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	4500	-58.9	3.4	0.24	40.00	Average	54	Pass
NVNT	ax40	5190	Ant1	5109.55	-44.45	3.4	-	54.21	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5149.7	-55.35	3.4	0.24	43.55	Average	54	Pass
NVNT	ax40	5190	Ant1	5150	-46.72	3.4	-	51.94	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5150	-55.35	3.4	0.24	43.55	Average	54	Pass
NVNT	ax40	5230	Ant1	5350	-49.03	3.4	-	49.63	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5350	-58.49	3.4	0.24	40.41	Average	54	Pass
NVNT	ax40	5230	Ant1	5426.25	-47.32	3.4	-	51.34	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5423.82	-57.23	3.4	0.24	41.67	Average	54	Pass
NVNT	ax40	5230	Ant1	5460	-50.69	3.4	-	47.97	Peak	68.2	Pass

NVNT	ax40	5230	Ant1	5460	-57.95	3.4	0.24	40.95	Average	54	Pass
------	------	------	------	------	--------	-----	------	-------	---------	----	------



Agilent Spectrum Analyzer - Swept SA

Center Freq 5.34000000 GHz

PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

#Avg Type: RMS Avg/Hold: 100/100

02:17:40 PM Jul 31, 2025

TRACE 1 2 3 4 5 6
TYPE M W A W W W W W
DET P N N N N N

10 dB/div Log

Ref Offset 2.8 dB
Ref 20.00 dBm

Mkr1 5.238 24 GHz
8.484 dBm

Start 5.2200 GHz
#Res BW 1.0 MHz

#VBW 3.0 MHz


Stop 5.4600 GHz
Sweep 1.000 ms (1001 pts)

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	5.238 24 GHz	8.484 dBm			
2	N		f	5.350 00 GHz	-49.561 dBm			
3	N		f	5.460 00 GHz	-49.669 dBm			
4	N		f	5.388 24 GHz	-47.401 dBm			
5								
6								
7								
8								
9								
10								
11								


MSG STATUS

[illegible]


Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average




Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average




Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average




Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average



Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average




[illegible][illegible]


Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average




Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average




Restrict Band NVNT ax20 5180MHz Ant1 Peak




Restrict Band NVNT ax20 5180MHz Ant1 Average




Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average




Restrict Band NVNT ax40 5190MHz Ant1 Peak




Restrict Band NVNT ax40 5190MHz Ant1 Average



Restrict Band NVNT ax40 5230MHz Ant1 Peak



Restrict Band NVNT ax40 5230MHz Ant1 Average




Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-51.34	3.4	-	47.32	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-58.84	3.4	0.24	40.06	Average	54	Pass
NVNT	a	5180	Ant2	5106.2	-45.97	3.4	-	52.69	Peak	68.2	Pass
NVNT	a	5180	Ant2	5122.3	-56.2	3.4	0.24	42.70	Average	54	Pass
NVNT	a	5180	Ant2	5150	-48.89	3.4	-	49.77	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-55.87	3.4	0.24	43.03	Average	54	Pass
NVNT	a	5240	Ant2	5350	-50.51	3.4	-	48.15	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-58.45	3.4	0.24	40.45	Average	54	Pass
NVNT	a	5240	Ant2	5442.72	-46.92	3.4	-	51.74	Peak	68.2	Pass
NVNT	a	5240	Ant2	5370.96	-57.32	3.4	0.24	41.58	Average	54	Pass
NVNT	a	5240	Ant2	5460	-50.68	3.4	-	47.98	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-58.28	3.4	0.24	40.62	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-50.27	3.4	-	48.39	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-58.79	3.4	0.12	39.99	Average	54	Pass
NVNT	n20	5180	Ant2	5147.5	-45.85	3.4	-	52.81	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5148.9	-55.94	3.4	0.12	42.84	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-45.3	3.4	-	53.36	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-56.09	3.4	0.12	42.69	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-49.94	3.4	-	48.72	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-58.18	3.4	0.12	40.60	Average	54	Pass
NVNT	n20	5240	Ant2	5403.6	-47.27	3.4	-	51.39	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5386.08	-57.27	3.4	0.12	41.51	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-48.57	3.4	-	50.09	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-58.77	3.4	0.12	40.01	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-51.21	3.4	-	47.45	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-58.78	3.4	0.24	40.12	Average	54	Pass
NVNT	n40	5190	Ant2	5147.51	-45.24	3.4	-	53.42	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-55.54	3.4	0.24	43.36	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-46.86	3.4	-	51.80	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-55.54	3.4	0.24	43.36	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-50.87	3.4	-	47.79	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-58.35	3.4	0.24	40.55	Average	54	Pass
NVNT	n40	5230	Ant2	5361.45	-46.1	3.4	-	52.56	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5407.35	-57.34	3.4	0.24	41.56	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-51.03	3.4	-	47.63	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-57.65	3.4	0.24	41.25	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-50.33	3.4	-	48.33	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-58.55	3.4	0.12	40.23	Average	54	Pass
NVNT	ac20	5180	Ant2	5068.4	-46.16	3.4	-	52.50	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5148.2	-55.84	3.4	0.12	42.94	Average	54	Pass


NVNT	ac20	5180	Ant2	5150	-43.72	3.4	-	54.94	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-55.84	3.4	0.12	42.94	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-49.8	3.4	-	48.86	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-58.13	3.4	0.12	40.65	Average	54	Pass
NVNT	ac20	5240	Ant2	5367.84	-46.4	3.4	-	52.26	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5427.12	-57.45	3.4	0.12	41.33	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.25	3.4	-	48.41	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-58.37	3.4	0.12	40.41	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-51.08	3.4	-	47.58	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.87	3.4	0.24	40.03	Average	54	Pass
NVNT	ac40	5190	Ant2	5148.97	-44.55	3.4	-	54.11	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5145.32	-55.69	3.4	0.24	43.21	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-45.2	3.4	-	53.46	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-55.82	3.4	0.24	43.08	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-49.99	3.4	-	48.67	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-57.7	3.4	0.24	41.20	Average	54	Pass
NVNT	ac40	5230	Ant2	5433.27	-47.27	3.4	-	51.39	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5388.72	-57.38	3.4	0.24	41.52	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-50.82	3.4	-	47.84	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-58.24	3.4	0.24	40.66	Average	54	Pass
NVNT	ax20	5180	Ant2	4500	-49.83	3.4	-	48.83	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4500	-58.72	3.4	0.12	40.06	Average	54	Pass
NVNT	ax20	5180	Ant2	5149.6	-43.91	3.4	-	54.75	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5149.6	-55.97	3.4	0.12	42.81	Average	54	Pass
NVNT	ax20	5180	Ant2	5150	-45.42	3.4	-	53.24	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5150	-55.44	3.4	0.12	43.34	Average	54	Pass
NVNT	ax20	5240	Ant2	5350	-49.5	3.4	-	49.16	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5350	-58.15	3.4	0.12	40.63	Average	54	Pass
NVNT	ax20	5240	Ant2	5422.8	-47.65	3.4	-	51.01	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5372.88	-57.45	3.4	0.12	41.33	Average	54	Pass
NVNT	ax20	5240	Ant2	5460	-49.38	3.4	-	49.28	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5460	-58.19	3.4	0.12	40.59	Average	54	Pass
NVNT	ax40	5190	Ant2	4500	-51.44	3.4	-	47.22	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4500	-59.13	3.4	0.24	39.77	Average	54	Pass
NVNT	ax40	5190	Ant2	5149.7	-44.51	3.4	-	54.15	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5149.7	-55.21	3.4	0.24	43.69	Average	54	Pass
NVNT	ax40	5190	Ant2	5150	-44.51	3.4	-	54.15	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5150	-55.21	3.4	0.24	43.69	Average	54	Pass
NVNT	ax40	5230	Ant2	5350	-49.98	3.4	-	48.68	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5350	-58.38	3.4	0.23	40.51	Average	54	Pass
NVNT	ax40	5230	Ant2	5395.47	-47.69	3.4	-	50.97	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5452.98	-57.3	3.4	0.23	41.59	Average	54	Pass
NVNT	ax40	5230	Ant2	5460	-49.85	3.4	-	48.81	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5460	-58.05	3.4	0.23	40.84	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average




Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average




Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average




Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average




Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average




Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average




Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average




Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average




Restrict Band NVNT ac40 5190MHz Ant2 Peak



Restrict Band NVNT ac40 5190MHz Ant2 Average



Restrict Band NVNT ac40 5230MHz Ant2 Peak



Restrict Band NVNT ac40 5230MHz Ant2 Average

