

FCC Appendix RF Test Data for 5.3GWIFI

FCC ID : 2A4GN-N6

Company: : Shenzhen Ruiying Electronic Co., Ltd

EUT : Projector

Model Number : N5

Report No. : CTA25072501504


Reviewed By : Eric Wang

1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	27.614	---	Pass
NVNT	a	5300	Ant1	26.689	---	Pass
NVNT	a	5320	Ant1	26.277	---	Pass
NVNT	n20	5260	Ant1	26.814	---	Pass
NVNT	n20	5300	Ant1	28.861	---	Pass
NVNT	n20	5320	Ant1	26.4	---	Pass
NVNT	n40	5270	Ant1	54.854	---	Pass
NVNT	n40	5310	Ant1	47.547	---	Pass
NVNT	ac20	5260	Ant1	27.86	---	Pass
NVNT	ac20	5300	Ant1	26.827	---	Pass
NVNT	ac20	5320	Ant1	28.91	---	Pass
NVNT	ac40	5270	Ant1	47.057	---	Pass
NVNT	ac40	5310	Ant1	50.115	---	Pass
NVNT	ax20	5260	Ant1	28.744	---	Pass
NVNT	ax20	5300	Ant1	27.74	---	Pass
NVNT	ax20	5320	Ant1	28.174	---	Pass
NVNT	ax40	5270	Ant1	44.397	---	Pass
NVNT	ax40	5310	Ant1	47.803	---	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5300MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5300MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1




-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5300MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ax20 5260MHz Ant1




-26dB Bandwidth NVNT ax20 5300MHz Ant1




-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant1




-26dB Bandwidth NVNT ax40 5310MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant2	29.142	---	Pass
NVNT	a	5300	Ant2	28.567	---	Pass
NVNT	a	5320	Ant2	26.597	---	Pass
NVNT	n20	5260	Ant2	29.244	---	Pass
NVNT	n20	5300	Ant2	28.462	---	Pass
NVNT	n20	5320	Ant2	26.101	---	Pass
NVNT	n40	5270	Ant2	52.262	---	Pass
NVNT	n40	5310	Ant2	51.531	---	Pass
NVNT	ac20	5260	Ant2	28.678	---	Pass
NVNT	ac20	5300	Ant2	28.944	---	Pass
NVNT	ac20	5320	Ant2	28.56	---	Pass
NVNT	ac40	5270	Ant2	45.671	---	Pass
NVNT	ac40	5310	Ant2	48.156	---	Pass
NVNT	ax20	5260	Ant2	27.964	---	Pass
NVNT	ax20	5300	Ant2	28.872	---	Pass
NVNT	ax20	5320	Ant2	27.783	---	Pass
NVNT	ax40	5270	Ant2	46.781	---	Pass
NVNT	ax40	5310	Ant2	43.843	---	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz Ant2




-26dB Bandwidth NVNT a 5300MHz Ant2




-26dB Bandwidth NVNT a 5320MHz Ant2




-26dB Bandwidth NVNT n20 5260MHz Ant2




-26dB Bandwidth NVNT n20 5300MHz Ant2




-26dB Bandwidth NVNT n20 5320MHz Ant2




-26dB Bandwidth NVNT n40 5270MHz Ant2




-26dB Bandwidth NVNT n40 5310MHz Ant2




-26dB Bandwidth NVNT ac20 5260MHz Ant2




-26dB Bandwidth NVNT ac20 5300MHz Ant2




-26dB Bandwidth NVNT ac20 5320MHz Ant2




-26dB Bandwidth NVNT ac40 5270MHz Ant2




-26dB Bandwidth NVNT ac40 5310MHz Ant2




-26dB Bandwidth NVNT ax20 5260MHz Ant2




-26dB Bandwidth NVNT ax20 5300MHz Ant2




-26dB Bandwidth NVNT ax20 5320MHz Ant2



-26dB Bandwidth NVNT ax40 5270MHz Ant2



-26dB Bandwidth NVNT ax40 5310MHz Ant2




2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.552
NVNT	a	5300	Ant1	16.53
NVNT	a	5320	Ant1	16.533
NVNT	n20	5260	Ant1	17.617
NVNT	n20	5300	Ant1	17.628
NVNT	n20	5320	Ant1	17.609
NVNT	n40	5270	Ant1	36.267
NVNT	n40	5310	Ant1	36.237
NVNT	ac20	5260	Ant1	17.648
NVNT	ac20	5300	Ant1	17.649
NVNT	ac20	5320	Ant1	17.623
NVNT	ac40	5270	Ant1	36.256
NVNT	ac40	5310	Ant1	36.182
NVNT	ax20	5260	Ant1	17.63
NVNT	ax20	5300	Ant1	17.628
NVNT	ax20	5320	Ant1	17.609
NVNT	ax40	5270	Ant1	36.251
NVNT	ax40	5310	Ant1	36.19

Test Graphs


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5300MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5300MHz Ant1




OBW NVNT n20 5320MHz Ant1




OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5300MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ax20 5260MHz Ant1




OBW NVNT ax20 5300MHz Ant1




OBW NVNT ax20 5320MHz Ant1



OBW NVNT ax40 5270MHz Ant1




OBW NVNT ax40 5310MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant2	16.539
NVNT	a	5300	Ant2	16.549
NVNT	a	5320	Ant2	16.561
NVNT	n20	5260	Ant2	17.635
NVNT	n20	5300	Ant2	17.624
NVNT	n20	5320	Ant2	17.641
NVNT	n40	5270	Ant2	36.226
NVNT	n40	5310	Ant2	36.219
NVNT	ac20	5260	Ant2	17.646
NVNT	ac20	5300	Ant2	17.637
NVNT	ac20	5320	Ant2	17.626
NVNT	ac40	5270	Ant2	36.286
NVNT	ac40	5310	Ant2	36.221
NVNT	ax20	5260	Ant2	17.646
NVNT	ax20	5300	Ant2	17.622
NVNT	ax20	5320	Ant2	17.634
NVNT	ax40	5270	Ant2	36.231
NVNT	ax40	5310	Ant2	36.221

Test Graphs


OBW NVNT a 5260MHz Ant2




OBW NVNT a 5300MHz Ant2




OBW NVNT a 5320MHz Ant2




OBW NVNT n20 5260MHz Ant2




OBW NVNT n20 5300MHz Ant2




OBW NVNT n20 5320MHz Ant2




OBW NVNT n40 5270MHz Ant2




OBW NVNT n40 5310MHz Ant2




OBW NVNT ac20 5260MHz Ant2




OBW NVNT ac20 5300MHz Ant2




OBW NVNT ac20 5320MHz Ant2




OBW NVNT ac40 5270MHz Ant2




OBW NVNT ac40 5310MHz Ant2




OBW NVNT ax20 5260MHz Ant2




OBW NVNT ax20 5300MHz Ant2




OBW NVNT ax20 5320MHz Ant2



OBW NVNT ax40 5270MHz Ant2



OBW NVNT ax40 5310MHz Ant2



3 Maximum Conducted Output Power and i.r.p.

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Conducted Limit (dBm)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	12.32	0.24	12.56	24	3.4	15.96	24	Pass
NVNT	a	5300	Ant1	12.41	0.24	12.65	24	3.4	16.05	24	Pass
NVNT	a	5320	Ant1	12.72	0.24	12.96	24	3.4	16.36	24	Pass
NVNT	n20	5260	Ant1	11.61	0.12	11.73	24	3.4	15.13	24	Pass
NVNT	n20	5300	Ant1	10.88	0.12	11	24	3.4	14.4	24	Pass
NVNT	n20	5320	Ant1	11.17	0.12	11.29	24	3.4	14.69	24	Pass
NVNT	n40	5270	Ant1	10.15	0.23	10.38	24	3.4	13.78	24	Pass
NVNT	n40	5310	Ant1	10.84	0.23	11.07	24	3.4	14.47	24	Pass
NVNT	ac20	5260	Ant1	11.6	0.12	11.72	24	3.4	15.12	24	Pass
NVNT	ac20	5300	Ant1	10.83	0.12	10.95	24	3.4	14.35	24	Pass
NVNT	ac20	5320	Ant1	11.2	0.12	11.32	24	3.4	14.72	24	Pass
NVNT	ac40	5270	Ant1	10.13	0.24	10.37	24	3.4	13.77	24	Pass
NVNT	ac40	5310	Ant1	10.93	0.23	11.16	24	3.4	14.56	24	Pass
NVNT	ax20	5260	Ant1	11.47	0.12	11.59	24	3.4	14.99	24	Pass
NVNT	ax20	5300	Ant1	10.79	0.12	10.91	24	3.4	14.31	24	Pass
NVNT	ax20	5320	Ant1	11.09	0.12	11.21	24	3.4	14.61	24	Pass
NVNT	ax40	5270	Ant1	10.02	0.24	10.26	24	3.4	13.66	24	Pass
NVNT	ax40	5310	Ant1	10.9	0.23	11.13	24	3.4	14.53	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Conducted Limit (dBm)	Antenna gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant2	12.14	0.24	12.38	24	3.4	15.78	24	Pass
NVNT	a	5300	Ant2	12.29	0.24	12.53	24	3.4	15.93	24	Pass
NVNT	a	5320	Ant2	12.66	0.24	12.9	24	3.4	16.3	24	Pass
NVNT	n20	5260	Ant2	11.6	0.12	11.72	24	3.4	15.12	24	Pass
NVNT	n20	5300	Ant2	10.79	0.12	10.91	24	3.4	14.31	24	Pass
NVNT	n20	5320	Ant2	11.12	0.12	11.24	24	3.4	14.64	24	Pass
NVNT	n40	5270	Ant2	10.09	0.24	10.33	24	3.4	13.73	24	Pass
NVNT	n40	5310	Ant2	10.88	0.24	11.12	24	3.4	14.52	24	Pass
NVNT	ac20	5260	Ant2	11.51	0.12	11.63	24	3.4	15.03	24	Pass
NVNT	ac20	5300	Ant2	10.78	0.12	10.9	24	3.4	14.3	24	Pass
NVNT	ac20	5320	Ant2	11.14	0.12	11.26	24	3.4	14.66	24	Pass
NVNT	ac40	5270	Ant2	10.14	0.23	10.37	24	3.4	13.77	24	Pass
NVNT	ac40	5310	Ant2	10.95	0.24	11.19	24	3.4	14.59	24	Pass
NVNT	ax20	5260	Ant2	11.39	0.12	11.51	24	3.4	14.91	24	Pass
NVNT	ax20	5300	Ant2	10.85	0.12	10.97	24	3.4	14.37	24	Pass
NVNT	ax20	5320	Ant2	11.13	0.12	11.25	24	3.4	14.65	24	Pass
NVNT	ax40	5270	Ant2	10.15	0.24	10.39	24	3.4	13.79	24	Pass

NVNT	ax40	5310	Ant2	11.01	0.24	11.25	24	3.4	14.65	24	Pass
------	------	------	------	-------	------	-------	----	-----	-------	----	------

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5260	11.73	11.72	14.74	23.59	Pass
NVNT	n20	5300	11	10.91	13.97	23.59	Pass
NVNT	n20	5320	11.29	11.24	14.28	23.59	Pass
NVNT	n40	5270	10.38	10.33	13.37	23.59	Pass
NVNT	n40	5310	11.07	11.12	14.11	23.59	Pass
NVNT	ac20	5260	11.72	11.63	14.69	23.59	Pass
NVNT	ac20	5300	10.95	10.9	13.94	23.59	Pass
NVNT	ac20	5320	11.32	11.26	14.30	23.59	Pass
NVNT	ac40	5270	10.37	10.37	13.38	23.59	Pass
NVNT	ac40	5310	11.16	11.19	14.19	23.59	Pass
NVNT	ax20	5260	11.59	11.51	14.56	23.59	Pass
NVNT	ax20	5300	10.91	10.97	13.95	23.59	Pass
NVNT	ax20	5320	11.21	11.25	14.24	23.59	Pass
NVNT	ax40	5270	10.26	10.39	13.34	23.59	Pass
NVNT	ax40	5310	11.13	11.25	14.20	23.59	Pass

EIRP MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5260	15.13	15.12	18.14	24	Pass
NVNT	n20	5300	14.4	14.31	17.37	24	Pass
NVNT	n20	5320	14.69	14.64	17.68	24	Pass
NVNT	n40	5270	13.78	13.73	16.77	24	Pass
NVNT	n40	5310	14.47	14.52	17.51	24	Pass
NVNT	ac20	5260	15.12	15.03	18.09	24	Pass
NVNT	ac20	5300	14.35	14.3	17.34	24	Pass
NVNT	ac20	5320	14.72	14.66	17.70	24	Pass
NVNT	ac40	5270	13.77	13.77	16.78	24	Pass
NVNT	ac40	5310	14.56	14.59	17.59	24	Pass
NVNT	ax20	5260	14.99	14.91	17.96	24	Pass
NVNT	ax20	5300	14.31	14.37	17.35	24	Pass
NVNT	ax20	5320	14.61	14.65	17.64	24	Pass
NVNT	ax40	5270	13.66	13.79	16.74	24	Pass
NVNT	ax40	5310	14.53	14.65	17.60	24	Pass

4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant1	1.86	0.24	2.1	11	Pass
NVNT	a	5300	Ant1	1.74	0.24	1.98	11	Pass
NVNT	a	5320	Ant1	2.11	0.24	2.35	11	Pass
NVNT	n20	5260	Ant1	0.93	0.12	1.05	11	Pass
NVNT	n20	5300	Ant1	-0.05	0.12	0.07	11	Pass
NVNT	n20	5320	Ant1	0.48	0.12	0.6	11	Pass
NVNT	n40	5270	Ant1	-3.82	0.23	-3.59	11	Pass
NVNT	n40	5310	Ant1	-3.33	0.23	-3.1	11	Pass
NVNT	ac20	5260	Ant1	0.75	0.12	0.87	11	Pass
NVNT	ac20	5300	Ant1	0.11	0.12	0.23	11	Pass
NVNT	ac20	5320	Ant1	0.39	0.12	0.51	11	Pass
NVNT	ac40	5270	Ant1	-3.88	0.24	-3.64	11	Pass
NVNT	ac40	5310	Ant1	-2.94	0.23	-2.71	11	Pass
NVNT	ax20	5260	Ant1	0.42	0.12	0.54	11	Pass
NVNT	ax20	5300	Ant1	-0.08	0.12	0.04	11	Pass
NVNT	ax20	5320	Ant1	0.16	0.12	0.28	11	Pass
NVNT	ax40	5270	Ant1	-3.64	0.24	-3.4	11	Pass
NVNT	ax40	5310	Ant1	-3.13	0.23	-2.9	11	Pass


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant2	1.61	0.24	1.85	11	Pass
NVNT	a	5300	Ant2	1.88	0.24	2.12	11	Pass
NVNT	a	5320	Ant2	2.08	0.24	2.32	11	Pass
NVNT	n20	5260	Ant2	1.1	0.12	1.22	11	Pass
NVNT	n20	5300	Ant2	0.15	0.12	0.27	11	Pass
NVNT	n20	5320	Ant2	0.35	0.12	0.47	11	Pass
NVNT	n40	5270	Ant2	-3.88	0.24	-3.64	11	Pass
NVNT	n40	5310	Ant2	-3.2	0.24	-2.96	11	Pass
NVNT	ac20	5260	Ant2	0.76	0.12	0.88	11	Pass
NVNT	ac20	5300	Ant2	-0.09	0.12	0.03	11	Pass
NVNT	ac20	5320	Ant2	0.34	0.12	0.46	11	Pass
NVNT	ac40	5270	Ant2	-3.78	0.23	-3.55	11	Pass
NVNT	ac40	5310	Ant2	-3.09	0.24	-2.85	11	Pass
NVNT	ax20	5260	Ant2	0.75	0.12	0.87	11	Pass
NVNT	ax20	5300	Ant2	0.16	0.12	0.28	11	Pass
NVNT	ax20	5320	Ant2	0.33	0.12	0.45	11	Pass
NVNT	ax40	5270	Ant2	-3.79	0.24	-3.55	11	Pass
NVNT	ax40	5310	Ant2	-3.1	0.24	-2.86	11	Pass

MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5260	1.05	1.22	4.15	10.59	Pass
NVNT	n20	5300	0.07	0.27	3.18	10.59	Pass
NVNT	n20	5320	0.6	0.47	3.55	10.59	Pass
NVNT	n40	5270	-3.59	-3.64	-0.60	10.59	Pass
NVNT	n40	5310	-3.1	-2.96	-0.02	10.59	Pass
NVNT	ac20	5260	0.87	0.88	3.89	10.59	Pass
NVNT	ac20	5300	0.23	0.03	3.14	10.59	Pass
NVNT	ac20	5320	0.51	0.46	3.50	10.59	Pass
NVNT	ac40	5270	-3.64	-3.55	-0.58	10.59	Pass
NVNT	ac40	5310	-2.71	-2.85	0.23	10.59	Pass
NVNT	ax20	5260	0.54	0.87	3.72	10.59	Pass
NVNT	ax20	5300	0.04	0.28	3.17	10.59	Pass
NVNT	ax20	5320	0.28	0.45	3.38	10.59	Pass
NVNT	ax40	5270	-3.4	-3.55	-0.46	10.59	Pass
NVNT	ax40	5310	-2.9	-2.86	0.13	10.59	Pass

Test Graphs


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5300MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5300MHz Ant1




PSD NVNT n20 5320MHz Ant1




PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5300MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ax20 5260MHz Ant1




PSD NVNT ax20 5300MHz Ant1




PSD NVNT ax20 5320MHz Ant1




PSD NVNT ax40 5270MHz Ant1




PSD NVNT ax40 5310MHz Ant1




PSD NVNT a 5260MHz Ant2




PSD NVNT a 5300MHz Ant2




PSD NVNT a 5320MHz Ant2




PSD NVNT n20 5260MHz Ant2




PSD NVNT n20 5300MHz Ant2




PSD NVNT n20 5320MHz Ant2




PSD NVNT n40 5270MHz Ant2




PSD NVNT n40 5310MHz Ant2




PSD NVNT ac20 5260MHz Ant2




PSD NVNT ac20 5300MHz Ant2




PSD NVNT ac20 5320MHz Ant2




PSD NVNT ac40 5270MHz Ant2




PSD NVNT ac40 5310MHz Ant2




PSD NVNT ax20 5260MHz Ant2




PSD NVNT ax20 5300MHz Ant2




PSD NVNT ax20 5320MHz Ant2



PSD NVNT ax40 5270MHz Ant2



PSD NVNT ax40 5310MHz Ant2



5 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-51.33	3.4	-	47.33	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-58.69	3.4	0.24	40.21	Average	54	Pass
NVNT	a	5260	Ant1	5085	-45.75	3.4	-	52.91	Peak	68.2	Pass
NVNT	a	5260	Ant1	5000.76	-56.43	3.4	0.24	42.47	Average	54	Pass
NVNT	a	5260	Ant1	5150	-49.64	3.4	-	49.02	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-56.97	3.4	0.24	41.93	Average	54	Pass
NVNT	a	5320	Ant1	5350	-47.48	3.4	-	51.18	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-56.56	3.4	0.24	42.34	Average	54	Pass
NVNT	a	5320	Ant1	5350.4	-46.88	3.4	-	51.78	Peak	68.2	Pass
NVNT	a	5320	Ant1	5352.4	-56.31	3.4	0.24	42.59	Average	54	Pass
NVNT	a	5320	Ant1	5460	-51.18	3.4	-	47.48	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-57.75	3.4	0.24	41.15	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-50.73	3.4	-	47.93	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-58.45	3.4	0.12	40.33	Average	54	Pass
NVNT	n20	5260	Ant1	4864.26	-46.39	3.4	-	52.27	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5074.86	-56.43	3.4	0.12	42.35	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-48.45	3.4	-	50.21	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-57.03	3.4	0.12	41.75	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-44.09	3.4	-	54.57	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-54.96	3.4	0.12	43.82	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-49.34	3.4	-	49.32	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-58.06	3.4	0.12	40.72	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-49.34	3.4	-	49.32	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-58.06	3.4	0.12	40.72	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-51.05	3.4	-	47.61	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-58.45	3.4	0.23	40.44	Average	54	Pass
NVNT	n40	5270	Ant1	5041.08	-46.43	3.4	-	52.23	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5085.63	-56.28	3.4	0.23	42.61	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-49.75	3.4	-	48.91	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-56.91	3.4	0.23	41.98	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-45.98	3.4	-	52.68	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-55.27	3.4	0.23	43.62	Average	54	Pass
NVNT	n40	5310	Ant1	5351.2	-44.69	3.4	-	53.97	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-55.27	3.4	0.23	43.62	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-50.04	3.4	-	48.62	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-57.03	3.4	0.23	41.86	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-49.35	3.4	-	49.31	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4500	-59.01	3.4	0.12	39.77	Average	54	Pass
NVNT	ac20	5260	Ant1	5074.86	-44.27	3.4	-	54.39	Peak	68.2	Pass

NVNT	ac20	5260	Ant1	5110.74	-56.54	3.4	0.12	42.24	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-48.62	3.4	-	50.04	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-56.99	3.4	0.12	41.79	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-45.88	3.4	-	52.78	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-55.91	3.4	0.12	42.87	Average	54	Pass
NVNT	ac20	5320	Ant1	5351.2	-43.15	3.4	-	55.51	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.4	-55.59	3.4	0.12	43.19	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-47.81	3.4	-	50.85	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-57.52	3.4	0.12	41.26	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-50.75	3.4	-	47.91	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-58.71	3.4	0.24	40.19	Average	54	Pass
NVNT	ac40	5270	Ant1	4917.96	-46.35	3.4	-	52.31	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5016.78	-56.29	3.4	0.24	42.61	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-48.67	3.4	-	49.99	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.19	3.4	0.24	41.71	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-42.53	3.4	-	56.13	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-55.11	3.4	0.23	43.78	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-42.53	3.4	-	56.13	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.2	-54.7	3.4	0.23	44.19	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-49.44	3.4	-	49.22	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-57.72	3.4	0.23	41.17	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-50.4	3.4	-	48.26	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-58.9	3.4	0.12	39.88	Average	54	Pass
NVNT	ax20	5260	Ant1	4716.06	-46.46	3.4	-	52.20	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5045.22	-56.6	3.4	0.12	42.18	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-50.2	3.4	-	48.46	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-57.69	3.4	0.12	41.09	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-45.14	3.4	-	53.52	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-55.45	3.4	0.12	43.33	Average	54	Pass
NVNT	ax20	5320	Ant1	5351.8	-40.39	3.4	-	58.27	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-55.45	3.4	0.12	43.33	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-48.89	3.4	-	49.77	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-58.1	3.4	0.12	40.68	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-50.54	3.4	-	48.12	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-59.04	3.4	0.24	39.86	Average	54	Pass
NVNT	ax40	5270	Ant1	5122.08	-46.26	3.4	-	52.40	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5094.54	-56.52	3.4	0.24	42.38	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-48.34	3.4	-	50.32	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-57.97	3.4	0.24	40.93	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-44.85	3.4	-	53.81	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-55.54	3.4	0.23	43.35	Average	54	Pass
NVNT	ax40	5310	Ant1	5350.6	-43.2	3.4	-	55.46	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350.4	-54.83	3.4	0.23	44.06	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-50.08	3.4	-	48.58	Peak	68.2	Pass


NVNT	ax40	5310	Ant1	5460	-57.71	3.4	0.23	41.18	Average	54	Pass
------	------	------	------	------	--------	-----	------	-------	---------	----	------

Test Graphs


Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average




Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average




Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average




Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average




Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average




Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average




Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average




Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average




Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average




Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average




Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average




Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average




Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average



Restrict Band NVNT ax40 5310MHz Ant1 Peak



Restrict Band NVNT ax40 5310MHz Ant1 Average




Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-49.69	3.4	-	48.97	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-59.07	3.4	0.24	39.83	Average	54	Pass
NVNT	a	5260	Ant2	5009.34	-47.09	3.4	-	51.57	Peak	68.2	Pass
NVNT	a	5260	Ant2	5127.12	-56.55	3.4	0.24	42.35	Average	54	Pass
NVNT	a	5260	Ant2	5150	-49.42	3.4	-	49.24	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-57.5	3.4	0.24	41.40	Average	54	Pass
NVNT	a	5320	Ant2	5350	-49.79	3.4	-	48.87	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-55.91	3.4	0.24	42.99	Average	54	Pass
NVNT	a	5320	Ant2	5353.8	-45.71	3.4	-	52.95	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-55.91	3.4	0.24	42.99	Average	54	Pass
NVNT	a	5320	Ant2	5460	-49.84	3.4	-	48.82	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-57.55	3.4	0.24	41.35	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-51.45	3.4	-	47.21	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-58.7	3.4	0.12	40.08	Average	54	Pass
NVNT	n20	5260	Ant2	4994.52	-46.2	3.4	-	52.46	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5057.7	-56.51	3.4	0.12	42.27	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-48.68	3.4	-	49.98	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-57.32	3.4	0.12	41.46	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-45.46	3.4	-	53.20	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-56.13	3.4	0.12	42.65	Average	54	Pass
NVNT	n20	5320	Ant2	5350.2	-41.94	3.4	-	56.72	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350.4	-55.48	3.4	0.12	43.30	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-50.76	3.4	-	47.90	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-57.63	3.4	0.12	41.15	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-50.78	3.4	-	47.88	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-58.34	3.4	0.24	40.56	Average	54	Pass
NVNT	n40	5270	Ant2	4886.37	-46.26	3.4	-	52.40	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5145.57	-56.55	3.4	0.24	42.35	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-49.76	3.4	-	48.90	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-57.46	3.4	0.24	41.44	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-46.93	3.4	-	51.73	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-55.95	3.4	0.24	42.95	Average	54	Pass
NVNT	n40	5310	Ant2	5353.2	-44.69	3.4	-	53.97	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350.6	-55.56	3.4	0.24	43.34	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-48.37	3.4	-	50.29	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-57.58	3.4	0.24	41.32	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-50.35	3.4	-	48.31	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4500	-58.55	3.4	0.12	40.23	Average	54	Pass
NVNT	ac20	5260	Ant2	5095.14	-46.58	3.4	-	52.08	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5149.74	-56.28	3.4	0.12	42.50	Average	54	Pass


NVNT	ac20	5260	Ant2	5150	-48.03	3.4	-	50.63	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-56.28	3.4	0.12	42.50	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-44.03	3.4	-	54.63	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-56.37	3.4	0.12	42.41	Average	54	Pass
NVNT	ac20	5320	Ant2	5352.6	-40.52	3.4	-	58.14	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350.8	-55.78	3.4	0.12	43.00	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-49.66	3.4	-	49.00	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-57.58	3.4	0.12	41.20	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-50.61	3.4	-	48.05	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-58.88	3.4	0.23	40.01	Average	54	Pass
NVNT	ac40	5270	Ant2	4813.47	-45.53	3.4	-	53.13	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5148	-56.43	3.4	0.23	42.46	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-48.63	3.4	-	50.03	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-57.2	3.4	0.23	41.69	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-43.31	3.4	-	55.35	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-56.38	3.4	0.24	42.52	Average	54	Pass
NVNT	ac40	5310	Ant2	5351.2	-42.46	3.4	-	56.20	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5351.8	-55.37	3.4	0.24	43.53	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-50.35	3.4	-	48.31	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-57.35	3.4	0.24	41.55	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-51.39	3.4	-	47.27	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-58.87	3.4	0.12	39.91	Average	54	Pass
NVNT	ax20	5260	Ant2	5067.06	-45.77	3.4	-	52.89	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5059.26	-56.6	3.4	0.12	42.18	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-49.05	3.4	-	49.61	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-57.39	3.4	0.12	41.39	Average	54	Pass
NVNT	ax20	5320	Ant2	5350	-44.69	3.4	-	53.97	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-55.41	3.4	0.12	43.37	Average	54	Pass
NVNT	ax20	5320	Ant2	5350.4	-41.5	3.4	-	57.16	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-55.41	3.4	0.12	43.37	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-49.23	3.4	-	49.43	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-57.53	3.4	0.12	41.25	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-49.77	3.4	-	48.89	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-58.64	3.4	0.24	40.26	Average	54	Pass
NVNT	ax40	5270	Ant2	4874.22	-46.43	3.4	-	52.23	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5118.03	-56.4	3.4	0.24	42.50	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-48.83	3.4	-	49.83	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-57.26	3.4	0.24	41.64	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-42.19	3.4	-	56.47	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-55.29	3.4	0.24	43.61	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-42.19	3.4	-	56.47	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350.4	-55.05	3.4	0.24	43.85	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-50.7	3.4	-	47.96	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-57.12	3.4	0.24	41.78	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average




Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average




Restrict Band NVNT n20 5260MHz Ant2 Peak




Restrict Band NVNT n20 5260MHz Ant2 Average




Restrict Band NVNT n20 5320MHz Ant2 Peak




Restrict Band NVNT n20 5320MHz Ant2 Average




Restrict Band NVNT n40 5270MHz Ant2 Peak




Restrict Band NVNT n40 5270MHz Ant2 Average




Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average




Restrict Band NVNT ac20 5260MHz Ant2 Peak




Restrict Band NVNT ac20 5260MHz Ant2 Average



Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average



[illegible][illegible]

Restrict Band NVNT ac40 5310MHz Ant2 Peak



Restrict Band NVNT ac40 5310MHz Ant2 Average

