

FCC Appendix RF Test Data for 5.8GWIFI

FCC ID : 2A4GN-N6

Company: : Shenzhen Ruiying Electronic Co., Ltd

EUT : Projector

Model Number : N5

Report No. : CTA25072501504


Reviewed By : Eric Wang

1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.344	≥ 0.5	Pass
NVNT	a	5785	Ant1	16.331	≥ 0.5	Pass
NVNT	a	5825	Ant1	16.314	≥ 0.5	Pass
NVNT	n20	5745	Ant1	17.406	≥ 0.5	Pass
NVNT	n20	5785	Ant1	17.26	≥ 0.5	Pass
NVNT	n20	5825	Ant1	17.517	≥ 0.5	Pass
NVNT	n40	5755	Ant1	36.283	≥ 0.5	Pass
NVNT	n40	5795	Ant1	36.289	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	17.556	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	17.355	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	17.407	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	36.266	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	36.279	≥ 0.5	Pass
NVNT	ax20	5745	Ant1	17.537	≥ 0.5	Pass
NVNT	ax20	5785	Ant1	17.403	≥ 0.5	Pass
NVNT	ax20	5825	Ant1	17.378	≥ 0.5	Pass
NVNT	ax40	5755	Ant1	36.425	≥ 0.5	Pass
NVNT	ax40	5795	Ant1	36.25	≥ 0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1

Agilent Spectrum Analyzer - Occupied BW

SENSE: PULSE ALIGN: AUTO 11:11:26 AM Aug 01, 2025

Center Freq 5.82500000 GHz **Center Freq: 5.825000000 GHz** **Radio Std: None**
 Trig: Free Run Avg/Hold: 100/100
 #IF Gain: Low #Atten: 30 dB **Radio Device: BTS**

Ref Offset 4.03 dB **Mkr3 5.833708 GHz**
Ref 24.03 dBm **-7.6134 dBm**

10 dB/div Log

Center 5.825 GHz **Span 30 MHz**
#Res BW 100 kHz **#VBW 300 kHz** **Sweep 3.333 ms**

Occupied Bandwidth		Total Power	
17.575 MHz		17.7 dBm	

Transmit Freq Error		OBW Power	
4.230 kHz		99.00 %	

x dB Bandwidth		x dB	
17.41 MHz		-6.00 dB	

MSG STATUS

-6dB Bandwidth NVNT ac40 5755MHz Ant1

Agilent Spectrum Analyzer - Occupied BW

R RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 11:19:52 AM Aug 01, 2025

Center Freq 5.755000000 GHz Center Freq: 5.755000000 GHz Radio Std: None
Trig: Free Run Avg|Hold: 100/100
#IF Gain: Low #Atten: 30 dB Radio Device: BTS


10 dB/div Ref Offset 3.54 dB Mkr3 5.773125 GHz
Log Ref 23.54 dBm -10.663 dBm

Center 5.755 GHz Span 60 MHz
#Res BW 100 kHz #VBW 300 kHz Sweep 6 ms


Occupied Bandwidth	Total Power	17.2 dBm
36.104 MHz		
Transmit Freq Error	-8.016 kHz	OBW Power 99.00 %
x dB Bandwidth	36.27 MHz	x dB -6.00 dB

MSG STATUS


-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1




-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant1




-6dB Bandwidth NVNT ax40 5795MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant2	16.327	≥ 0.5	Pass
NVNT	a	5785	Ant2	16.332	≥ 0.5	Pass
NVNT	a	5825	Ant2	16.336	≥ 0.5	Pass
NVNT	n20	5745	Ant2	17.535	≥ 0.5	Pass
NVNT	n20	5785	Ant2	17.368	≥ 0.5	Pass
NVNT	n20	5825	Ant2	17.259	≥ 0.5	Pass
NVNT	n40	5755	Ant2	35.863	≥ 0.5	Pass
NVNT	n40	5795	Ant2	35.874	≥ 0.5	Pass
NVNT	ac20	5745	Ant2	17.512	≥ 0.5	Pass
NVNT	ac20	5785	Ant2	17.292	≥ 0.5	Pass
NVNT	ac20	5825	Ant2	17.183	≥ 0.5	Pass
NVNT	ac40	5755	Ant2	35.756	≥ 0.5	Pass
NVNT	ac40	5795	Ant2	35.81	≥ 0.5	Pass
NVNT	ax20	5745	Ant2	17.378	≥ 0.5	Pass
NVNT	ax20	5785	Ant2	17.253	≥ 0.5	Pass
NVNT	ax20	5825	Ant2	17.244	≥ 0.5	Pass
NVNT	ax40	5755	Ant2	35.904	≥ 0.5	Pass
NVNT	ax40	5795	Ant2	35.856	≥ 0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant2




-6dB Bandwidth NVNT a 5785MHz Ant2




-6dB Bandwidth NVNT a 5825MHz Ant2




-6dB Bandwidth NVNT n20 5745MHz Ant2




-6dB Bandwidth NVNT n20 5785MHz Ant2




-6dB Bandwidth NVNT n20 5825MHz Ant2




-6dB Bandwidth NVNT n40 5755MHz Ant2




-6dB Bandwidth NVNT n40 5795MHz Ant2




-6dB Bandwidth NVNT ac20 5745MHz Ant2




-6dB Bandwidth NVNT ac20 5785MHz Ant2




-6dB Bandwidth NVNT ac20 5825MHz Ant2




-6dB Bandwidth NVNT ac40 5755MHz Ant2




-6dB Bandwidth NVNT ac40 5795MHz Ant2




-6dB Bandwidth NVNT ax20 5745MHz Ant2




-6dB Bandwidth NVNT ax20 5785MHz Ant2




-6dB Bandwidth NVNT ax20 5825MHz Ant2



-6dB Bandwidth NVNT ax40 5755MHz Ant2



-6dB Bandwidth NVNT ax40 5795MHz Ant2




2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.543
NVNT	a	5785	Ant1	16.557
NVNT	a	5825	Ant1	16.522
NVNT	n20	5745	Ant1	17.612
NVNT	n20	5785	Ant1	17.62
NVNT	n20	5825	Ant1	17.621
NVNT	n40	5755	Ant1	36.321
NVNT	n40	5795	Ant1	36.241
NVNT	ac20	5745	Ant1	17.645
NVNT	ac20	5785	Ant1	17.606
NVNT	ac20	5825	Ant1	17.62
NVNT	ac40	5755	Ant1	36.258
NVNT	ac40	5795	Ant1	36.259
NVNT	ax20	5745	Ant1	17.641
NVNT	ax20	5785	Ant1	17.621
NVNT	ax20	5825	Ant1	17.632
NVNT	ax40	5755	Ant1	36.315
NVNT	ax40	5795	Ant1	36.272

Test Graphs


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5785MHz Ant1




OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax40 5755MHz Ant1




OBW NVNT ax40 5795MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant2	16.542
NVNT	a	5785	Ant2	16.546
NVNT	a	5825	Ant2	16.532
NVNT	n20	5745	Ant2	17.621
NVNT	n20	5785	Ant2	17.619
NVNT	n20	5825	Ant2	17.638
NVNT	n40	5755	Ant2	36.11
NVNT	n40	5795	Ant2	36.077
NVNT	ac20	5745	Ant2	17.63
NVNT	ac20	5785	Ant2	17.619
NVNT	ac20	5825	Ant2	17.656
NVNT	ac40	5755	Ant2	36.119
NVNT	ac40	5795	Ant2	36.073
NVNT	ax20	5745	Ant2	17.635
NVNT	ax20	5785	Ant2	17.622
NVNT	ax20	5825	Ant2	17.624
NVNT	ax40	5755	Ant2	36.108
NVNT	ax40	5795	Ant2	36.085

Test Graphs


OBW NVNT a 5745MHz Ant2




OBW NVNT a 5785MHz Ant2




OBW NVNT a 5825MHz Ant2




OBW NVNT n20 5745MHz Ant2




OBW NVNT n20 5785MHz Ant2




OBW NVNT n20 5825MHz Ant2




OBW NVNT n40 5755MHz Ant2




OBW NVNT n40 5795MHz Ant2




OBW NVNT ac20 5745MHz Ant2




OBW NVNT ac20 5785MHz Ant2




OBW NVNT ac20 5825MHz Ant2




OBW NVNT ac40 5755MHz Ant2




OBW NVNT ac40 5795MHz Ant2




OBW NVNT ax20 5745MHz Ant2




OBW NVNT ax20 5785MHz Ant2




OBW NVNT ax20 5825MHz Ant2



OBW NVNT ax40 5755MHz Ant2



OBW NVNT ax40 5795MHz Ant2



3 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.08	0.24	12.32	30	Pass
NVNT	a	5785	Ant1	11.31	0.24	11.55	30	Pass
NVNT	a	5825	Ant1	11.42	0.24	11.66	30	Pass
NVNT	n20	5745	Ant1	11.44	0.12	11.56	30	Pass
NVNT	n20	5785	Ant1	11.67	0.12	11.79	30	Pass
NVNT	n20	5825	Ant1	11.82	0.12	11.94	30	Pass
NVNT	n40	5755	Ant1	10.54	0.24	10.78	30	Pass
NVNT	n40	5795	Ant1	10.02	0.24	10.26	30	Pass
NVNT	ac20	5745	Ant1	11.5	0.12	11.62	30	Pass
NVNT	ac20	5785	Ant1	10.96	0.12	11.08	30	Pass
NVNT	ac20	5825	Ant1	11.53	0.12	11.65	30	Pass
NVNT	ac40	5755	Ant1	10.57	0.24	10.81	30	Pass
NVNT	ac40	5795	Ant1	10.05	0.23	10.28	30	Pass
NVNT	ax20	5745	Ant1	11.43	0.12	11.55	30	Pass
NVNT	ax20	5785	Ant1	11.39	0.12	11.51	30	Pass
NVNT	ax20	5825	Ant1	11.53	0.12	11.65	30	Pass
NVNT	ax40	5755	Ant1	10.62	0.24	10.86	30	Pass
NVNT	ax40	5795	Ant1	9.95	0.24	10.19	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	11.44	0.24	11.68	30	Pass
NVNT	a	5785	Ant2	11.82	0.24	12.06	30	Pass
NVNT	a	5825	Ant2	11.97	0.24	12.21	30	Pass
NVNT	n20	5745	Ant2	10.89	0.12	11.01	30	Pass
NVNT	n20	5785	Ant2	10.47	0.12	10.59	30	Pass
NVNT	n20	5825	Ant2	11.42	0.12	11.54	30	Pass
NVNT	n40	5755	Ant2	10.03	0.24	10.27	30	Pass
NVNT	n40	5795	Ant2	10.29	0.24	10.53	30	Pass
NVNT	ac20	5745	Ant2	10.92	0.12	11.04	30	Pass
NVNT	ac20	5785	Ant2	10.53	0.12	10.65	30	Pass
NVNT	ac20	5825	Ant2	11.24	0.12	11.36	30	Pass
NVNT	ac40	5755	Ant2	10.08	0.24	10.32	30	Pass
NVNT	ac40	5795	Ant2	10.35	0.24	10.59	30	Pass
NVNT	ax20	5745	Ant2	10.88	0.12	11	30	Pass
NVNT	ax20	5785	Ant2	10.5	0.12	10.62	30	Pass
NVNT	ax20	5825	Ant2	11.15	0.12	11.27	30	Pass
NVNT	ax40	5755	Ant2	10.1	0.24	10.34	30	Pass
NVNT	ax40	5795	Ant2	10.3	0.24	10.54	30	Pass

MIMO

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	11.56	11.01	14.30	29.59	Pass
NVNT	n20	5785	11.79	10.59	14.24	29.59	Pass
NVNT	n20	5825	11.94	11.54	14.75	29.59	Pass
NVNT	n40	5755	10.78	10.27	13.54	29.59	Pass
NVNT	n40	5795	10.26	10.53	13.41	29.59	Pass
NVNT	ac20	5745	11.62	11.04	14.35	29.59	Pass
NVNT	ac20	5785	11.08	10.65	13.88	29.59	Pass
NVNT	ac20	5825	11.65	11.36	14.52	29.59	Pass
NVNT	ac40	5755	10.81	10.32	13.58	29.59	Pass
NVNT	ac40	5795	10.28	10.59	13.45	29.59	Pass
NVNT	ax20	5745	11.55	11	14.29	29.59	Pass
NVNT	ax20	5785	11.51	10.62	14.10	29.59	Pass
NVNT	ax20	5825	11.65	11.27	14.47	29.59	Pass
NVNT	ax40	5755	10.86	10.34	13.62	29.59	Pass
NVNT	ax40	5795	10.19	10.54	13.38	29.59	Pass

4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant1	-1.45	0.24	-1.21	30	Pass
NVNT	a	5785	Ant1	-2.07	0.24	-1.83	30	Pass
NVNT	a	5825	Ant1	-2.12	0.24	-1.88	30	Pass
NVNT	n20	5745	Ant1	-2.25	0.12	-2.13	30	Pass
NVNT	n20	5785	Ant1	-2.2	0.12	-2.08	30	Pass
NVNT	n20	5825	Ant1	-2.08	0.12	-1.96	30	Pass
NVNT	n40	5755	Ant1	-6.23	0.24	-5.99	30	Pass
NVNT	n40	5795	Ant1	-6.82	0.24	-6.58	30	Pass
NVNT	ac20	5745	Ant1	-2.41	0.12	-2.29	30	Pass
NVNT	ac20	5785	Ant1	-2.5	0.12	-2.38	30	Pass
NVNT	ac20	5825	Ant1	-2.09	0.12	-1.97	30	Pass
NVNT	ac40	5755	Ant1	-5.85	0.24	-5.61	30	Pass
NVNT	ac40	5795	Ant1	-6.84	0.23	-6.61	30	Pass
NVNT	ax20	5745	Ant1	-2.47	0.12	-2.35	30	Pass
NVNT	ax20	5785	Ant1	-2.64	0.12	-2.52	30	Pass
NVNT	ax20	5825	Ant1	-2.27	0.12	-2.15	30	Pass
NVNT	ax40	5755	Ant1	-5.75	0.24	-5.51	30	Pass
NVNT	ax40	5795	Ant1	-6.84	0.24	-6.6	30	Pass


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant2	-2.11	0.24	-1.87	30	Pass
NVNT	a	5785	Ant2	-1.77	0.24	-1.53	30	Pass
NVNT	a	5825	Ant2	-1.96	0.24	-1.72	30	Pass
NVNT	n20	5745	Ant2	-3.13	0.12	-3.01	30	Pass
NVNT	n20	5785	Ant2	-3.45	0.12	-3.33	30	Pass
NVNT	n20	5825	Ant2	-2.38	0.12	-2.26	30	Pass
NVNT	n40	5755	Ant2	-6.55	0.24	-6.31	30	Pass
NVNT	n40	5795	Ant2	-6.01	0.24	-5.77	30	Pass
NVNT	ac20	5745	Ant2	-3.01	0.12	-2.89	30	Pass
NVNT	ac20	5785	Ant2	-3.42	0.12	-3.3	30	Pass
NVNT	ac20	5825	Ant2	-2.79	0.12	-2.67	30	Pass
NVNT	ac40	5755	Ant2	-6.71	0.24	-6.47	30	Pass
NVNT	ac40	5795	Ant2	-6.52	0.24	-6.28	30	Pass
NVNT	ax20	5745	Ant2	-2.97	0.12	-2.85	30	Pass
NVNT	ax20	5785	Ant2	-2.79	0.12	-2.67	30	Pass
NVNT	ax20	5825	Ant2	-2.84	0.12	-2.72	30	Pass
NVNT	ax40	5755	Ant2	-6.62	0.24	-6.38	30	Pass
NVNT	ax40	5795	Ant2	-6.08	0.24	-5.84	30	Pass

MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/500KHz)			Limit (dBm/500KHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	-2.13	-3.01	0.46	29.59	Pass
NVNT	n20	5785	-2.08	-3.33	0.35	29.59	Pass
NVNT	n20	5825	-1.96	-2.26	0.90	29.59	Pass
NVNT	n40	5755	-5.99	-6.31	-3.14	29.59	Pass
NVNT	n40	5795	-6.58	-5.77	-3.15	29.59	Pass
NVNT	ac20	5745	-2.29	-2.89	0.43	29.59	Pass
NVNT	ac20	5785	-2.38	-3.3	0.19	29.59	Pass
NVNT	ac20	5825	-1.97	-2.67	0.70	29.59	Pass
NVNT	ac40	5755	-5.61	-6.47	-3.01	29.59	Pass
NVNT	ac40	5795	-6.61	-6.28	-3.43	29.59	Pass
NVNT	ax20	5745	-2.35	-2.85	0.42	29.59	Pass
NVNT	ax20	5785	-2.52	-2.67	0.42	29.59	Pass
NVNT	ax20	5825	-2.15	-2.72	0.58	29.59	Pass
NVNT	ax40	5755	-5.51	-6.38	-2.91	29.59	Pass
NVNT	ax40	5795	-6.6	-5.84	-3.19	29.59	Pass

Test Graphs


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1




PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ax20 5745MHz Ant1




PSD NVNT ax20 5785MHz Ant1




PSD NVNT ax20 5825MHz Ant1




PSD NVNT ax40 5755MHz Ant1




PSD NVNT ax40 5795MHz Ant1




PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2




PSD NVNT a 5825MHz Ant2




PSD NVNT n20 5745MHz Ant2




PSD NVNT n20 5785MHz Ant2




PSD NVNT n20 5825MHz Ant2




PSD NVNT n40 5755MHz Ant2




PSD NVNT n40 5795MHz Ant2




PSD NVNT ac20 5745MHz Ant2




PSD NVNT ac20 5785MHz Ant2




PSD NVNT ac20 5825MHz Ant2




PSD NVNT ac40 5755MHz Ant2




PSD NVNT ac40 5795MHz Ant2




PSD NVNT ax20 5745MHz Ant2




PSD NVNT ax20 5785MHz Ant2




PSD NVNT ax20 5825MHz Ant2



PSD NVNT ax40 5755MHz Ant2



PSD NVNT ax40 5795MHz Ant2



5 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	5650	-49.78	3.4	-	-46.38	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-57.3	3.4	0.24	-53.66	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-46.42	3.4	-	-43.02	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-54.26	3.4	0.24	-50.62	Average	10	Pass
NVNT	a	5745	Ant1	5720	-30.94	3.4	-	-27.54	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-47.75	3.4	0.24	-44.11	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-28.19	3.4	-	-24.79	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-43.19	3.4	0.24	-39.55	Average	27	Pass
NVNT	a	5825	Ant1	5850	-34.51	3.4	-	-31.11	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-47.69	3.4	0.24	-44.05	Average	27	Pass
NVNT	a	5825	Ant1	5855	-35.89	3.4	-	-32.49	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-52.95	3.4	0.24	-49.31	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-47.09	3.4	-	-43.69	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-55.13	3.4	0.24	-51.49	Average	10	Pass
NVNT	a	5825	Ant1	5925	-46.84	3.4	-	-43.44	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-55.91	3.4	0.24	-52.27	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-46.83	3.4	-	-43.43	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-56.69	3.4	0.12	-53.17	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-46.96	3.4	-	-43.56	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-55.16	3.4	0.12	-51.64	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-32.2	3.4	-	-28.80	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-45.13	3.4	0.12	-41.61	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-23.22	3.4	-	-19.82	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-37.89	3.4	0.12	-34.37	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-36.47	3.4	-	-33.07	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-45.8	3.4	0.12	-42.28	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-38.93	3.4	-	-35.53	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-51.35	3.4	0.12	-47.83	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-47.45	3.4	-	-44.05	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-55.38	3.4	0.12	-51.86	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-46.91	3.4	-	-43.51	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-55.78	3.4	0.12	-52.26	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-48.31	3.4	-	-44.91	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-56.11	3.4	0.24	-52.47	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-46.39	3.4	-	-42.99	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-54.26	3.4	0.24	-50.62	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-31.57	3.4	-	-28.17	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-42.94	3.4	0.24	-39.30	Average	15.6	Pass
NVNT	n40	5755	Ant1	5725	-27.97	3.4	-	-24.57	Peak	27	Pass

NVNT	n40	5755	Ant1	5725	-41.78	3.4	0.24	-38.14	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-46.61	3.4	-	-43.21	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-56.07	3.4	0.24	-52.43	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-48.83	3.4	-	-45.43	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-56.48	3.4	0.24	-52.84	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-50.78	3.4	-	-47.38	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-57.64	3.4	0.24	-54.00	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-49.84	3.4	-	-46.44	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-57.63	3.4	0.24	-53.99	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-49.16	3.4	-	-45.76	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-56.97	3.4	0.12	-53.45	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-45.78	3.4	-	-42.38	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-54.06	3.4	0.12	-50.54	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-28.51	3.4	-	-25.11	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-44.53	3.4	0.12	-41.01	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-23.49	3.4	-	-20.09	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-40.87	3.4	0.12	-37.35	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-33.03	3.4	-	-29.63	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-45.25	3.4	0.12	-41.73	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-37.58	3.4	-	-34.18	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-52.17	3.4	0.12	-48.65	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-47.32	3.4	-	-43.92	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-55.26	3.4	0.12	-51.74	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-48.27	3.4	-	-44.87	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-56.05	3.4	0.12	-52.53	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-49.06	3.4	-	-45.66	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-56.25	3.4	0.24	-52.61	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-45.59	3.4	-	-42.19	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-53.6	3.4	0.24	-49.96	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-32.69	3.4	-	-29.29	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-44.39	3.4	0.24	-40.75	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-28.69	3.4	-	-25.29	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-40.6	3.4	0.24	-36.96	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-46.47	3.4	-	-43.07	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-55.65	3.4	0.23	-52.02	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-48.65	3.4	-	-45.25	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-55.83	3.4	0.23	-52.20	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-50.47	3.4	-	-47.07	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-57.47	3.4	0.23	-53.84	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-48.24	3.4	-	-44.84	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-57.21	3.4	0.23	-53.58	Average	-27	Pass
NVNT	ax20	5745	Ant1	5650	-48.25	3.4	-	-44.85	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-57.3	3.4	0.12	-53.78	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-45.18	3.4	-	-41.78	Peak	10	Pass


NVNT	ax20	5745	Ant1	5700	-53.72	3.4	0.12	-50.20	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-30.54	3.4	-	-27.14	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-45.27	3.4	0.12	-41.75	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-23.82	3.4	-	-20.42	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-39.19	3.4	0.12	-35.67	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-33.41	3.4	-	-30.01	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-46.18	3.4	0.12	-42.66	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-39.9	3.4	-	-36.50	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-52.64	3.4	0.12	-49.12	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-47.37	3.4	-	-43.97	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-54.88	3.4	0.12	-51.36	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-46.7	3.4	-	-43.30	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-56.3	3.4	0.12	-52.78	Average	-27	Pass
NVNT	ax40	5755	Ant1	5650	-49.15	3.4	-	-45.75	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-56.98	3.4	0.24	-53.34	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-44.85	3.4	-	-41.45	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-53.25	3.4	0.24	-49.61	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-30.28	3.4	-	-26.88	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-45.11	3.4	0.24	-41.47	Average	15.6	Pass
NVNT	ax40	5755	Ant1	5725	-23.59	3.4	-	-20.19	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-41.23	3.4	0.24	-37.59	Average	27	Pass
NVNT	ax40	5795	Ant1	5850	-45.79	3.4	-	-42.39	Peak	27	Pass
NVNT	ax40	5795	Ant1	5850	-55.63	3.4	0.24	-51.99	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-47.52	3.4	-	-44.12	Peak	15.6	Pass
NVNT	ax40	5795	Ant1	5855	-56.26	3.4	0.24	-52.62	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-49.57	3.4	-	-46.17	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-57.05	3.4	0.24	-53.41	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-50.14	3.4	-	-46.74	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-57.31	3.4	0.24	-53.67	Average	-27	Pass

Test Graphs


Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average




Restrict Band NVNT a 5825MHz Ant1 Peak




Restrict Band NVNT a 5825MHz Ant1 Average




Restrict Band NVNT n20 5745MHz Ant1 Peak




Restrict Band NVNT n20 5745MHz Ant1 Average




Restrict Band NVNT n20 5825MHz Ant1 Peak




Restrict Band NVNT n20 5825MHz Ant1 Average




Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average




Restrict Band NVNT n40 5795MHz Ant1 Peak




Restrict Band NVNT n40 5795MHz Ant1 Average




Restrict Band NVNT ac20 5745MHz Ant1 Peak




Restrict Band NVNT ac20 5745MHz Ant1 Average




Restrict Band NVNT ac20 5825MHz Ant1 Peak




Restrict Band NVNT ac20 5825MHz Ant1 Average




Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average




Restrict Band NVNT ac40 5795MHz Ant1 Peak




Restrict Band NVNT ac40 5795MHz Ant1 Average




Restrict Band NVNT ax20 5745MHz Ant1 Peak




Restrict Band NVNT ax20 5745MHz Ant1 Average




Restrict Band NVNT ax20 5825MHz Ant1 Peak




Restrict Band NVNT ax20 5825MHz Ant1 Average




Restrict Band NVNT ax40 5755MHz Ant1 Peak




Restrict Band NVNT ax40 5755MHz Ant1 Average



Restrict Band NVNT ax40 5795MHz Ant1 Peak



Restrict Band NVNT ax40 5795MHz Ant1 Average




Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-48.51	3.4	-	-45.11	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-56.95	3.4	0.24	-53.31	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-45.59	3.4	-	-42.19	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-55.33	3.4	0.24	-51.69	Average	10	Pass
NVNT	a	5745	Ant2	5720	-35.88	3.4	-	-32.48	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-47.67	3.4	0.24	-44.03	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-26.23	3.4	-	-22.83	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-43.47	3.4	0.24	-39.83	Average	27	Pass
NVNT	a	5825	Ant2	5850	-36.99	3.4	-	-33.59	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-47.72	3.4	0.24	-44.08	Average	27	Pass
NVNT	a	5825	Ant2	5855	-37.66	3.4	-	-34.26	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-52.33	3.4	0.24	-48.69	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-47.25	3.4	-	-43.85	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-55.42	3.4	0.24	-51.78	Average	10	Pass
NVNT	a	5825	Ant2	5925	-47.23	3.4	-	-43.83	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-55.87	3.4	0.24	-52.23	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-48.58	3.4	-	-45.18	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-57.05	3.4	0.12	-53.53	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-45.34	3.4	-	-41.94	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-54.81	3.4	0.12	-51.29	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-30.31	3.4	-	-26.91	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-45.01	3.4	0.12	-41.49	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-24.45	3.4	-	-21.05	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-40.3	3.4	0.12	-36.78	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-35.51	3.4	-	-32.11	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-46.3	3.4	0.12	-42.78	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-38.1	3.4	-	-34.70	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-52.07	3.4	0.12	-48.55	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-47.83	3.4	-	-44.43	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-54.96	3.4	0.12	-51.44	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-47.6	3.4	-	-44.20	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-55.7	3.4	0.12	-52.18	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-49.44	3.4	-	-46.04	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-56.9	3.4	0.24	-53.26	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-44.39	3.4	-	-40.99	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-53.24	3.4	0.24	-49.60	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-33.64	3.4	-	-30.24	Peak	15.6	Pass
NVNT	n40	5755	Ant2	5720	-45.38	3.4	0.24	-41.74	Average	15.6	Pass
NVNT	n40	5755	Ant2	5725	-28.24	3.4	-	-24.84	Peak	27	Pass
NVNT	n40	5755	Ant2	5725	-42.95	3.4	0.24	-39.31	Average	27	Pass

NVNT	n40	5795	Ant2	5850	-44.44	3.4	-	-41.04	Peak	27	Pass
NVNT	n40	5795	Ant2	5850	-53.23	3.4	0.24	-49.59	Average	27	Pass
NVNT	n40	5795	Ant2	5855	-45.88	3.4	-	-42.48	Peak	15.6	Pass
NVNT	n40	5795	Ant2	5855	-54.64	3.4	0.24	-51.00	Average	15.6	Pass
NVNT	n40	5795	Ant2	5875	-49.29	3.4	-	-45.89	Peak	10	Pass
NVNT	n40	5795	Ant2	5875	-57.33	3.4	0.24	-53.69	Average	10	Pass
NVNT	n40	5795	Ant2	5925	-49.48	3.4	-	-46.08	Peak	-27	Pass
NVNT	n40	5795	Ant2	5925	-57.4	3.4	0.24	-53.76	Average	-27	Pass
NVNT	ac20	5745	Ant2	5650	-49.14	3.4	-	-45.74	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-56.99	3.4	0.12	-53.47	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-47.11	3.4	-	-43.71	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-54.83	3.4	0.12	-51.31	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-28.48	3.4	-	-25.08	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-47.62	3.4	0.12	-44.10	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-24.52	3.4	-	-21.12	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-40.88	3.4	0.12	-37.36	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-33.77	3.4	-	-30.37	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-46	3.4	0.12	-42.48	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-40.96	3.4	-	-37.56	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-50.93	3.4	0.12	-47.41	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-46.81	3.4	-	-43.41	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-55.34	3.4	0.12	-51.82	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-48.62	3.4	-	-45.22	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-55.59	3.4	0.12	-52.07	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-49.76	3.4	-	-46.36	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-57.28	3.4	0.24	-53.64	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-44.22	3.4	-	-40.82	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-52.68	3.4	0.24	-49.04	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-34.71	3.4	-	-31.31	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-44.82	3.4	0.24	-41.18	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-28.67	3.4	-	-25.27	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-43.5	3.4	0.24	-39.86	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-41.65	3.4	-	-38.25	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-52.96	3.4	0.24	-49.32	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-45.53	3.4	-	-42.13	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-54.32	3.4	0.24	-50.68	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-48.92	3.4	-	-45.52	Peak	10	Pass
NVNT	ac40	5795	Ant2	5875	-56.88	3.4	0.24	-53.24	Average	10	Pass
NVNT	ac40	5795	Ant2	5925	-49.13	3.4	-	-45.73	Peak	-27	Pass
NVNT	ac40	5795	Ant2	5925	-57.26	3.4	0.24	-53.62	Average	-27	Pass
NVNT	ax20	5745	Ant2	5650	-47.48	3.4	-	-44.08	Peak	-27	Pass
NVNT	ax20	5745	Ant2	5650	-56.79	3.4	0.12	-53.27	Average	-27	Pass
NVNT	ax20	5745	Ant2	5700	-48.2	3.4	-	-44.80	Peak	10	Pass
NVNT	ax20	5745	Ant2	5700	-54.72	3.4	0.12	-51.20	Average	10	Pass


NVNT	ax20	5745	Ant2	5720	-31.05	3.4	-	-27.65	Peak	15.6	Pass
NVNT	ax20	5745	Ant2	5720	-45.77	3.4	0.12	-42.25	Average	15.6	Pass
NVNT	ax20	5745	Ant2	5725	-25.48	3.4	-	-22.08	Peak	27	Pass
NVNT	ax20	5745	Ant2	5725	-39.5	3.4	0.12	-35.98	Average	27	Pass
NVNT	ax20	5825	Ant2	5850	-35.4	3.4	-	-32.00	Peak	27	Pass
NVNT	ax20	5825	Ant2	5850	-45.53	3.4	0.12	-42.01	Average	27	Pass
NVNT	ax20	5825	Ant2	5855	-41.3	3.4	-	-37.90	Peak	15.6	Pass
NVNT	ax20	5825	Ant2	5855	-51.09	3.4	0.12	-47.57	Average	15.6	Pass
NVNT	ax20	5825	Ant2	5875	-47.91	3.4	-	-44.51	Peak	10	Pass
NVNT	ax20	5825	Ant2	5875	-55.51	3.4	0.12	-51.99	Average	10	Pass
NVNT	ax20	5825	Ant2	5925	-48.77	3.4	-	-45.37	Peak	-27	Pass
NVNT	ax20	5825	Ant2	5925	-56.36	3.4	0.12	-52.84	Average	-27	Pass
NVNT	ax40	5755	Ant2	5650	-47.79	3.4	-	-44.39	Peak	-27	Pass
NVNT	ax40	5755	Ant2	5650	-56.93	3.4	0.24	-53.29	Average	-27	Pass
NVNT	ax40	5755	Ant2	5700	-45.52	3.4	-	-42.12	Peak	10	Pass
NVNT	ax40	5755	Ant2	5700	-53.17	3.4	0.24	-49.53	Average	10	Pass
NVNT	ax40	5755	Ant2	5720	-33.81	3.4	-	-30.41	Peak	15.6	Pass
NVNT	ax40	5755	Ant2	5720	-44.51	3.4	0.24	-40.87	Average	15.6	Pass
NVNT	ax40	5755	Ant2	5725	-28.54	3.4	-	-25.14	Peak	27	Pass
NVNT	ax40	5755	Ant2	5725	-42.64	3.4	0.24	-39.00	Average	27	Pass
NVNT	ax40	5795	Ant2	5850	-44.22	3.4	-	-40.82	Peak	27	Pass
NVNT	ax40	5795	Ant2	5850	-53.41	3.4	0.24	-49.77	Average	27	Pass
NVNT	ax40	5795	Ant2	5855	-45	3.4	-	-41.60	Peak	15.6	Pass
NVNT	ax40	5795	Ant2	5855	-54.27	3.4	0.24	-50.63	Average	15.6	Pass
NVNT	ax40	5795	Ant2	5875	-48.33	3.4	-	-44.93	Peak	10	Pass
NVNT	ax40	5795	Ant2	5875	-57.2	3.4	0.24	-53.56	Average	10	Pass
NVNT	ax40	5795	Ant2	5925	-49.5	3.4	-	-46.10	Peak	-27	Pass
NVNT	ax40	5795	Ant2	5925	-56.99	3.4	0.24	-53.35	Average	-27	Pass

Test Graphs


Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average




Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average




Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average




Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average




Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average




Restrict Band NVNT n40 5795MHz Ant2 Peak




Restrict Band NVNT n40 5795MHz Ant2 Average




Restrict Band NVNT ac20 5745MHz Ant2 Peak




Restrict Band NVNT ac20 5745MHz Ant2 Average




Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average




Restrict Band NVNT ac40 5755MHz Ant2 Peak



Restrict Band NVNT ac40 5755MHz Ant2 Average



Restrict Band NVNT ac40 5795MHz Ant2 Peak



Restrict Band NVNT ac40 5795MHz Ant2 Average

