

深圳市深联宇电子有限公司

Shenzhen Shenlianyu Electronics Co., Ltd

承认书

Acknowledgement

客户名称：正海欣 Zhenghaixin客 户 料 号：501LX06U40000产品名称：手表充电线圈 Watch charging coil产品料号：SLY 25P-6R4-L12

issuing date	number
2022-10-20	SLY-ZHX-002

work out	Auditing	ratify
Xiang-ping zhang	Chen Zhanliang	Lai Wei

深圳市深联宇电子有限公司 Shenzhen Shenlianyu Electronics Co., Ltd	number	SLY-ZHX-002	issuing date	2022-10-20
	edition	A	effective date	2022-10-20
HD-Series sample admission	Revision times	0	page	1 /2

edition	Change resume	person	times
A	new issue: 2022 年 10 月 20 日	Chen meiling	2022-10-20
B			
C			

深圳市深联宇电子有限公司 Shenzhen Shenlianyu Electronics Co., Ltd	number	SLY-ZHX-002	issuing date	2022-10-20
	edition	A	effective date	2022-10-20
HD-Series sample admission	Revision times	0	page	2/2

1.外形尺寸 size:(mm)

Technical drawing of an inductor showing top and side views with dimensions:

- Top view diameters: $\phi 7.8 \pm 0.15$, 15.5 ± 0.2 , $\phi 24.6 \pm 0.2$
- Wire diameter: 2 ± 1
- Lead length: 12 ± 1
- Side view height: 2.52 ± 0.2

2. 电气特性 electrical character:

inductance value L	6.4uH+5%	test condition	100KHz/1V	测试仪器:measuring and test instruments:
direct-current resistance(DCR)	120mΩ Max	test condition	100KHz/1V	digital electric bridge
Q value	≥35	test condition	100KHz/1V	TH2817C+

3. 材料:

- (1)Magnetic plate:rubber magnetic tank D25
- (2)copper line : 0.08*24
- (3)Wire way:12 laps counterclockwise

4. 电性图: Electroproperty diagram

Electroproperty diagram showing a rectangular coil with terminals S and F.