






NTNV-11AX40SISO-Ant1-5670

NTNV-11AX40SISO-Ant1-5755



NTNV-11AX40SISO-Ant1-5795

5: Maximum conducted output power

5.1 Test Result

TestMode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	10.28	≤23.98	PASS
11A	Ant1	5200	11.67	≤23.98	PASS
11A	Ant1	5240	12.08	≤23.98	PASS
11A	Ant1	5260	12.02	≤23.98	PASS
11A	Ant1	5280	12.29	≤23.98	PASS
11A	Ant1	5320	11.03	≤23.98	PASS
11A	Ant1	5500	9.29	≤23.98	PASS
11A	Ant1	5580	11.44	≤23.98	PASS
11A	Ant1	5700	10.97	≤23.98	PASS
11A	Ant1	5745	8.78	≤30.00	PASS
11A	Ant1	5785	8.02	≤30.00	PASS
11A	Ant1	5825	7.42	≤30.00	PASS
11N20SISO	Ant1	5180	10.30	≤23.98	PASS
11N20SISO	Ant1	5200	10.57	≤23.98	PASS
11N20SISO	Ant1	5240	11.00	≤23.98	PASS
11N20SISO	Ant1	5260	11.54	≤23.98	PASS
11N20SISO	Ant1	5280	11.85	≤23.98	PASS
11N20SISO	Ant1	5320	10.93	≤23.98	PASS
11N20SISO	Ant1	5500	9.75	≤23.98	PASS
11N20SISO	Ant1	5580	11.43	≤23.98	PASS
11N20SISO	Ant1	5700	11.03	≤23.98	PASS
11N20SISO	Ant1	5745	8.29	≤30.00	PASS
11N20SISO	Ant1	5785	7.77	≤30.00	PASS
11N20SISO	Ant1	5825	7.43	≤30.00	PASS
11N40SISO	Ant1	5190	9.87	≤23.98	PASS
11N40SISO	Ant1	5230	9.31	≤23.98	PASS
11N40SISO	Ant1	5270	9.72	≤23.98	PASS
11N40SISO	Ant1	5310	8.98	≤23.98	PASS
11N40SISO	Ant1	5510	7.50	≤23.98	PASS
11N40SISO	Ant1	5550	8.59	≤23.98	PASS
11N40SISO	Ant1	5670	11.50	≤23.98	PASS
11N40SISO	Ant1	5755	8.08	≤30.00	PASS
11N40SISO	Ant1	5795	7.35	≤30.00	PASS
11AC20SISO	Ant1	5180	10.44	≤23.98	PASS
11AC20SISO	Ant1	5200	10.77	≤23.98	PASS
11AC20SISO	Ant1	5240	11.60	≤23.98	PASS
11AC20SISO	Ant1	5260	11.79	≤23.98	PASS
11AC20SISO	Ant1	5280	11.06	≤23.98	PASS
11AC20SISO	Ant1	5320	11.21	≤23.98	PASS
11AC20SISO	Ant1	5500	9.68	≤23.98	PASS
11AC20SISO	Ant1	5580	11.57	≤23.98	PASS

11AC20SISO	Ant1	5700	10.99	≤23.98	PASS
11AC20SISO	Ant1	5745	7.56	≤30.00	PASS
11AC20SISO	Ant1	5785	7.89	≤30.00	PASS
11AC20SISO	Ant1	5825	7.09	≤30.00	PASS
11AC40SISO	Ant1	5190	10.42	≤23.98	PASS
11AC40SISO	Ant1	5230	11.27	≤23.98	PASS
11AC40SISO	Ant1	5270	11.59	≤23.98	PASS
11AC40SISO	Ant1	5310	10.99	≤23.98	PASS
11AC40SISO	Ant1	5510	9.97	≤23.98	PASS
11AC40SISO	Ant1	5550	9.71	≤23.98	PASS
11AC40SISO	Ant1	5670	11.56	≤23.98	PASS
11AC40SISO	Ant1	5755	7.98	≤30.00	PASS
11AC40SISO	Ant1	5795	6.63	≤30.00	PASS
11AX20SISO	Ant1	5180	9.20	≤23.98	PASS
11AX20SISO	Ant1	5200	10.87	≤23.98	PASS
11AX20SISO	Ant1	5240	11.58	≤23.98	PASS
11AX20SISO	Ant1	5260	11.88	≤23.98	PASS
11AX20SISO	Ant1	5280	11.16	≤23.98	PASS
11AX20SISO	Ant1	5320	10.92	≤23.98	PASS
11AX20SISO	Ant1	5500	9.52	≤23.98	PASS
11AX20SISO	Ant1	5580	11.65	≤23.98	PASS
11AX20SISO	Ant1	5700	11.23	≤23.98	PASS
11AX20SISO	Ant1	5745	8.53	≤30.00	PASS
11AX20SISO	Ant1	5785	7.11	≤30.00	PASS
11AX20SISO	Ant1	5825	8.40	≤30.00	PASS
11AX40SISO	Ant1	5190	10.14	≤23.98	PASS
11AX40SISO	Ant1	5230	11.51	≤23.98	PASS
11AX40SISO	Ant1	5270	11.70	≤23.98	PASS
11AX40SISO	Ant1	5310	10.35	≤23.98	PASS
11AX40SISO	Ant1	5510	9.98	≤23.98	PASS
11AX40SISO	Ant1	5550	10.75	≤23.98	PASS
11AX40SISO	Ant1	5670	9.84	≤23.98	PASS
11AX40SISO	Ant1	5755	8.34	≤30.00	PASS
11AX40SISO	Ant1	5795	9.41	≤30.00	PASS

Note: The duty factor has been compensated into the result.

6: Maximum power spectral density

6.1 Test Result


Test Mode	Ant.	Frequency [MHz]	Result [dBm/MHz] Result [dBm/500kHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
11A	Ant1	5180	-0.07	≤11.00	PASS
11A	Ant1	5200	1.16	≤11.00	PASS
11A	Ant1	5240	1.53	≤11.00	PASS
11A	Ant1	5260	1.66	≤11.00	PASS
11A	Ant1	5280	1.36	≤11.00	PASS
11A	Ant1	5320	0.83	≤11.00	PASS
11A	Ant1	5500	-0.60	≤11.00	PASS
11A	Ant1	5580	1.25	≤11.00	PASS
11A	Ant1	5700	0.71	≤11.00	PASS
11A	Ant1	5745	-4.41	≤30.00	PASS
11A	Ant1	5785	-5.36	≤30.00	PASS
11A	Ant1	5825	-6.07	≤30.00	PASS
11N20SISO	Ant1	5180	-0.28	≤11.00	PASS
11N20SISO	Ant1	5200	-0.25	≤11.00	PASS
11N20SISO	Ant1	5240	0.72	≤11.00	PASS
11N20SISO	Ant1	5260	0.87	≤11.00	PASS
11N20SISO	Ant1	5280	0.66	≤11.00	PASS
11N20SISO	Ant1	5320	0.28	≤11.00	PASS
11N20SISO	Ant1	5500	-1.09	≤11.00	PASS
11N20SISO	Ant1	5580	0.63	≤11.00	PASS
11N20SISO	Ant1	5700	0.51	≤11.00	PASS
11N20SISO	Ant1	5745	-5.49	≤30.00	PASS
11N20SISO	Ant1	5785	-5.70	≤30.00	PASS
11N20SISO	Ant1	5825	-6.48	≤30.00	PASS
11N40SISO	Ant1	5190	-3.79	≤11.00	PASS
11N40SISO	Ant1	5230	-4.71	≤11.00	PASS
11N40SISO	Ant1	5270	-4.57	≤11.00	PASS
11N40SISO	Ant1	5310	-4.90	≤11.00	PASS
11N40SISO	Ant1	5510	-6.05	≤11.00	PASS
11N40SISO	Ant1	5550	-4.87	≤11.00	PASS
11N40SISO	Ant1	5670	-2.31	≤11.00	PASS
11N40SISO	Ant1	5755	-9.50	≤30.00	PASS
11N40SISO	Ant1	5795	-9.77	≤30.00	PASS
11AC20SISO	Ant1	5180	-0.03	≤11.00	PASS
11AC20SISO	Ant1	5200	0.12	≤11.00	PASS
11AC20SISO	Ant1	5240	1.02	≤11.00	PASS
11AC20SISO	Ant1	5260	1.35	≤11.00	PASS
11AC20SISO	Ant1	5280	1.26	≤11.00	PASS
11AC20SISO	Ant1	5320	1.01	≤11.00	PASS
11AC20SISO	Ant1	5500	-0.88	≤11.00	PASS

11AC20SISO	Ant1	5580	1.38	≤11.00	PASS
11AC20SISO	Ant1	5700	0.89	≤11.00	PASS
11AC20SISO	Ant1	5745	-5.31	≤30.00	PASS
11AC20SISO	Ant1	5785	-5.77	≤30.00	PASS
11AC20SISO	Ant1	5825	-6.63	≤30.00	PASS
11AC40SISO	Ant1	5190	-3.44	≤11.00	PASS
11AC40SISO	Ant1	5230	-2.62	≤11.00	PASS
11AC40SISO	Ant1	5270	-2.29	≤11.00	PASS
11AC40SISO	Ant1	5310	-2.67	≤11.00	PASS
11AC40SISO	Ant1	5510	-3.64	≤11.00	PASS
11AC40SISO	Ant1	5550	-2.80	≤11.00	PASS
11AC40SISO	Ant1	5670	-1.92	≤11.00	PASS
11AC40SISO	Ant1	5755	-9.09	≤30.00	PASS
11AC40SISO	Ant1	5795	-9.36	≤30.00	PASS
11AX20SISO	Ant1	5180	-0.52	≤11.00	PASS
11AX20SISO	Ant1	5200	0.20	≤11.00	PASS
11AX20SISO	Ant1	5240	1.11	≤11.00	PASS
11AX20SISO	Ant1	5260	1.00	≤11.00	PASS
11AX20SISO	Ant1	5280	1.08	≤11.00	PASS
11AX20SISO	Ant1	5320	0.47	≤11.00	PASS
11AX20SISO	Ant1	5500	-1.33	≤11.00	PASS
11AX20SISO	Ant1	5580	0.87	≤11.00	PASS
11AX20SISO	Ant1	5700	0.61	≤11.00	PASS
11AX20SISO	Ant1	5745	-4.90	≤30.00	PASS
11AX20SISO	Ant1	5785	-6.03	≤30.00	PASS
11AX20SISO	Ant1	5825	-5.38	≤30.00	PASS
11AX40SISO	Ant1	5190	-3.25	≤11.00	PASS
11AX40SISO	Ant1	5230	-2.50	≤11.00	PASS
11AX40SISO	Ant1	5270	-2.21	≤11.00	PASS
11AX40SISO	Ant1	5310	-2.55	≤11.00	PASS
11AX40SISO	Ant1	5510	-4.04	≤11.00	PASS
11AX40SISO	Ant1	5550	-2.88	≤11.00	PASS
11AX40SISO	Ant1	5670	-2.41	≤11.00	PASS
11AX40SISO	Ant1	5755	-8.88	≤30.00	PASS
11AX40SISO	Ant1	5795	-7.86	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


6.2 Test Graphs




11A-Ant1-5180-PASS




11A-Ant1-5200-PASS




11A-Ant1-5240-PASS




11A-Ant1-5260-PASS



11A-Ant1-5280-PASS




11A-Ant1-5320-PASS




Date: 19.FEB.2025 11:44:47

11A-Ant1-5500-PASS




Date: 19.FEB.2025 11:50:04

11A-Ant1-5580-PASS




Date: 19.FEB.2025 11:51:38

11A-Ant1-5700-PASS




Date: 20.FEB.2025 08:01:08

11A-Ant1-5745-PASS




Date: 20.FEB.2025 08:03:29

11A-Ant1-5785-PASS




Date: 20.FEB.2025 08:05:04

11A-Ant1-5825-PASS




Date: 19.FEB.2025 11:53:46

11N20SISO-Ant1-5180-PASS




Date: 19.FEB.2025 11:56:03

11N20SISO-Ant1-5200-PASS




Date: 19.FEB.2025 11:57:49

11N20SISO-Ant1-5240-PASS




Date: 19.FEB.2025 11:59:33

11N20SISO-Ant1-5260-PASS




Date: 19.FEB.2025 12:00:54

11N20SISO-Ant1-5280-PASS




Date: 19.FEB.2025 12:02:53

11N20SISO-Ant1-5320-PASS




Date: 19.FEB.2025 12:05:31

11N20SISO-Ant1-5500-PASS




Date: 19.FEB.2025 12:08:41

11N20SISO-Ant1-5580-PASS




Date: 19.FEB.2025 12:10:50

11N20SISO-Ant1-5700-PASS




Date: 20.FEB.2025 08:07:28

11N20SISO-Ant1-5745-PASS




Date: 20.FEB.2025 08:10:15

11N20SISO-Ant1-5785-PASS




Date: 20.FEB.2025 08:11:43


11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5230-PASS




11N40SISO-Ant1-5270-PASS




11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5550-PASS




11N40SISO-Ant1-5670-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5200-PASS




11AC20SISO-Ant1-5240-PASS




11AC20SISO-Ant1-5260-PASS




11AC20SISO-Ant1-5280-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5580-PASS




11AC20SISO-Ant1-5700-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5230-PASS




11AC40SISO-Ant1-5270-PASS




Date: 19.FEB.2025 16:30:51

11AC40SISO-Ant1-5310-PASS




Date: 19.FEB.2025 16:33:26

11AC40SISO-Ant1-5510-PASS




Date: 19.FEB.2025 16:35:45

11AC40SISO-Ant1-5550-PASS




Date: 19.FEB.2025 16:37:20

11AC40SISO-Ant1-5670-PASS




Date: 20.FEB.2025 08:31:23

11AC40SISO-Ant1-5755-PASS




Date: 20.FEB.2025 08:36:43

11AC40SISO-Ant1-5795-PASS




Date: 19.FEB.2025 16:39:46

11AX20SISO-Ant1-5180-PASS




Date: 19.FEB.2025 16:41:37

11AX20SISO-Ant1-5200-PASS




Date: 19.FEB.2025 16:43:22

11AX20SISO-Ant1-5240-PASS




Date: 19.FEB.2025 16:45:45

11AX20SISO-Ant1-5260-PASS




Date: 19.FEB.2025 16:48:09

11AX20SISO-Ant1-5280-PASS




Date: 19.FEB.2025 16:50:25


11AX20SISO-Ant1-5320-PASS




11AX20SISO-Ant1-5500-PASS




11AX20SISO-Ant1-5580-PASS




11AX20SISO-Ant1-5700-PASS




11AX20SISO-Ant1-5745-PASS



11AX20SISO-Ant1-5785-PASS




11AX20SISO-Ant1-5825-PASS




Date: 19.FEB.2025 17:02:33

11AX40SISO-Ant1-5190-PASS




Date: 19.FEB.2025 17:04:39

11AX40SISO-Ant1-5230-PASS




Date: 19.FEB.2025 17:06:27

11AX40SISO-Ant1-5270-PASS




Date: 19.FEB.2025 17:08:27

11AX40SISO-Ant1-5310-PASS




Date: 19.FEB.2025 17:12:36

11AX40SISO-Ant1-5510-PASS




Date: 19.FEB.2025 17:15:56

11AX40SISO-Ant1-5550-PASS




Date: 19.FEB.2025 17:17:50

11AX40SISO-Ant1-5670-PASS



Date: 20.FEB.2025 08:54:59

11AX40SISO-Ant1-5755-PASS



Date: 26.FEB.2025 14:35:46

11AX40SISO-Ant1-5795-PASS

7: Band edge measurements

7.1 Test Result B1/2/3



TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-32.24	≤-27	PASS
11A	Ant1	High	5320	-33.36	≤-27	PASS
11A	Ant1	Low	5500	-33.46	≤-27	PASS
11A	Ant1	High	5700	-32.79	≤-27	PASS
11N20SISO	Ant1	Low	5180	-31.91	≤-27	PASS
11N20SISO	Ant1	High	5320	-33.55	≤-27	PASS
11N20SISO	Ant1	Low	5500	-33.27	≤-27	PASS
11N20SISO	Ant1	High	5700	-32.27	≤-27	PASS
11N40SISO	Ant1	Low	5190	-29.97	≤-27	PASS
11N40SISO	Ant1	High	5310	-32.72	≤-27	PASS
11N40SISO	Ant1	Low	5510	-31.93	≤-27	PASS
11N40SISO	Ant1	High	5670	-32.45	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-33.12	≤-27	PASS
11AC20SISO	Ant1	High	5320	-33.62	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-33.25	≤-27	PASS
11AC20SISO	Ant1	High	5700	-32.76	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-31.57	≤-27	PASS
11AC40SISO	Ant1	High	5310	-32.87	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-33.26	≤-27	PASS
11AC40SISO	Ant1	High	5670	-31.61	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-30.93	≤-27	PASS
11AX20SISO	Ant1	High	5320	-33.89	≤-27	PASS
11AX20SISO	Ant1	Low	5500	-32.96	≤-27	PASS
11AX20SISO	Ant1	High	5700	-31.71	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-29.85	≤-27	PASS
11AX40SISO	Ant1	High	5310	-32.64	≤-27	PASS
11AX40SISO	Ant1	Low	5510	-31.87	≤-27	PASS
11AX40SISO	Ant1	High	5670	-32.91	≤-27	PASS

7.2 Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-33.47	≤17.12	PASS
11A	Ant1	Low	5745	5700~5720	-34.17	≤10.79	PASS
11A	Ant1	Low	5745	5650~5700	-36	≤-26.88	PASS
11A	Ant1	Low	5745	5760~5650	-34.84	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-35.45	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-33.63	≤10.84	PASS
11A	Ant1	High	5825	5875~5925	-34.51	≤-26.87	PASS
11A	Ant1	High	5825	5925~5935	-33.98	≤-27	PASS
11N20SISO	Ant1	Low	5745	5720~5725	-34.7	≤15.98	PASS
11N20SISO	Ant1	Low	5745	5700~5720	-34.24	≤10.98	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-33.91	≤-26.01	PASS
11N20SISO	Ant1	Low	5745	5760~5650	-34.25	≤-27	PASS
11N20SISO	Ant1	High	5825	5850~5855	-34.51	≤15.65	PASS
11N20SISO	Ant1	High	5825	5855~5875	-34.41	≤10.57	PASS
11N20SISO	Ant1	High	5825	5875~5925	-35.66	≤-26.29	PASS
11N20SISO	Ant1	High	5825	5925~5935	-33.27	≤-27	PASS
11N40SISO	Ant1	Low	5755	5720~5725	-32.99	≤18.13	PASS
11N40SISO	Ant1	Low	5755	5700~5720	-35.26	≤10.43	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-33.94	≤-26.94	PASS
11N40SISO	Ant1	Low	5755	5780~5650	-33.85	≤-27	PASS
11N40SISO	Ant1	High	5795	5850~5855	-34.02	≤15.85	PASS
11N40SISO	Ant1	High	5795	5855~5875	-32.76	≤10.74	PASS
11N40SISO	Ant1	High	5795	5875~5925	-34.99	≤-26.97	PASS
11N40SISO	Ant1	High	5795	5925~5935	-33.23	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5720~5725	-36.62	≤15.98	PASS
11AC20SISO	Ant1	Low	5745	5700~5720	-33.16	≤11.91	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-36.51	≤-26.38	PASS
11AC20SISO	Ant1	Low	5745	5760~5650	-34.21	≤-27	PASS
11AC20SISO	Ant1	High	5825	5850~5855	-36.45	≤15.65	PASS
11AC20SISO	Ant1	High	5825	5855~5875	-34.14	≤10.02	PASS
11AC20SISO	Ant1	High	5825	5875~5925	-35.86	≤-26.87	PASS
11AC20SISO	Ant1	High	5825	5925~5935	-33.82	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5720~5725	-30.18	≤16.34	PASS
11AC40SISO	Ant1	Low	5755	5700~5720	-32.08	≤11.03	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-33.36	≤-26.94	PASS
11AC40SISO	Ant1	Low	5755	5780~5650	-32.33	≤-27	PASS
11AC40SISO	Ant1	High	5795	5850~5855	-34.23	≤17.48	PASS
11AC40SISO	Ant1	High	5795	5855~5875	-31.66	≤10.68	PASS
11AC40SISO	Ant1	High	5795	5875~5925	-34.32	≤-26.61	PASS
11AC40SISO	Ant1	High	5795	5925~5935	-34.15	≤-27	PASS
11AX20SISO	Ant1	Low	5745	5720~5725	-33.23	≤15.98	PASS
11AX20SISO	Ant1	Low	5745	5700~5720	-33.7	≤10.37	PASS

11AX20SISO	Ant1	Low	5745	5650~5700	-35.58	≤-26.51	PASS
11AX20SISO	Ant1	Low	5745	5760~5650	-32.57	≤-27	PASS
11AX20SISO	Ant1	High	5825	5850~5855	-34.16	≤15.65	PASS
11AX20SISO	Ant1	High	5825	5855~5875	-32.64	≤12.76	PASS
11AX20SISO	Ant1	High	5825	5875~5925	-34.33	≤-25.86	PASS
11AX20SISO	Ant1	High	5825	5925~5935	-33.61	≤-27	PASS
11AX40SISO	Ant1	Low	5755	5720~5725	-35.27	≤15.90	PASS
11AX40SISO	Ant1	Low	5755	5700~5720	-32.94	≤10.49	PASS
11AX40SISO	Ant1	Low	5755	5650~5700	-34.38	≤-26.94	PASS
11AX40SISO	Ant1	Low	5755	5780~5650	-33.07	≤-27	PASS
11AX40SISO	Ant1	High	5795	5850~5855	-36.23	≤15.85	PASS
11AX40SISO	Ant1	High	5795	5855~5875	-32.74	≤10.27	PASS
11AX40SISO	Ant1	High	5795	5875~5925	-34.33	≤-26.08	PASS
11AX40SISO	Ant1	High	5795	5925~5935	-32.77	≤-27	PASS


7.3 Test Graphs B1/2/3




11A-Ant1-5180-PASS




11A-Ant1-5320-PASS



11A-Ant1-5500-PASS




11A-Ant1-5700-PASS




11N20SISO-Ant1-5180-PASS


11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS




11N40SISO-Ant1-5190-PASS





11N40SISO-Ant1-5310-PASS



11N40SISO-Ant1-5510-PASS





11N40SISO-Ant1-5670-PASS





11AC20SISO-Ant1-5180-PASS

11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS

11AC20SISO-Ant1-5700-PASS




11AC40SISO-Ant1-5190-PASS


11AC40SISO-Ant1-5310-PASS




11AC40SISO-Ant1-5510-PASS




11AC40SISO-Ant1-5670-PASS




11AX20SISO-Ant1-5180-PASS




11AX20SISO-Ant1-5320-PASS



11AX20SISO-Ant1-5500-PASS





11AX20SISO-Ant1-5700-PASS



11AX40SISO-Ant1-5190-PASS



11AX40SISO-Ant1-5310-PASS




11AX40SISO-Ant1-5510-PASS

11AX40SISO-Ant1-5670-PASS


7.4 Test Graphs B4




11A-Ant1-5745-PASS




11A-Ant1-5825-PASS



11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS


11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5745-PASS



11AC40SISO-Ant1-5795-PASS




11AX20SISO-Ant1-5745-PASS



11AX20SISO-Ant1-5825-PASS



11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS

8: Conducted Spurious Emission

8.1 Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	863.67	-45	≤-27	PASS
11A	Ant1	5180	1000~40000	6960.5	-37.69	≤-27	PASS
11A	Ant1	5200	30~1000	860.21	-45.37	≤-27	PASS
11A	Ant1	5200	1000~40000	6968.3	-37.93	≤-27	PASS
11A	Ant1	5240	30~1000	868.62	-45.73	≤-27	PASS
11A	Ant1	5240	1000~40000	6969.6	-36.55	≤-27	PASS
11A	Ant1	5260	30~1000	959.76	-45.02	≤-27	PASS
11A	Ant1	5260	1000~40000	5884.1	-38.27	≤-27	PASS
11A	Ant1	5280	30~1000	860.73	-46.01	≤-27	PASS
11A	Ant1	5280	1000~40000	6331.3	-37.98	≤-27	PASS
11A	Ant1	5320	30~1000	860.18	-45.84	≤-27	PASS
11A	Ant1	5320	1000~40000	6952.7	-37.79	≤-27	PASS
11A	Ant1	5500	30~1000	888.05	-45.51	≤-27	PASS
11A	Ant1	5500	1000~40000	6986.5	-38.59	≤-27	PASS
11A	Ant1	5580	30~1000	862.7	-46	≤-27	PASS
11A	Ant1	5580	1000~40000	6933.2	-38.72	≤-27	PASS
11A	Ant1	5700	30~1000	893.38	-45.37	≤-27	PASS
11A	Ant1	5700	1000~40000	4559.4	-37.94	≤-27	PASS
11A	Ant1	5745	30~1000	861.6	-44.37	≤-27	PASS
11A	Ant1	5745	1000~40000	4595.8	-37.33	≤-27	PASS
11A	Ant1	5785	30~1000	889.18	-45.52	≤-27	PASS
11A	Ant1	5785	1000~40000	4627	-36.37	≤-27	PASS
11A	Ant1	5825	30~1000	891.25	-45	≤-27	PASS
11A	Ant1	5825	1000~40000	4659.5	-34.89	≤-27	PASS
11N20SISO	Ant1	5180	30~1000	861.08	-44.92	≤-27	PASS
11N20SISO	Ant1	5180	1000~40000	6222.1	-38.38	≤-27	PASS
11N20SISO	Ant1	5200	30~1000	888.73	-44.24	≤-27	PASS
11N20SISO	Ant1	5200	1000~40000	6995.6	-37.92	≤-27	PASS
11N20SISO	Ant1	5240	30~1000	890.51	-44.73	≤-27	PASS
11N20SISO	Ant1	5240	1000~40000	6974.8	-38.37	≤-27	PASS
11N20SISO	Ant1	5260	30~1000	893.35	-45.92	≤-27	PASS
11N20SISO	Ant1	5260	1000~40000	6304	-36.83	≤-27	PASS
11N20SISO	Ant1	5280	30~1000	959.76	-45.41	≤-27	PASS
11N20SISO	Ant1	5280	1000~40000	6994.3	-38.25	≤-27	PASS
11N20SISO	Ant1	5320	30~1000	509.25	-45.65	≤-27	PASS
11N20SISO	Ant1	5320	1000~40000	6894.2	-38.78	≤-27	PASS
11N20SISO	Ant1	5500	30~1000	860.83	-45.81	≤-27	PASS
11N20SISO	Ant1	5500	1000~40000	6964.4	-37.86	≤-27	PASS
11N20SISO	Ant1	5580	30~1000	960.38	-45.39	≤-27	PASS
11N20SISO	Ant1	5580	1000~40000	39987	-38.67	≤-27	PASS

11N20SISO	Ant1	5700	30~1000	680.41	-45.54	≤-27	PASS
11N20SISO	Ant1	5700	1000~40000	4559.4	-38.33	≤-27	PASS
11N20SISO	Ant1	5745	30~1000	860.08	-44.91	≤-27	PASS
11N20SISO	Ant1	5745	1000~40000	4595.8	-37.3	≤-27	PASS
11N20SISO	Ant1	5785	30~1000	959.73	-45.06	≤-27	PASS
11N20SISO	Ant1	5785	1000~40000	4958.5	-27.26	≤-27	PASS
11N20SISO	Ant1	5825	30~1000	891.51	-44.11	≤-27	PASS
11N20SISO	Ant1	5825	1000~40000	4659.5	-34.71	≤-27	PASS
11N40SISO	Ant1	5190	30~1000	760.43	-46.51	≤-27	PASS
11N40SISO	Ant1	5190	1000~40000	6213	-36.64	≤-27	PASS
11N40SISO	Ant1	5230	30~1000	888.21	-46.63	≤-27	PASS
11N40SISO	Ant1	5230	1000~40000	6856.5	-37.18	≤-27	PASS
11N40SISO	Ant1	5270	30~1000	960.38	-45.96	≤-27	PASS
11N40SISO	Ant1	5270	1000~40000	6306.6	-38.47	≤-27	PASS
11N40SISO	Ant1	5310	30~1000	716.3	-46.19	≤-27	PASS
11N40SISO	Ant1	5310	1000~40000	6882.5	-38.34	≤-27	PASS
11N40SISO	Ant1	5510	30~1000	595.8	-45.86	≤-27	PASS
11N40SISO	Ant1	5510	1000~40000	6912.4	-38.1	≤-27	PASS
11N40SISO	Ant1	5550	30~1000	892.77	-45.88	≤-27	PASS
11N40SISO	Ant1	5550	1000~40000	6921.5	-38.3	≤-27	PASS
11N40SISO	Ant1	5670	30~1000	960.12	-46.7	≤-27	PASS
11N40SISO	Ant1	5670	1000~40000	4552.9	-36.85	≤-27	PASS
11N40SISO	Ant1	5755	30~1000	860.54	-42.8	≤-27	PASS
11N40SISO	Ant1	5755	1000~40000	4603.6	-36.49	≤-27	PASS
11N40SISO	Ant1	5795	30~1000	892.03	-44.33	≤-27	PASS
11N40SISO	Ant1	5795	1000~40000	4634.8	-35.27	≤-27	PASS
11AC20SISO	Ant1	5180	30~1000	863.99	-45.6	≤-27	PASS
11AC20SISO	Ant1	5180	1000~40000	6873.4	-38.86	≤-27	PASS
11AC20SISO	Ant1	5200	30~1000	888.15	-46.76	≤-27	PASS
11AC20SISO	Ant1	5200	1000~40000	6231.2	-37.77	≤-27	PASS
11AC20SISO	Ant1	5240	30~1000	889.8	-45.54	≤-27	PASS
11AC20SISO	Ant1	5240	1000~40000	5946.5	-37.89	≤-27	PASS
11AC20SISO	Ant1	5260	30~1000	895.2	-46.49	≤-27	PASS
11AC20SISO	Ant1	5260	1000~40000	6939.7	-37.87	≤-27	PASS
11AC20SISO	Ant1	5280	30~1000	708.12	-43.94	≤-27	PASS
11AC20SISO	Ant1	5280	1000~40000	5005.3	-38.5	≤-27	PASS
11AC20SISO	Ant1	5320	30~1000	712.58	-45.73	≤-27	PASS
11AC20SISO	Ant1	5320	1000~40000	6375.5	-39.17	≤-27	PASS
11AC20SISO	Ant1	5500	30~1000	888.11	-44.37	≤-27	PASS
11AC20SISO	Ant1	5500	1000~40000	6987.8	-38.33	≤-27	PASS
11AC20SISO	Ant1	5580	30~1000	860.66	-46.94	≤-27	PASS
11AC20SISO	Ant1	5580	1000~40000	6960.5	-37.97	≤-27	PASS
11AC20SISO	Ant1	5700	30~1000	892.48	-44.87	≤-27	PASS
11AC20SISO	Ant1	5700	1000~40000	4559.4	-36.65	≤-27	PASS
11AC20SISO	Ant1	5745	30~1000	861.6	-45.83	≤-27	PASS

11AC20SISO	Ant1	5745	1000~40000	4595.8	-37.49	≤-27	PASS
11AC20SISO	Ant1	5785	30~1000	959.25	-45.01	≤-27	PASS
11AC20SISO	Ant1	5785	1000~40000	4627	-37.03	≤-27	PASS
11AC20SISO	Ant1	5825	30~1000	865	-44.72	≤-27	PASS
11AC20SISO	Ant1	5825	1000~40000	4659.5	-35.34	≤-27	PASS
11AC40SISO	Ant1	5190	30~1000	959.8	-43.39	≤-27	PASS
11AC40SISO	Ant1	5190	1000~40000	6213	-37.83	≤-27	PASS
11AC40SISO	Ant1	5230	30~1000	961.96	-46.32	≤-27	PASS
11AC40SISO	Ant1	5230	1000~40000	6292.3	-36.38	≤-27	PASS
11AC40SISO	Ant1	5270	30~1000	508.6	-45.11	≤-27	PASS
11AC40SISO	Ant1	5270	1000~40000	6337.8	-36.68	≤-27	PASS
11AC40SISO	Ant1	5310	30~1000	872.43	-45.22	≤-27	PASS
11AC40SISO	Ant1	5310	1000~40000	6388.5	-37.71	≤-27	PASS
11AC40SISO	Ant1	5510	30~1000	861.7	-46.12	≤-27	PASS
11AC40SISO	Ant1	5510	1000~40000	6903.3	-38.39	≤-27	PASS
11AC40SISO	Ant1	5550	30~1000	964.58	-46.46	≤-27	PASS
11AC40SISO	Ant1	5550	1000~40000	6748.6	-38.05	≤-27	PASS
11AC40SISO	Ant1	5670	30~1000	890.02	-45.14	≤-27	PASS
11AC40SISO	Ant1	5670	1000~40000	38970.4	-37.73	≤-27	PASS
11AC40SISO	Ant1	5755	30~1000	706.02	-44.38	≤-27	PASS
11AC40SISO	Ant1	5755	1000~40000	4603.6	-36.53	≤-27	PASS
11AC40SISO	Ant1	5795	30~1000	711.22	-44.88	≤-27	PASS
11AC40SISO	Ant1	5795	1000~40000	4636.1	-35.41	≤-27	PASS
11AX20SISO	Ant1	5180	30~1000	960.83	-46.74	≤-27	PASS
11AX20SISO	Ant1	5180	1000~40000	6941	-37.98	≤-27	PASS
11AX20SISO	Ant1	5200	30~1000	890.64	-45.88	≤-27	PASS
11AX20SISO	Ant1	5200	1000~40000	6248.1	-37.44	≤-27	PASS
11AX20SISO	Ant1	5240	30~1000	509.28	-43.93	≤-27	PASS
11AX20SISO	Ant1	5240	1000~40000	5630.6	-38.03	≤-27	PASS
11AX20SISO	Ant1	5260	30~1000	963.64	-45.89	≤-27	PASS
11AX20SISO	Ant1	5260	1000~40000	6928	-37.91	≤-27	PASS
11AX20SISO	Ant1	5280	30~1000	864.22	-44.87	≤-27	PASS
11AX20SISO	Ant1	5280	1000~40000	6967	-38.02	≤-27	PASS
11AX20SISO	Ant1	5320	30~1000	861.44	-45.7	≤-27	PASS
11AX20SISO	Ant1	5320	1000~40000	6961.8	-37.71	≤-27	PASS
11AX20SISO	Ant1	5500	30~1000	868.88	-46.69	≤-27	PASS
11AX20SISO	Ant1	5500	1000~40000	6980	-38.47	≤-27	PASS
11AX20SISO	Ant1	5580	30~1000	889.83	-44.32	≤-27	PASS
11AX20SISO	Ant1	5580	1000~40000	6924.1	-38.08	≤-27	PASS
11AX20SISO	Ant1	5700	30~1000	710.51	-46.06	≤-27	PASS
11AX20SISO	Ant1	5700	1000~40000	4559.4	-37.12	≤-27	PASS
11AX20SISO	Ant1	5745	30~1000	889.73	-45.31	≤-27	PASS
11AX20SISO	Ant1	5745	1000~40000	4595.8	-36.25	≤-27	PASS
11AX20SISO	Ant1	5785	30~1000	119.74	-45.79	≤-27	PASS
11AX20SISO	Ant1	5785	1000~40000	4628.3	-35.35	≤-27	PASS

11AX20SISO	Ant1	5825	30~1000	866.84	-45.97	≤-27	PASS
11AX20SISO	Ant1	5825	1000~40000	4659.5	-34.21	≤-27	PASS
11AX40SISO	Ant1	5190	30~1000	890.38	-45.44	≤-27	PASS
11AX40SISO	Ant1	5190	1000~40000	6209.1	-35.55	≤-27	PASS
11AX40SISO	Ant1	5230	30~1000	512.28	-46.3	≤-27	PASS
11AX40SISO	Ant1	5230	1000~40000	6262.4	-34.28	≤-27	PASS
11AX40SISO	Ant1	5270	30~1000	889.25	-45.24	≤-27	PASS
11AX40SISO	Ant1	5270	1000~40000	6307.9	-35.38	≤-27	PASS
11AX40SISO	Ant1	5310	30~1000	866.97	-44.68	≤-27	PASS
11AX40SISO	Ant1	5310	1000~40000	6354.7	-36.74	≤-27	PASS
11AX40SISO	Ant1	5510	30~1000	889.83	-46.15	≤-27	PASS
11AX40SISO	Ant1	5510	1000~40000	6998.2	-37.79	≤-27	PASS
11AX40SISO	Ant1	5550	30~1000	508.57	-44.72	≤-27	PASS
11AX40SISO	Ant1	5550	1000~40000	4926	-38.29	≤-27	PASS
11AX40SISO	Ant1	5670	30~1000	889.28	-46.1	≤-27	PASS
11AX40SISO	Ant1	5670	1000~40000	4551.6	-37.2	≤-27	PASS
11AX40SISO	Ant1	5755	30~1000	889.05	-44.47	≤-27	PASS
11AX40SISO	Ant1	5755	1000~40000	4603.6	-36.62	≤-27	PASS
11AX40SISO	Ant1	5795	30~1000	848.9	-45.75	≤-27	PASS
11AX40SISO	Ant1	5795	1000~40000	4636.1	-34.7	≤-27	PASS