






Date: 7.JUN.2025 18:31:53

11AC20SISO-Ant1-5260




Date: 7.JUN.2025 18:36:16

11AC20SISO-Ant1-5280




Date: 7.JUN.2025 18:42:52

11AC20SISO-Ant1-5320




Date: 7.JUN.2025 18:48:10

11AC20SISO-Ant1-5500





Date: 7.JUN.2025 18:53:40

11AC20SISO-Ant1-5580





Date: 7.JUN.2025 19:02:31

11AC20SISO-Ant1-5700





11AC20SISO-Ant1-5745

11AC20SISO-Ant1-5785




11AC20SISO-Ant1-5825

11AC40SISO-Ant1-5190




11AC40SISO-Ant1-5230

11AC40SISO-Ant1-5270




Date: 7.JUN.2025 19:38:11

11AC40SISO-Ant1-5310




Date: 7.JUN.2025 19:43:10

11AC40SISO-Ant1-5510




Date: 7.JUN.2025 20:05:19

11AC40SISO-Ant1-5550




Date: 7.JUN.2025 20:11:27

11AC40SISO-Ant1-5670




Date: 8.JUN.2025 15:06:21

11AC40SISO-Ant1-5755




Date: 8.JUN.2025 15:10:46

11AC40SISO-Ant1-5795




Date: 7.JUN.2025 20:17:05

11AX20SISO-Ant1-5180




Date: 7.JUN.2025 20:23:33

11AX20SISO-Ant1-5200




Date: 7.JUN.2025 20:27:14

11AX20SISO-Ant1-5240




Date: 7.JUN.2025 20:30:37

11AX20SISO-Ant1-5260




Date: 7.JUN.2025 20:34:21

11AX20SISO-Ant1-5280




Date: 7.JUN.2025 20:38:04

11AX20SISO-Ant1-5320




Date: 7.JUN.2025 20:44:10

11AX20SISO-Ant1-5500




Date: 7.JUN.2025 20:49:06

11AX20SISO-Ant1-5580




Date: 7.JUN.2025 20:56:11

11AX20SISO-Ant1-5700




Date: 8.JUN.2025 15:15:30

11AX20SISO-Ant1-5745




Date: 8.JUN.2025 15:19:59

11AX20SISO-Ant1-5785




Date: 8.JUN.2025 15:25:26

11AX20SISO-Ant1-5825




Date: 7 JUN. 2025 21:00:59

11AX40SISO-Ant1-5190




Date: 8 JUN. 2025 13:12:23

11AX40SISO-Ant1-5230




Date: 8 JUN. 2025 13:16:31

11AX40SISO-Ant1-5270




Date: 8 JUN. 2025 13:20:42

11AX40SISO-Ant1-5310





Date: 8 JUN. 2025 13:26:06

11AX40SISO-Ant1-5510




Date: 8 JUN. 2025 13:31:00

11AX40SISO-Ant1-5550



11AX40SISO-Ant1-5670

11AX40SISO-Ant1-5755





11AX40SISO-Ant1-5795

3: Min emission bandwidth

3.1 Test Result-B4



TestMode	Antenna	Frequency[MHz]	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.08	5737.04	5753.12	0.5	PASS
11A	Ant1	5785	16.32	5776.80	5793.12	0.5	PASS
11A	Ant1	5825	16.36	5816.76	5833.12	0.5	PASS
11N20SISO	Ant1	5745	17.56	5736.16	5753.72	0.5	PASS
11N20SISO	Ant1	5785	17.60	5776.16	5793.76	0.5	PASS
11N20SISO	Ant1	5825	17.60	5816.16	5833.76	0.5	PASS
11N40SISO	Ant1	5755	36.40	5736.76	5773.16	0.5	PASS
11N40SISO	Ant1	5795	36.08	5777.08	5813.16	0.5	PASS
11AC20SISO	Ant1	5745	17.80	5736.04	5753.84	0.5	PASS
11AC20SISO	Ant1	5785	17.68	5776.08	5793.76	0.5	PASS
11AC20SISO	Ant1	5825	17.68	5816.12	5833.80	0.5	PASS
11AC40SISO	Ant1	5755	36.08	5736.76	5772.84	0.5	PASS
11AC40SISO	Ant1	5795	36.32	5776.76	5813.08	0.5	PASS
11AX20SISO	Ant1	5745	18.84	5735.60	5754.44	0.5	PASS
11AX20SISO	Ant1	5785	18.80	5775.64	5794.44	0.5	PASS
11AX20SISO	Ant1	5825	19.08	5815.44	5834.52	0.5	PASS
11AX40SISO	Ant1	5755	37.76	5736.04	5773.80	0.5	PASS
11AX40SISO	Ant1	5795	36.96	5776.12	5813.08	0.5	PASS

3.2 Test Graphs-B4





11A-Ant1-5745-PASS

11A-Ant1-5785-PASS




11A-Ant1-5825-PASS

11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5785-PASS


11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5755-PASS




11AC40SISO-Ant1-5795-PASS




11AX20SISO-Ant1-5745-PASS




11AX20SISO-Ant1-5785-PASS



11AX20SISO-Ant1-5825-PASS



11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS

4: Duty Cycle

4.1 Test Result


TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factory	1/T [kHz]
11A	Ant1	5180	2.07	2.09	99.04	0.04	0.48
11A	Ant1	5260	2.06	2.09	98.56	0.06	0.49
11A	Ant1	5500	2.07	2.09	99.04	0.04	0.48
11A	Ant1	5745	2.06	2.08	99.04	0.04	0.49
11N20SISO	Ant1	5180	1.92	1.94	98.97	0.04	0.52
11N20SISO	Ant1	5260	1.92	1.95	98.46	0.07	0.52
11N20SISO	Ant1	5500	1.93	1.94	99.48	0.02	0.52
11N20SISO	Ant1	5745	1.92	1.93	99.48	0.02	0.52
11N40SISO	Ant1	5190	1.54	1.56	98.72	0.06	0.65
11N40SISO	Ant1	5270	1.54	1.56	98.72	0.06	0.65
11N40SISO	Ant1	5510	1.54	1.56	98.72	0.06	0.65
11N40SISO	Ant1	5755	1.54	1.56	98.72	0.06	0.65
11AC20SISO	Ant1	5180	0.20	0.22	90.91	0.41	5.00
11AC20SISO	Ant1	5260	0.20	0.22	90.91	0.41	5.00
11AC20SISO	Ant1	5500	0.20	0.22	90.91	0.41	5.00
11AC20SISO	Ant1	5745	0.20	0.22	90.91	0.41	5.00
11AC40SISO	Ant1	5190	1.54	1.56	98.72	0.06	0.65
11AC40SISO	Ant1	5270	1.55	1.57	98.73	0.06	0.65
11AC40SISO	Ant1	5510	1.55	1.56	99.36	0.03	0.65
11AC40SISO	Ant1	5755	1.55	1.57	98.73	0.06	0.65
11AX20SISO	Ant1	5180	0.12	0.22	54.55	2.63	8.33
11AX20SISO	Ant1	5260	0.12	0.22	54.55	2.63	8.33
11AX20SISO	Ant1	5500	0.12	0.22	54.55	2.63	8.33
11AX20SISO	Ant1	5745	0.12	0.22	54.55	2.63	8.33
11AX40SISO	Ant1	5190	0.09	0.19	47.37	3.24	11.11
11AX40SISO	Ant1	5270	0.09	0.19	47.37	3.24	11.11
11AX40SISO	Ant1	5510	0.08	0.18	44.44	3.52	12.50
11AX40SISO	Ant1	5755	0.09	0.19	47.37	3.24	11.11


Note: 1, Duty Cycle= Transmission Duration/ Transmission Period

2, DC Factory=10*Log₁₀(1/Duty Cycle)


3, 1/T=1/ Transmission Duration

4.2 Test Graphs







NTNV-11N20SISO-Ant1-5500




NTNV-11N20SISO-Ant1-5745




NTNV-11N40SISO-Ant1-5190




NTNV-11N40SISO-Ant1-5270




NTNV-11N40SISO-Ant1-5510




NTNV-11N40SISO-Ant1-5755




NTNV-11AC20SISO-Ant1-5180




NTNV-11AC20SISO-Ant1-5260




NTNV-11AC20SISO-Ant1-5500




NTNV-11AC20SISO-Ant1-5745




NTNV-11AC40SISO-Ant1-5190




NTNV-11AC40SISO-Ant1-5270




NTNV-11AC40SISO-Ant1-5510




NTNV-11AC40SISO-Ant1-5755




NTNV-11AX20SISO-Ant1-5180




NTNV-11AX20SISO-Ant1-5260




NTNV-11AX20SISO-Ant1-5500




NTNV-11AX20SISO-Ant1-5745




NTNV-11AX40SISO-Ant1-5190



NTNV-11AX40SISO-Ant1-5270



NTNV-11AX40SISO-Ant1-5510



NTNV-11AX40SISO-Ant1-5755

5: Maximum conducted output power

5.1 Test Result

TestMode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	11.41	≤23.98	PASS
11A	Ant1	5200	11.19	≤23.98	PASS
11A	Ant1	5240	11.34	≤23.98	PASS
11A	Ant1	5260	11.57	≤23.98	PASS
11A	Ant1	5280	11.45	≤23.98	PASS
11A	Ant1	5320	11.37	≤23.98	PASS
11A	Ant1	5500	11.98	≤23.98	PASS
11A	Ant1	5580	12.27	≤23.98	PASS
11A	Ant1	5700	12.72	≤23.98	PASS
11A	Ant1	5745	12.54	≤30.00	PASS
11A	Ant1	5785	12.60	≤30.00	PASS
11A	Ant1	5825	12.92	≤30.00	PASS
11N20SISO	Ant1	5180	11.39	≤23.98	PASS
11N20SISO	Ant1	5200	11.33	≤23.98	PASS
11N20SISO	Ant1	5240	11.21	≤23.98	PASS
11N20SISO	Ant1	5260	11.46	≤23.98	PASS
11N20SISO	Ant1	5280	11.20	≤23.98	PASS
11N20SISO	Ant1	5320	11.21	≤23.98	PASS
11N20SISO	Ant1	5500	11.71	≤23.98	PASS
11N20SISO	Ant1	5580	12.36	≤23.98	PASS
11N20SISO	Ant1	5700	12.54	≤23.98	PASS
11N20SISO	Ant1	5745	12.24	≤30.00	PASS
11N20SISO	Ant1	5785	12.62	≤30.00	PASS
11N20SISO	Ant1	5825	12.33	≤30.00	PASS
11N40SISO	Ant1	5190	10.57	≤23.98	PASS
11N40SISO	Ant1	5230	10.33	≤23.98	PASS
11N40SISO	Ant1	5270	11.07	≤23.98	PASS
11N40SISO	Ant1	5310	10.71	≤23.98	PASS
11N40SISO	Ant1	5510	11.31	≤23.98	PASS
11N40SISO	Ant1	5550	11.45	≤23.98	PASS
11N40SISO	Ant1	5670	12.46	≤23.98	PASS
11N40SISO	Ant1	5755	11.96	≤30.00	PASS
11N40SISO	Ant1	5795	12.23	≤30.00	PASS
11AC20SISO	Ant1	5180	11.41	≤23.98	PASS
11AC20SISO	Ant1	5200	11.41	≤23.98	PASS
11AC20SISO	Ant1	5240	11.22	≤23.98	PASS
11AC20SISO	Ant1	5260	11.55	≤23.98	PASS
11AC20SISO	Ant1	5280	11.49	≤23.98	PASS
11AC20SISO	Ant1	5320	11.30	≤23.98	PASS
11AC20SISO	Ant1	5500	11.79	≤23.98	PASS
11AC20SISO	Ant1	5580	12.48	≤23.98	PASS

11AC20SISO	Ant1	5700	13.10	≤23.98	PASS
11AC20SISO	Ant1	5745	12.58	≤30.00	PASS
11AC20SISO	Ant1	5785	12.73	≤30.00	PASS
11AC20SISO	Ant1	5825	12.84	≤30.00	PASS
11AC40SISO	Ant1	5190	10.53	≤23.98	PASS
11AC40SISO	Ant1	5230	10.49	≤23.98	PASS
11AC40SISO	Ant1	5270	11.10	≤23.98	PASS
11AC40SISO	Ant1	5310	10.85	≤23.98	PASS
11AC40SISO	Ant1	5510	11.34	≤23.98	PASS
11AC40SISO	Ant1	5550	11.25	≤23.98	PASS
11AC40SISO	Ant1	5670	12.17	≤23.98	PASS
11AC40SISO	Ant1	5755	12.02	≤30.00	PASS
11AC40SISO	Ant1	5795	12.15	≤30.00	PASS
11AX20SISO	Ant1	5180	11.72	≤23.98	PASS
11AX20SISO	Ant1	5200	11.54	≤23.98	PASS
11AX20SISO	Ant1	5240	11.55	≤23.98	PASS
11AX20SISO	Ant1	5260	11.86	≤23.98	PASS
11AX20SISO	Ant1	5280	11.66	≤23.98	PASS
11AX20SISO	Ant1	5320	11.53	≤23.98	PASS
11AX20SISO	Ant1	5500	12.13	≤23.98	PASS
11AX20SISO	Ant1	5580	12.52	≤23.98	PASS
11AX20SISO	Ant1	5700	13.26	≤23.98	PASS
11AX20SISO	Ant1	5745	12.72	≤30.00	PASS
11AX20SISO	Ant1	5785	12.71	≤30.00	PASS
11AX20SISO	Ant1	5825	12.86	≤30.00	PASS
11AX40SISO	Ant1	5190	10.79	≤23.98	PASS
11AX40SISO	Ant1	5230	10.61	≤23.98	PASS
11AX40SISO	Ant1	5270	11.24	≤23.98	PASS
11AX40SISO	Ant1	5310	10.86	≤23.98	PASS
11AX40SISO	Ant1	5510	11.66	≤23.98	PASS
11AX40SISO	Ant1	5550	11.86	≤23.98	PASS
11AX40SISO	Ant1	5670	12.72	≤23.98	PASS
11AX40SISO	Ant1	5755	12.04	≤30.00	PASS
11AX40SISO	Ant1	5795	12.39	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

6: Maximum power spectral density

6.1 Test Result


Test Mode	Ant.	Frequency [MHz]	RawData [dBm/3kHz]	DC Factory	Result [dBm/MHz] Result [dBm/500kHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
11A	Ant1	5180	1.62	0.04	1.66	≤11.00	PASS
11A	Ant1	5200	1.61	0.08	1.69	≤11.00	PASS
11A	Ant1	5240	1.41	0.06	1.47	≤11.00	PASS
11A	Ant1	5260	1.67	0.06	1.73	≤11.00	PASS
11A	Ant1	5280	1.34	0.05	1.39	≤11.00	PASS
11A	Ant1	5320	1.57	0.06	1.63	≤11.00	PASS
11A	Ant1	5500	2.21	0.04	2.25	≤11.00	PASS
11A	Ant1	5580	2.78	0.06	2.84	≤11.00	PASS
11A	Ant1	5700	3.67	0.06	3.73	≤11.00	PASS
11A	Ant1	5745	-0.63	0.04	-0.59	≤30.00	PASS
11A	Ant1	5785	-0.41	0.06	-0.35	≤30.00	PASS
11A	Ant1	5825	-0.65	0.06	-0.59	≤30.00	PASS
11N20SISO	Ant1	5180	1.3	0.04	1.34	≤11.00	PASS
11N20SISO	Ant1	5200	1.33	0.08	1.41	≤11.00	PASS
11N20SISO	Ant1	5240	1.14	0.07	1.21	≤11.00	PASS
11N20SISO	Ant1	5260	1.35	0.07	1.42	≤11.00	PASS
11N20SISO	Ant1	5280	1	0.08	1.08	≤11.00	PASS
11N20SISO	Ant1	5320	1.08	0.07	1.15	≤11.00	PASS
11N20SISO	Ant1	5500	1.74	0.02	1.76	≤11.00	PASS
11N20SISO	Ant1	5580	2.41	0.05	2.46	≤11.00	PASS
11N20SISO	Ant1	5700	3	0.05	3.05	≤11.00	PASS
11N20SISO	Ant1	5745	-1.41	0.02	-1.39	≤30.00	PASS
11N20SISO	Ant1	5785	-0.89	0.08	-0.81	≤30.00	PASS
11N20SISO	Ant1	5825	-1.05	0.05	-1.00	≤30.00	PASS
11N40SISO	Ant1	5190	-2.2	0.06	-2.14	≤11.00	PASS
11N40SISO	Ant1	5230	-2.41	0.08	-2.33	≤11.00	PASS
11N40SISO	Ant1	5270	-2.03	0.06	-1.97	≤11.00	PASS
11N40SISO	Ant1	5310	-2.03	0.08	-1.95	≤11.00	PASS
11N40SISO	Ant1	5510	-1.45	0.06	-1.39	≤11.00	PASS
11N40SISO	Ant1	5550	-1.23	0.07	-1.16	≤11.00	PASS
11N40SISO	Ant1	5670	0.01	0.08	0.09	≤11.00	PASS
11N40SISO	Ant1	5755	-4.42	0.06	-4.36	≤30.00	PASS
11N40SISO	Ant1	5795	-4.28	0.07	-4.21	≤30.00	PASS
11AC20SISO	Ant1	5180	0.03	0.41	0.44	≤11.00	PASS
11AC20SISO	Ant1	5200	-0.07	0.50	0.43	≤11.00	PASS
11AC20SISO	Ant1	5240	-0.28	0.50	0.22	≤11.00	PASS
11AC20SISO	Ant1	5260	0.12	0.41	0.53	≤11.00	PASS
11AC20SISO	Ant1	5280	-0.31	0.57	0.26	≤11.00	PASS
11AC20SISO	Ant1	5320	-0.19	0.57	0.38	≤11.00	PASS
11AC20SISO	Ant1	5500	0.32	0.41	0.73	≤11.00	PASS

11AC20SISO	Ant1	5580	1.01	0.57	1.58	≤11.00	PASS
11AC20SISO	Ant1	5700	2	0.57	2.57	≤11.00	PASS
11AC20SISO	Ant1	5745	-2.24	0.41	-1.83	≤30.00	PASS
11AC20SISO	Ant1	5785	-2.27	0.50	-1.77	≤30.00	PASS
11AC20SISO	Ant1	5825	-1.97	0.50	-1.47	≤30.00	PASS
11AC40SISO	Ant1	5190	-2.15	0.06	-2.09	≤11.00	PASS
11AC40SISO	Ant1	5230	-2.42	0.08	-2.34	≤11.00	PASS
11AC40SISO	Ant1	5270	-2.11	0.06	-2.05	≤11.00	PASS
11AC40SISO	Ant1	5310	-2.03	0.08	-1.95	≤11.00	PASS
11AC40SISO	Ant1	5510	-1.42	0.03	-1.39	≤11.00	PASS
11AC40SISO	Ant1	5550	-1.68	0.07	-1.61	≤11.00	PASS
11AC40SISO	Ant1	5670	-0.62	0.07	-0.55	≤11.00	PASS
11AC40SISO	Ant1	5755	-4.34	0.06	-4.28	≤30.00	PASS
11AC40SISO	Ant1	5795	-4.14	0.08	-4.06	≤30.00	PASS
11AX20SISO	Ant1	5180	-2.16	2.63	0.47	≤11.00	PASS
11AX20SISO	Ant1	5200	-2.29	2.84	0.55	≤11.00	PASS
11AX20SISO	Ant1	5240	-2.55	2.89	0.34	≤11.00	PASS
11AX20SISO	Ant1	5260	-2.07	2.63	0.56	≤11.00	PASS
11AX20SISO	Ant1	5280	-2.93	2.95	0.02	≤11.00	PASS
11AX20SISO	Ant1	5320	-2.59	2.84	0.25	≤11.00	PASS
11AX20SISO	Ant1	5500	-1.89	2.63	0.74	≤11.00	PASS
11AX20SISO	Ant1	5580	-1.53	2.84	1.31	≤11.00	PASS
11AX20SISO	Ant1	5700	-0.12	2.84	2.72	≤11.00	PASS
11AX20SISO	Ant1	5745	-3.82	2.63	-1.19	≤30.00	PASS
11AX20SISO	Ant1	5785	-3.7	2.95	-0.75	≤30.00	PASS
11AX20SISO	Ant1	5825	-3.74	2.84	-0.90	≤30.00	PASS
11AX40SISO	Ant1	5190	-6.6	3.24	-3.36	≤11.00	PASS
11AX40SISO	Ant1	5230	-7.04	3.68	-3.36	≤11.00	PASS
11AX40SISO	Ant1	5270	-6.71	3.24	-3.47	≤11.00	PASS
11AX40SISO	Ant1	5310	-6.93	3.61	-3.32	≤11.00	PASS
11AX40SISO	Ant1	5510	-6.07	3.52	-2.55	≤11.00	PASS
11AX40SISO	Ant1	5550	-6.33	3.52	-2.81	≤11.00	PASS
11AX40SISO	Ant1	5670	-4.73	3.61	-1.12	≤11.00	PASS
11AX40SISO	Ant1	5755	-7.99	3.24	-4.75	≤30.00	PASS
11AX40SISO	Ant1	5795	-7.75	3.68	-4.07	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


6.2 Test Graphs




11A-Ant1-5180-PASS




11A-Ant1-5200-PASS




11A-Ant1-5240-PASS



11A-Ant1-5260-PASS



11A-Ant1-5280-PASS



11A-Ant1-5320-PASS