

Dear Customer:

Thank you for purchasing our products.

If you need any help, please feel free to contact us, our email address:

support@aixpi.com

We provide 12 month warranty.

Thanks and best regards.

AiXPI



No battery! No charging!

Please do not use 5W iPhone charger to charge ring light.

Please choose reputable, certificate compliant dc 5V adaptor, it is better to choose 12W or higher power adaptor to power the ring light. If the adaptor power is less than 12W, it may cause the ring light to cut off power due to automatic overheating protection.

KiXPI

10" LED Ring Light

Product Manual



Model:L218
PN:AL218-Y2
V.4.2

Linking Method of Bluetooth Selfie Remote



Precautions for use

- ! No battery, No charging.
- ! Please do not use 5W iPhone charger to charge ring light.
- ! Please choose reputable, certificate compliant dc 5V adaptor. It is better to choose 12W or higher power adaptor to power the ring light. If the adaptor power is less than 12W, it may cause the ring light to cut off power due to automatic overheating protection.
- 2. The slight noise is unavoidable if you choose power bank to drive the ring light.
- 3. Ta: -20°C ~ 50°C
- 4. Please do not use the ring light in damp environment, such as in the rain, in the bathroom etc.

FCC Warning Statement

- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 1. Reorient or relocate the receiving antenna.
 2. Increase the separation between the equipment and receiver.
 3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 4. Consult the dealer or an experienced radio/TV technician for help.