







**AppendixB: Maximum conducted output power****Test Result**

| TestMode   | Antenna | Channel | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|---------|-------------|------------|---------|
| 11A        | Ant1    | 5745    | 10.09       | ≤30.00     | PASS    |
|            |         | 5785    | 9.60        | ≤30.00     | PASS    |
|            |         | 5825    | 11.59       | ≤30.00     | PASS    |
| 11N20SISO  | Ant1    | 5745    | 11.71       | ≤30.00     | PASS    |
|            |         | 5785    | 9.09        | ≤30.00     | PASS    |
|            |         | 5825    | 11.83       | ≤30.00     | PASS    |
| 11N40SISO  | Ant1    | 5755    | 9.97        | ≤30.00     | PASS    |
|            |         | 5795    | 9.71        | ≤30.00     | PASS    |
| 11AC20SISO | Ant1    | 5745    | 9.55        | ≤30.00     | PASS    |
|            |         | 5785    | 9.19        | ≤30.00     | PASS    |
|            |         | 5825    | 12.76       | ≤30.00     | PASS    |
| 11AC40SISO | Ant1    | 5755    | 10.82       | ≤30.00     | PASS    |
|            |         | 5795    | 11.92       | ≤30.00     | PASS    |
| 11AC80SISO | Ant1    | 5775    | 11.44       | ≤30.00     | PASS    |

Note: The Duty Cycle Factor is compensated in the result.

## AppendixC: Maximum power spectral density

### Test Result

| TestMode   | Antenna | Channel | Result [dBm/MHz] | Limit[dBm/500kHz] | Verdict |
|------------|---------|---------|------------------|-------------------|---------|
| 11A        | Ant1    | 5745    | 1.56             | ≤30.00            | PASS    |
|            |         | 5785    | 1.8              | ≤30.00            | PASS    |
|            |         | 5825    | 1.76             | ≤30.00            | PASS    |
| 11N20SISO  | Ant1    | 5745    | 1.16             | ≤30.00            | PASS    |
|            |         | 5785    | 1.44             | ≤30.00            | PASS    |
|            |         | 5825    | 1.16             | ≤30.00            | PASS    |
| 11N40SISO  | Ant1    | 5755    | -1.41            | ≤30.00            | PASS    |
|            |         | 5795    | -2.78            | ≤30.00            | PASS    |
| 11AC20SISO | Ant1    | 5745    | 1.2              | ≤30.00            | PASS    |
|            |         | 5785    | 1.32             | ≤30.00            | PASS    |
|            |         | 5825    | 1.28             | ≤30.00            | PASS    |
| 11AC40SISO | Ant1    | 5755    | -1.16            | ≤30.00            | PASS    |
|            |         | 5795    | -2.55            | ≤30.00            | PASS    |
| 11AC80SISO | Ant1    | 5775    | -6.85            | ≤30.00            | PASS    |

Note: 1.The Duty Cycle Factorand RBW Factoriscompensatedinthegraph.

## Test Graphs















## AppendixD:Frequency Stability

### Test Result


| Test Condition | Test Mode | Test Frequency[MHz] | Ant | Result [ppm] | Limit [ppm] | Verdict |
|----------------|-----------|---------------------|-----|--------------|-------------|---------|
| NTNV           | Carrier   | 5745                | 1   | -6.6         | <=20        | PASS    |
|                |           | 5755                | 1   | -6.1         | <=20        | PASS    |
|                |           | 5775                | 1   | -5.9         | <=20        | PASS    |
|                |           | 5785                | 1   | -6.4         | <=20        | PASS    |
|                |           | 5795                | 1   | -6.5         | <=20        | PASS    |
|                |           | 5825                | 1   | -6.3         | <=20        | PASS    |


## AppendixE: Duty Cycle


### Test Result


| TestMode   | Antenna | Channel | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Limit | Verdict |
|------------|---------|---------|----------------------------|--------------------------|----------------|-------|---------|
| 11A        | Ant1    | 5745    | 1.39                       | 1.50                     | 92.67          | ---   | ---     |
|            |         | 5785    | 1.39                       | 1.49                     | 93.29          | ---   | ---     |
|            |         | 5825    | 1.40                       | 1.50                     | 93.33          | ---   | ---     |
| 11N20SISO  | Ant1    | 5745    | 1.30                       | 1.41                     | 92.20          | ---   | ---     |
|            |         | 5785    | 1.30                       | 1.41                     | 92.20          | ---   | ---     |
|            |         | 5825    | 1.30                       | 1.41                     | 92.20          | ---   | ---     |
| 11N40SISO  | Ant1    | 5755    | 0.64                       | 0.75                     | 85.33          | ---   | ---     |
|            |         | 5795    | 0.65                       | 0.75                     | 86.67          | ---   | ---     |
| 11AC20SISO | Ant1    | 5745    | 1.31                       | 1.42                     | 92.25          | ---   | ---     |
|            |         | 5785    | 1.32                       | 1.42                     | 92.91          | ---   | ---     |
|            |         | 5825    | 1.31                       | 1.42                     | 92.25          | ---   | ---     |
| 11AC40SISO | Ant1    | 5755    | 0.65                       | 0.76                     | 85.53          | ---   | ---     |
|            |         | 5795    | 0.65                       | 0.76                     | 85.53          | ---   | ---     |
| 11AC80SISO | Ant1    | 5775    | 0.32                       | 0.43                     | 74.42          | ---   | ---     |


## Test Graphs

















-----End-----