

Wireless Car Charging Mount

S11

Instruction Manual

10W wireless charger working illustration

1. 10W wireless charger comply with Qi international standard, support fast charge.

2. Realization of short distance radio transmission through magnetic induction, it's applicable for all electrical devices comply with Qi standard.

3. When using 5V output adapter, wireless charger supports 5W load, when using QI3.0 standard output adapter, the wireless charger supports 10W load.

4. Overvoltage protection: When charging with the QI3.0 adaptor, the input voltage increase to 9V, then the overvoltage protection will work when reach 9.5V.


5. Overcurrent protection: When charging with the QI3.0 adaptor, the charging current is adjusted by the current feedback from the load device. But it will occur overcurrent protection when over 2A.

6. Detection and protection of metal foreign objects: When charging with our wireless charger, if there's other metal objects on the induction coil, the machine will stop charging by detection of the abnormal change of magnetic flux.

7. Overtemperature protection: When using our wireless charger, it will detect the load device temperature during charging. The wireless charger will regulate the current, reduce the temperature or even cut off the electricity when it comes to the warning temperature.



Product construction



Instructions For Use

1. Connect the vehicle's wireless charging device to the appropriate data cable when using it.

2. Connect the USB port of the data cable to the charging interface on the car (eg, cigarette lighter switching charger and USB charging port on the car).

3. The device clip clips the air outlet and can also be placed elsewhere.

4. After the device is powered on 5V~9V DC power supply, the blue indicator light will be on. When the object is close to the device 5cm-20cm, the automatic induction will open the arms and put the phone into the phone, the device will automatically clamp the phone. At this point, wireless charging will automatically charge the phone, charging green light (mobile phone with wireless charging function) when you remove the phone you need to touch the back of the shell at the top of the sensing point, when the hand touches the sensing point position, the device automatically open double Arm, remove the phone.

5. This device has over-voltage protection, over-temperature protection, magnetic field protection, short-circuit protection, if the device is abnormal, it will automatically stop working.

6. Plug in the power supply, the indicator light is always on.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of device a distance of 15cm surrounding the device and 20 cm above the top surface of the device must be respected.