

RF Test Data for U-NII-6G (Conducted Measurement)

Product Name: Wifi Pineapple Pager

Trade Mark: /

Test Model: Mk1

FCC ID: 2A52Y-MK1

Environmental Conditions

Temperature:	23.5℃
Relative Humidity:	58%
ATM Pressure:	100.0 kPa
Test Engineer:	Allen Lai
Supervised by:	Max Zhang
NOTE	N/A

Appendix A: Occupied bandwidth and Emission bandwidth


Test Result

Test data of Occupied bandwidth and Emission bandwidth						
Test Mode	Antenna	Freq (MHz)	OBW [MHz]	-26db EBW [MHz]	Limit [dBm]	Verdict
11ax20	ANT1	5955	19.116	28.449	/	Pass
11ax20	ANT1	6175	19.149	27.164	/	Pass
11ax20	ANT1	6415	19.111	26.73	/	Pass
11ax40	ANT1	5965	37.887	39.996	/	Pass
11ax40	ANT1	6165	37.923	39.872	/	Pass
11ax40	ANT1	6405	37.879	39.974	/	Pass
11ax80	ANT1	5985	77.512	80.856	/	Pass
11ax80	ANT1	6145	77.384	80.948	/	Pass
11ax80	ANT1	6385	77.455	81.049	/	Pass
11ax20	ANT1	6435	19.129	25.83	/	Pass
11ax20	ANT1	6475	19.152	26.158	/	Pass
11ax20	ANT1	6515	19.162	26.692	/	Pass
11ax40	ANT1	6445	37.768	39.697	/	Pass
11ax40	ANT1	6485	37.855	39.743	/	Pass
11ax80	ANT1	6465	77.518	80.817	/	Pass
11ax80	ANT1	6545	77.605	80.921	/	Pass
11ax20	ANT1	6535	19.128	27.136	/	Pass
11ax20	ANT1	6695	19.078	28.452	/	Pass
11ax20	ANT1	6855	19.141	28.559	/	Pass
11ax40	ANT1	6525	37.903	39.785	/	Pass
11ax40	ANT1	6685	37.776	39.845	/	Pass
11ax40	ANT1	6845	37.879	39.999	/	Pass
11ax80	ANT1	6625	77.379	80.812	/	Pass
11ax80	ANT1	6785	77.544	80.919	/	Pass
11ax20	ANT1	6875	19.08	25.683	/	Pass
11ax20	ANT1	6995	19.176	29.445	/	Pass
11ax20	ANT1	7115	19.132	24.741	/	Pass
11ax40	ANT1	6885	37.852	39.974	/	Pass
11ax40	ANT1	7005	37.821	39.756	/	Pass
11ax40	ANT1	7085	37.879	39.966	/	Pass
11ax80	ANT1	6865	77.423	80.989	/	Pass
11ax80	ANT1	6945	77.519	80.739	/	Pass
11ax20	ANT2	5955	19.155	25.314	/	Pass
11ax20	ANT2	6175	19.117	27.134	/	Pass
11ax20	ANT2	6415	19.127	28.132	/	Pass
11ax40	ANT2	5965	37.852	39.936	/	Pass


11ax40	ANT2	6165	37.89	39.804	/	Pass
11ax40	ANT2	6405	37.918	39.839	/	Pass
11ax80	ANT2	5985	77.335	80.836	/	Pass
11ax80	ANT2	6145	77.306	80.936	/	Pass
11ax80	ANT2	6385	77.376	80.927	/	Pass
11ax20	ANT2	6435	19.109	27.306	/	Pass
11ax20	ANT2	6475	19.163	26.961	/	Pass
11ax20	ANT2	6515	19.111	28.162	/	Pass
11ax40	ANT2	6445	37.805	39.759	/	Pass
11ax40	ANT2	6485	37.85	39.844	/	Pass
11ax80	ANT2	6465	77.25	80.778	/	Pass
11ax80	ANT2	6545	77.513	80.948	/	Pass
11ax20	ANT2	6535	19.143	25.801	/	Pass
11ax20	ANT2	6695	19.075	26.732	/	Pass
11ax20	ANT2	6855	19.155	27.901	/	Pass
11ax40	ANT2	6525	37.87	39.714	/	Pass
11ax40	ANT2	6685	37.775	39.922	/	Pass
11ax40	ANT2	6845	37.869	39.954	/	Pass
11ax80	ANT2	6625	77.507	81.061	/	Pass
11ax80	ANT2	6785	77.472	80.987	/	Pass
11ax20	ANT2	6875	19.091	29.126	/	Pass
11ax20	ANT2	6995	19.136	28.633	/	Pass
11ax20	ANT2	7115	19.122	25.471	/	Pass
11ax40	ANT2	6885	37.809	39.883	/	Pass
11ax40	ANT2	7005	37.962	39.726	/	Pass
11ax40	ANT2	7085	37.91	39.96	/	Pass
11ax80	ANT2	6865	77.342	80.831	/	Pass
11ax80	ANT2	6945	77.513	80.783	/	Pass

Note: the cable loss and attenuator factors have been set in the 'Input Correction' of the Spectrum Analyzer during the test.


Test Graphs




Test_Graph_11ax20_ANT1_5955_HE0_OBW




Test_Graph_11ax20_ANT1_6175_HE0_OBW




Test_Graph_11ax20_ANT1_6415_HE0_OBW




Test_Graph_11ax20_ANT1_6435_HE0_OBW




Test_Graph_11ax20_ANT1_6475_HE0_OBW




Test_Graph_11ax20_ANT1_6515_HE0_OBW




Test_Graph_11ax20_ANT1_6535_HE0_OBW




Test_Graph_11ax20_ANT1_6695_HE0_OBW




Test_Graph_11ax20_ANT1_6855_HE0_OBW




Test_Graph_11ax20_ANT1_6875_HE0_OBW




Test_Graph_11ax20_ANT1_6995_HE0_OBW




Test_Graph_11ax20_ANT1_7115_HE0_OBW




Test_Graph_11ax40_ANT1_5965_HE0_OBW




Test_Graph_11ax40_ANT1_6165_HE0_OBW




Test_Graph_11ax40_ANT1_6405_HE0_OBW




Test_Graph_11ax40_ANT1_6445_HE0_OBW




Test_Graph_11ax40_ANT1_6485_HE0_OBW




Test_Graph_11ax40_ANT1_6525_HE0_OBW




Test_Graph_11ax40_ANT1_6685_HE0_OBW




Test_Graph_11ax40_ANT1_6845_HE0_OBW




Test_Graph_11ax40_ANT1_6885_HE0_OBW




Test_Graph_11ax40_ANT1_7005_HE0_OBW




Test_Graph_11ax40_ANT1_7085_HE0_OBW




Test_Graph_11ax80_ANT1_5985_HE0_OBW




Test_Graph_11ax80_ANT1_6145_HE0_OBW




Test_Graph_11ax80_ANT1_6385_HE0_OBW




Test_Graph_11ax80_ANT1_6465_HE0_OBW




Test_Graph_11ax80_ANT1_6545_HE0_OBW




Test_Graph_11ax80_ANT1_6625_HE0_OBW




Test_Graph_11ax80_ANT1_6785_HE0_OBW




Test_Graph_11ax80_ANT1_6865_HE0_OBW




Test_Graph_11ax80_ANT1_6945_HE0_OBW




Test_Graph_11ax20_ANT2_5955_HE0_OBW




Test_Graph_11ax20_ANT2_6175_HE0_OBW




Test_Graph_11ax20_ANT2_6415_HE0_OBW




Test_Graph_11ax20_ANT2_6435_HE0_OBW




Test_Graph_11ax20_ANT2_6475_HE0_OBW




Test_Graph_11ax20_ANT2_6515_HE0_OBW




Test_Graph_11ax20_ANT2_6535_HE0_OBW




Test_Graph_11ax20_ANT2_6695_HE0_OBW




Test_Graph_11ax20_ANT2_6855_HE0_OBW




Test_Graph_11ax20_ANT2_6875_HE0_OBW




Test_Graph_11ax20_ANT2_6995_HE0_OBW




Test_Graph_11ax20_ANT2_7115_HE0_OBW




Test_Graph_11ax40_ANT2_5965_HE0_OBW




Test_Graph_11ax40_ANT2_6165_HE0_OBW




Test_Graph_11ax40_ANT2_6405_HE0_OBW




Test_Graph_11ax40_ANT2_6445_HE0_OBW




Test_Graph_11ax40_ANT2_6485_HE0_OBW




Test_Graph_11ax40_ANT2_6525_HE0_OBW




Test_Graph_11ax40_ANT2_6685_HE0_OBW




Test_Graph_11ax40_ANT2_6845_HE0_OBW




Test_Graph_11ax40_ANT2_6885_HE0_OBW




Test_Graph_11ax40_ANT2_7005_HE0_OBW




Test_Graph_11ax40_ANT2_7085_HE0_OBW




Test_Graph_11ax80_ANT2_5985_HE0_OBW




Test_Graph_11ax80_ANT2_6145_HE0_OBW




Test_Graph_11ax80_ANT2_6385_HE0_OBW




Test_Graph_11ax80_ANT2_6465_HE0_OBW




Test_Graph_11ax80_ANT2_6545_HE0_OBW




Test_Graph_11ax80_ANT2_6625_HE0_OBW



Test_Graph_11ax80_ANT2_6785_HE0_OBW



Test_Graph_11ax80_ANT2_6865_HE0_OBW



Test_Graph_11ax80_ANT2_6945_HE0_OBW

Appendix B: Maximum e.i.r.p.

Test Result

Test Mode	Antenna	Frequency [MHz]	Conducted Power[dBm]	Antenna Gain[dBi]	EIRP [dBm]	Limit [dBm]	Verdict
11ax20	ANT1	5955	-9.23	4.43	-4.80	24	Pass
11ax20	ANT1	6175	-9.06	4.43	-4.63	24	Pass
11ax20	ANT1	6415	-9.86	4.43	-5.43	24	Pass
11ax40	ANT1	5965	-8.85	4.43	-4.42	24	Pass
11ax40	ANT1	6165	-8.11	4.43	-3.68	24	Pass
11ax40	ANT1	6405	-8.99	4.43	-4.56	24	Pass
11ax80	ANT1	5985	-8.72	4.43	-4.29	24	Pass
11ax80	ANT1	6145	-9.36	4.43	-4.93	24	Pass
11ax80	ANT1	6385	-8.81	4.43	-4.38	24	Pass
11ax20	ANT1	6435	-8.85	4.43	-4.42	24	Pass
11ax20	ANT1	6475	-8.63	4.43	-4.20	24	Pass
11ax20	ANT1	6515	-8.36	4.43	-3.93	24	Pass
11ax40	ANT1	6445	-9.26	4.43	-4.83	24	Pass
11ax40	ANT1	6485	-9.04	4.43	-4.61	24	Pass
11ax80	ANT1	6465	-9.22	4.43	-4.79	24	Pass
11ax80	ANT1	6545	-8.84	4.43	-4.41	24	Pass
11ax20	ANT1	6535	-8.32	4.43	-3.89	24	Pass
11ax20	ANT1	6695	-8.94	4.43	-4.51	24	Pass
11ax20	ANT1	6855	-9.25	4.43	-4.82	24	Pass
11ax40	ANT1	6525	-8.42	4.43	-3.99	24	Pass
11ax40	ANT1	6685	-8.73	4.43	-4.30	24	Pass
11ax40	ANT1	6845	-8.72	4.43	-4.29	24	Pass
11ax80	ANT1	6625	-8.36	4.43	-3.93	24	Pass
11ax80	ANT1	6785	-9.43	4.43	-5.00	24	Pass
11ax20	ANT1	6875	-8.48	4.43	-4.05	24	Pass
11ax20	ANT1	6995	-9.53	4.43	-5.10	24	Pass
11ax20	ANT1	7115	-8.71	4.43	-4.28	24	Pass
11ax40	ANT1	6885	-9.56	4.43	-5.13	24	Pass
11ax40	ANT1	7005	-8.25	4.43	-3.82	24	Pass
11ax40	ANT1	7085	-9.27	4.43	-4.84	24	Pass
11ax80	ANT1	6865	-8.60	4.43	-4.17	24	Pass
11ax80	ANT1	6945	-8.96	4.43	-4.53	24	Pass
11ax20	ANT2	5955	-9.56	2.93	-6.63	24	Pass
11ax20	ANT2	6175	-7.83	2.93	-4.90	24	Pass
11ax20	ANT2	6415	-8.64	2.93	-5.71	24	Pass
11ax40	ANT2	5965	-9.35	2.93	-6.42	24	Pass
11ax40	ANT2	6165	-9.71	2.93	-6.78	24	Pass

11ax40	ANT2	6405	-8.68	2.93	-5.75	24	Pass
11ax80	ANT2	5985	-10.07	2.93	-7.14	24	Pass
11ax80	ANT2	6145	-8.25	2.93	-5.32	24	Pass
11ax80	ANT2	6385	-8.25	2.93	-5.32	24	Pass
11ax20	ANT2	6435	-8.45	2.93	-5.52	24	Pass
11ax20	ANT2	6475	-7.81	2.93	-4.88	24	Pass
11ax20	ANT2	6515	-9.27	2.93	-6.34	24	Pass
11ax40	ANT2	6445	-8.65	2.93	-5.72	24	Pass
11ax40	ANT2	6485	-8.76	2.93	-5.83	24	Pass
11ax80	ANT2	6465	-8.54	2.93	-5.61	24	Pass
11ax80	ANT2	6545	-10.45	2.93	-7.52	24	Pass
11ax20	ANT2	6535	-9.12	2.93	-6.19	24	Pass
11ax20	ANT2	6695	-8.40	2.93	-5.47	24	Pass
11ax20	ANT2	6855	-8.14	2.93	-5.21	24	Pass
11ax40	ANT2	6525	-8.56	2.93	-5.63	24	Pass
11ax40	ANT2	6685	-8.87	2.93	-5.94	24	Pass
11ax40	ANT2	6845	-9.63	2.93	-6.70	24	Pass
11ax80	ANT2	6625	-9.15	2.93	-6.22	24	Pass
11ax80	ANT2	6785	-9.07	2.93	-6.14	24	Pass
11ax20	ANT2	6875	-9.22	2.93	-6.29	24	Pass
11ax20	ANT2	6995	-8.51	2.93	-5.58	24	Pass
11ax20	ANT2	7115	-9.04	2.93	-6.11	24	Pass
11ax40	ANT2	6885	-8.12	2.93	-5.19	24	Pass
11ax40	ANT2	7005	-8.77	2.93	-5.84	24	Pass
11ax40	ANT2	7085	-8.42	2.93	-5.49	24	Pass
11ax80	ANT2	6865	-8.73	2.93	-5.80	24	Pass
11ax80	ANT2	6945	-9.58	2.93	-6.65	24	Pass
11ax20	MIMO	5955	-6.38	4.43	-1.95	24	Pass
11ax20	MIMO	6175	-5.39	4.43	-0.96	24	Pass
11ax20	MIMO	6415	-6.20	4.43	-1.77	24	Pass
11ax40	MIMO	5965	-6.08	4.43	-1.65	24	Pass
11ax40	MIMO	6165	-5.83	4.43	-1.40	24	Pass
11ax40	MIMO	6405	-5.82	4.43	-1.39	24	Pass
11ax80	MIMO	5985	-6.33	4.43	-1.90	24	Pass
11ax80	MIMO	6145	-5.76	4.43	-1.33	24	Pass
11ax80	MIMO	6385	-5.51	4.43	-1.08	24	Pass
11ax20	MIMO	6435	-5.64	4.43	-1.21	24	Pass
11ax20	MIMO	6475	-5.19	4.43	-0.76	24	Pass
11ax20	MIMO	6515	-5.78	4.43	-1.35	24	Pass
11ax40	MIMO	6445	-5.93	4.43	-1.50	24	Pass
11ax40	MIMO	6485	-5.89	4.43	-1.46	24	Pass
11ax80	MIMO	6465	-5.86	4.43	-1.43	24	Pass
11ax80	MIMO	6545	-6.56	4.43	-2.13	24	Pass

11ax20	MIMO	6535	-5.69	4.43	-1.26	24	Pass
11ax20	MIMO	6695	-5.65	4.43	-1.22	24	Pass
11ax20	MIMO	6855	-5.65	4.43	-1.22	24	Pass
11ax40	MIMO	6525	-5.48	4.43	-1.05	24	Pass
11ax40	MIMO	6685	-5.79	4.43	-1.36	24	Pass
11ax40	MIMO	6845	-6.14	4.43	-1.71	24	Pass
11ax80	MIMO	6625	-5.73	4.43	-1.30	24	Pass
11ax80	MIMO	6785	-6.24	4.43	-1.81	24	Pass
11ax20	MIMO	6875	-5.82	4.43	-1.39	24	Pass
11ax20	MIMO	6995	-5.98	4.43	-1.55	24	Pass
11ax20	MIMO	7115	-5.86	4.43	-1.43	24	Pass
11ax40	MIMO	6885	-5.77	4.43	-1.34	24	Pass
11ax40	MIMO	7005	-5.49	4.43	-1.06	24	Pass
11ax40	MIMO	7085	-5.81	4.43	-1.38	24	Pass
11ax80	MIMO	6865	-5.65	4.43	-1.22	24	Pass
11ax80	MIMO	6945	-6.25	4.43	-1.82	24	Pass

Appendix C: Maximum power spectral density

Test Result


Test Mode	Antenna	Frequency [MHz]	Conducted PSD[dBm/MHz]	Antenna Gain[dBi]	EIRP PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11ax20	ANT1	5955	-16.666	4.43	-12.236	-1	Pass
11ax20	ANT1	6175	-16.806	4.43	-12.376	-1	Pass
11ax20	ANT1	6415	-17.106	4.43	-12.676	-1	Pass
11ax40	ANT1	5965	-18.643	4.43	-14.213	-1	Pass
11ax40	ANT1	6165	-18.637	4.43	-14.207	-1	Pass
11ax40	ANT1	6405	-19.64	4.43	-15.21	-1	Pass
11ax80	ANT1	5985	-21.926	4.43	-17.496	-1	Pass
11ax80	ANT1	6145	-22.51	4.43	-18.08	-1	Pass
11ax80	ANT1	6385	-22.302	4.43	-17.872	-1	Pass
11ax20	ANT1	6435	-15.931	4.43	-11.501	-1	Pass
11ax20	ANT1	6475	-15.878	4.43	-11.448	-1	Pass
11ax20	ANT1	6515	-15.951	4.43	-11.521	-1	Pass
11ax40	ANT1	6445	-19.58	4.43	-15.15	-1	Pass
11ax40	ANT1	6485	-19.324	4.43	-14.894	-1	Pass
11ax80	ANT1	6465	-21.91	4.43	-17.48	-1	Pass
11ax80	ANT1	6545	-21.921	4.43	-17.491	-1	Pass
11ax20	ANT1	6535	-15.624	4.43	-11.194	-1	Pass
11ax20	ANT1	6695	-16.054	4.43	-11.624	-1	Pass
11ax20	ANT1	6855	-16.879	4.43	-12.449	-1	Pass
11ax40	ANT1	6525	-18.989	4.43	-14.559	-1	Pass
11ax40	ANT1	6685	-18.987	4.43	-14.557	-1	Pass
11ax40	ANT1	6845	-19.276	4.43	-14.846	-1	Pass
11ax80	ANT1	6625	-21.247	4.43	-16.817	-1	Pass
11ax80	ANT1	6785	-22.56	4.43	-18.13	-1	Pass
11ax20	ANT1	6875	-15.956	4.43	-11.526	-1	Pass
11ax20	ANT1	6995	-17.031	4.43	-12.601	-1	Pass
11ax20	ANT1	7115	-16.169	4.43	-11.739	-1	Pass
11ax40	ANT1	6885	-19.331	4.43	-14.901	-1	Pass
11ax40	ANT1	7005	-18.043	4.43	-13.613	-1	Pass
11ax40	ANT1	7085	-19.361	4.43	-14.931	-1	Pass
11ax80	ANT1	6865	-21.328	4.43	-16.898	-1	Pass
11ax80	ANT1	6945	-21.722	4.43	-17.292	-1	Pass
11ax20	ANT2	5955	-16.754	2.93	-13.824	-1	Pass
11ax20	ANT2	6175	-15.316	2.93	-12.386	-1	Pass
11ax20	ANT2	6415	-16.167	2.93	-13.237	-1	Pass
11ax40	ANT2	5965	-19.849	2.93	-16.919	-1	Pass
11ax40	ANT2	6165	-20.153	2.93	-17.223	-1	Pass

11ax40	ANT2	6405	-19.267	2.93	-16.337	-1	Pass
11ax80	ANT2	5985	-22.902	2.93	-19.972	-1	Pass
11ax80	ANT2	6145	-21.631	2.93	-18.701	-1	Pass
11ax80	ANT2	6385	-21.411	2.93	-18.481	-1	Pass
11ax20	ANT2	6435	-15.586	2.93	-12.656	-1	Pass
11ax20	ANT2	6475	-15.479	2.93	-12.549	-1	Pass
11ax20	ANT2	6515	-16.713	2.93	-13.783	-1	Pass
11ax40	ANT2	6445	-19.131	2.93	-16.201	-1	Pass
11ax40	ANT2	6485	-18.978	2.93	-16.048	-1	Pass
11ax80	ANT2	6465	-21.337	2.93	-18.407	-1	Pass
11ax80	ANT2	6545	-23.123	2.93	-20.193	-1	Pass
11ax20	ANT2	6535	-16.03	2.93	-13.1	-1	Pass
11ax20	ANT2	6695	-15.951	2.93	-13.021	-1	Pass
11ax20	ANT2	6855	-15.303	2.93	-12.373	-1	Pass
11ax40	ANT2	6525	-17.776	2.93	-14.846	-1	Pass
11ax40	ANT2	6685	-19.157	2.93	-16.227	-1	Pass
11ax40	ANT2	6845	-19.772	2.93	-16.842	-1	Pass
11ax80	ANT2	6625	-22.925	2.93	-19.995	-1	Pass
11ax80	ANT2	6785	-22.188	2.93	-19.258	-1	Pass
11ax20	ANT2	6875	-16.736	2.93	-13.806	-1	Pass
11ax20	ANT2	6995	-16.468	2.93	-13.538	-1	Pass
11ax20	ANT2	7115	-16.263	2.93	-13.333	-1	Pass
11ax40	ANT2	6885	-17.711	2.93	-14.781	-1	Pass
11ax40	ANT2	7005	-18.874	2.93	-15.944	-1	Pass
11ax40	ANT2	7085	-18.714	2.93	-15.784	-1	Pass
11ax80	ANT2	6865	-21.98	2.93	-19.05	-1	Pass
11ax80	ANT2	6945	-22.511	2.93	-19.581	-1	Pass
11ax20	MIMO	5955	-13.699	6.72	-6.979	-1	Pass
11ax20	MIMO	6175	-12.987	6.72	-6.267	-1	Pass
11ax20	MIMO	6415	-13.601	6.72	-6.881	-1	Pass
11ax40	MIMO	5965	-16.194	6.72	-9.474	-1	Pass
11ax40	MIMO	6165	-16.319	6.72	-9.599	-1	Pass
11ax40	MIMO	6405	-16.439	6.72	-9.719	-1	Pass
11ax80	MIMO	5985	-19.376	6.72	-12.656	-1	Pass
11ax80	MIMO	6145	-19.038	6.72	-12.318	-1	Pass
11ax80	MIMO	6385	-18.823	6.72	-12.103	-1	Pass
11ax20	MIMO	6435	-12.745	6.72	-6.025	-1	Pass
11ax20	MIMO	6475	-12.664	6.72	-5.944	-1	Pass
11ax20	MIMO	6515	-13.305	6.72	-6.585	-1	Pass
11ax40	MIMO	6445	-16.339	6.72	-9.619	-1	Pass
11ax40	MIMO	6485	-16.137	6.72	-9.417	-1	Pass
11ax80	MIMO	6465	-18.604	6.72	-11.884	-1	Pass
11ax80	MIMO	6545	-19.47	6.72	-12.75	-1	Pass


11ax20	MIMO	6535	-12.812	6.72	-6.092	-1	Pass
11ax20	MIMO	6695	-12.992	6.72	-6.272	-1	Pass
11ax20	MIMO	6855	-13.01	6.72	-6.29	-1	Pass
11ax40	MIMO	6525	-15.33	6.72	-8.61	-1	Pass
11ax40	MIMO	6685	-16.061	6.72	-9.341	-1	Pass
11ax40	MIMO	6845	-16.507	6.72	-9.787	-1	Pass
11ax80	MIMO	6625	-18.995	6.72	-12.275	-1	Pass
11ax80	MIMO	6785	-19.36	6.72	-12.64	-1	Pass
11ax20	MIMO	6875	-13.318	6.72	-6.598	-1	Pass
11ax20	MIMO	6995	-13.73	6.72	-7.01	-1	Pass
11ax20	MIMO	7115	-13.205	6.72	-6.485	-1	Pass
11ax40	MIMO	6885	-15.436	6.72	-8.716	-1	Pass
11ax40	MIMO	7005	-15.428	6.72	-8.708	-1	Pass
11ax40	MIMO	7085	-16.015	6.72	-9.295	-1	Pass
11ax80	MIMO	6865	-18.631	6.72	-11.911	-1	Pass
11ax80	MIMO	6945	-19.088	6.72	-12.368	-1	Pass

Note: offset(dB) = Duty Cycle Factor(dB), the cable loss and attenuator factors have been set in the 'Input Correction' of the Spectrum Analyzer during the test.


Test Graphs




Test_Graph_11ax20_ANT1_5955_HE0_PSD




Test_Graph_11ax20_ANT1_6175_HE0_PSD




Test_Graph_11ax20_ANT1_6415_HE0_PSD




Test_Graph_11ax20_ANT1_6435_HE0_PSD




Test_Graph_11ax20_ANT1_6475_HE0_PSD




Test_Graph_11ax20_ANT1_6515_HE0_PSD




Test_Graph_11ax20_ANT1_6535_HE0_PSD




Test_Graph_11ax20_ANT1_6695_HE0_PSD




Test_Graph_11ax20_ANT1_6855_HE0_PSD




Test_Graph_11ax20_ANT1_6875_HE0_PSD




Test_Graph_11ax20_ANT1_6995_HE0_PSD




Test_Graph_11ax20_ANT1_7115_HE0_PSD




Test_Graph_11ax40_ANT1_5965_HE0_PSD




Test_Graph_11ax40_ANT1_6165_HE0_PSD




Test_Graph_11ax40_ANT1_6405_HE0_PSD




Test_Graph_11ax40_ANT1_6445_HE0_PSD




Test_Graph_11ax40_ANT1_6485_HE0_PSD




Test_Graph_11ax40_ANT1_6525_HE0_PSD




Test_Graph_11ax40_ANT1_6685_HE0_PSD




Test_Graph_11ax40_ANT1_6845_HE0_PSD




Test_Graph_11ax40_ANT1_6885_HE0_PSD




Test_Graph_11ax40_ANT1_7005_HE0_PSD




Test_Graph_11ax40_ANT1_7085_HE0_PSD




Test_Graph_11ax80_ANT1_5985_HE0_PSD




Test_Graph_11ax80_ANT1_6145_HE0_PSD




Test_Graph_11ax80_ANT1_6385_HE0_PSD




Test_Graph_11ax80_ANT1_6465_HE0_PSD




Test_Graph_11ax80_ANT1_6545_HE0_PSD




Test_Graph_11ax80_ANT1_6625_HE0_PSD



Test_Graph_11ax80_ANT1_6785_HE0_PSD



Test_Graph_11ax80_ANT1_6865_HE0_PSD



Test_Graph_11ax80_ANT1_6945_HE0_PSD