







11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500




11G_Ant1_2462_0~Reference




11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_0~Reference




11N20SISO_Ant1_2412_30~1000




11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_0~Reference




11N20SISO_Ant1_2437_30~1000




11N20SISO_Ant1_2437_1000~26500




11N20SISO_Ant1_2462_0~Reference




11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_0~Reference




11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500




11N40SISO_Ant1_2437_0~Reference




11N40SISO_Ant1_2437_30~1000




11N40SISO_Ant1_2437_1000~26500




11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000




11N40SISO_Ant1_2452_1000~26500







11B_Ant2_2412_0~Reference




11B_Ant2_2412_30~1000




11B_Ant2_2412_1000~26500




11B_Ant2_2437_0~Reference




11B_Ant2_2437_30~1000




11B_Ant2_2437_1000~26500




11B_Ant2_2462_0~Reference




11B_Ant2_2462_30~1000




11B_Ant2_2462_1000~26500




11G_Ant2_2412_0~Reference




11G_Ant2_2412_30~1000




11G_Ant2_2412_1000~26500




11G_Ant2_2437_0~Reference




11G_Ant2_2437_30~1000




11G_Ant2_2437_1000~26500




11G_Ant2_2462_0~Reference




11G_Ant2_2462_30~1000




11G_Ant2_2462_1000~26500




11N20SISO_Ant2_2412_0~Reference




11N20SISO_Ant2_2412_30~1000




11N20SISO_Ant2_2412_1000~26500




11N20SISO_Ant2_2437_0~Reference




11N20SISO_Ant2_2437_30~1000




11N20SISO_Ant2_2437_1000~26500




11N20SISO_Ant2_2462_0~Reference




11N20SISO_Ant2_2462_30~1000




11N20SISO_Ant2_2462_1000~26500




11N40SISO_Ant2_2422_0~Reference




11N40SISO_Ant2_2422_30~1000




11N40SISO_Ant2_2422_1000~26500




11N40SISO_Ant2_2437_0~Reference




11N40SISO_Ant2_2437_30~1000




11N40SISO_Ant2_2437_1000~26500




11N40SISO_Ant2_2452_0~Reference



11N40SISO_Ant2_2452_30~1000




11N40SISO_Ant2_2452_1000~26500







11B_Ant3_2412_0~Reference




11B_Ant3_2412_30~1000




11B_Ant3_2412_1000~26500




11B_Ant3_2437_0~Reference




11B_Ant3_2437_30~1000




11B_Ant3_2437_1000~26500




11B_Ant3_2462_0~Reference




11B_Ant3_2462_30~1000




11B_Ant3_2462_1000~26500




11G_Ant3_2412_0~Reference




11G_Ant3_2412_30~1000




11G_Ant3_2412_1000~26500




11G_Ant3_2437_0~Reference




11G_Ant3_2437_30~1000




11G_Ant3_2437_1000~26500




11G_Ant3_2462_0~Reference




11G_Ant3_2462_30~1000




11G_Ant3_2462_1000~26500




11N20SISO_Ant3_2412_0~Reference




11N20SISO_Ant3_2412_30~1000




11N20SISO_Ant3_2412_1000~26500




11N20SISO_Ant3_2437_0~Reference




11N20SISO_Ant3_2437_30~1000




11N20SISO_Ant3_2437_1000~26500




11N20SISO_Ant3_2462_0~Reference




11N20SISO_Ant3_2462_30~1000




11N20SISO_Ant3_2462_1000~26500




11N40SISO_Ant3_2422_0~Reference




11N40SISO_Ant3_2422_30~1000




11N40SISO_Ant3_2422_1000~26500




11N40SISO_Ant3_2437_0~Reference




11N40SISO_Ant3_2437_30~1000




11N40SISO_Ant3_2437_1000~26500




11N40SISO_Ant3_2452_0~Reference



11N40SISO_Ant3_2452_30~1000



11N40SISO_Ant3_2452_1000~26500







A.6 Duty Cycle

Test Result


TestMode	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11B	2412	8.68	8.89	97.64	---	---
	2437	8.69	8.89	97.75	---	---
	2462	8.68	8.89	97.64	---	---
11G	2412	1.44	1.64	87.80	---	---
	2437	1.44	1.65	87.27	---	---
	2462	1.44	1.65	87.27	---	---
11N20SISO	2412	1.35	1.55	87.10	---	---
	2437	1.35	1.56	86.54	---	---
	2462	1.35	1.55	87.10	---	---
11N40SISO	2422	0.67	0.87	77.01	---	---
	2437	0.67	0.87	77.01	---	---
	2452	0.67	0.87	77.01	---	---

Test Graphs







11B_Ant0_2462




11G_Ant0_2412




11G_Ant0_2437




11G_Ant0_2462




11N20SISO_Ant0_2412




11N20SISO_Ant0_2437




11N20SISO_Ant0_2462




11N40SISO_Ant0_2422



11N40SISO_Ant0_2437



11N40SISO_Ant0_2452





A.7 Emissions in Restricted Bands

Test Result

Test Mode	Antenna	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant0	2412	AV	2310.000	-68.83	≤-41.20	26.37	≤54	PASS
			AV	2387.360	-66.68	≤-41.20	28.52	≤54	PASS
			AV	2390.000	-68.02	≤-41.20	27.18	≤54	PASS
			Peak	2310.000	-58.7	≤-21.20	36.50	≤74	PASS
			Peak	2389.180	-54.5	≤-21.20	40.70	≤74	PASS
			Peak	2390.000	-54.89	≤-21.20	40.31	≤74	PASS
		2462	AV	2483.500	-66.38	≤-41.20	28.82	≤54	PASS
			AV	2483.560	-66.63	≤-41.20	28.57	≤54	PASS
			AV	2500.000	-67.75	≤-41.20	27.45	≤54	PASS
			Peak	2483.500	-52.68	≤-21.20	42.52	≤74	PASS
			Peak	2483.560	-51.92	≤-21.20	43.28	≤74	PASS
			Peak	2500.000	-56.79	≤-21.20	38.41	≤74	PASS
11G	Ant0	2412	AV	2310.000	-67.96	≤-41.20	27.24	≤54	PASS
			AV	2389.830	-63.27	≤-41.20	31.93	≤54	PASS
			AV	2390.000	-63.27	≤-41.20	31.93	≤54	PASS
			Peak	2310.000	-56.21	≤-21.20	38.99	≤74	PASS
			Peak	2389.960	-50.31	≤-21.20	44.89	≤74	PASS
			Peak	2390.000	-50.31	≤-21.20	44.89	≤74	PASS
		2462	AV	2483.500	-64.36	≤-41.20	30.84	≤54	PASS
			AV	2483.560	-64.22	≤-41.20	30.98	≤54	PASS
			AV	2500.000	-67.29	≤-41.20	27.91	≤54	PASS
			Peak	2483.500	-50.48	≤-21.20	44.72	≤74	PASS
			Peak	2483.560	-50.62	≤-21.20	44.58	≤74	PASS
			Peak	2500.000	-56.58	≤-21.20	38.62	≤74	PASS
11N20 SISO	Ant0	2412	AV	2310.000	-67.8	≤-41.20	27.40	≤54	PASS
			AV	2389.960	-62.52	≤-41.20	32.68	≤54	PASS
			AV	2390.000	-62.52	≤-41.20	32.68	≤54	PASS
			Peak	2310.000	-57.42	≤-21.20	37.78	≤74	PASS
			Peak	2389.960	-48.41	≤-21.20	46.79	≤74	PASS
			Peak	2390.000	-48.41	≤-21.20	46.79	≤74	PASS
		2462	AV	2483.500	-63.11	≤-41.20	32.09	≤54	PASS
			AV	2483.560	-63.44	≤-41.20	31.76	≤54	PASS
			AV	2500.000	-67.28	≤-41.20	27.92	≤54	PASS
			Peak	2483.500	-46.67	≤-21.20	48.53	≤74	PASS
			Peak	2484.220	-48.84	≤-21.20	46.36	≤74	PASS
			Peak	2500.000	-57.33	≤-21.20	37.87	≤74	PASS



11N40 SISO	Ant0	2422	AV	2310.000	-67.98	≤ -41.20	27.22	≤ 54	PASS
			AV	2389.960	-59.75	≤ -41.20	35.45	≤ 54	PASS
			AV	2390.000	-59.75	≤ -41.20	35.45	≤ 54	PASS
			Peak	2310.000	-57.3	≤ -21.20	37.90	≤ 74	PASS
			Peak	2389.440	-43.9	≤ -21.20	51.30	≤ 74	PASS
			Peak	2390.000	-46.83	≤ -21.20	48.37	≤ 74	PASS
		2452	AV	2483.500	-65.75	≤ -41.20	29.45	≤ 54	PASS
			AV	2484.220	-65.76	≤ -41.20	29.44	≤ 54	PASS
			AV	2500.000	-67.11	≤ -41.20	28.09	≤ 54	PASS
			Peak	2483.500	-54.01	≤ -21.20	41.19	≤ 74	PASS
			Peak	2486.310	-52.71	≤ -21.20	42.49	≤ 74	PASS
			Peak	2500.000	-57.03	≤ -21.20	38.17	≤ 74	PASS

Test Mode	Antenna	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	2412	AV	2310.000	-68.83	≤ -41.20	26.37	≤ 54	PASS
			AV	2387.100	-66.63	≤ -41.20	28.57	≤ 54	PASS
			AV	2390.000	-68	≤ -41.20	27.20	≤ 54	PASS
			Peak	2310.000	-58.31	≤ -21.20	36.89	≤ 74	PASS
			Peak	2389.570	-54.28	≤ -21.20	40.92	≤ 74	PASS
			Peak	2390.000	-54.87	≤ -21.20	40.33	≤ 74	PASS
		2462	AV	2483.500	-66.38	≤ -41.20	28.82	≤ 54	PASS
			AV	2483.560	-66.61	≤ -41.20	28.59	≤ 54	PASS
			AV	2500.000	-67.79	≤ -41.20	27.41	≤ 54	PASS
			Peak	2483.500	-52.82	≤ -21.20	42.38	≤ 74	PASS
			Peak	2483.560	-52.2	≤ -21.20	43.00	≤ 74	PASS
			Peak	2500.000	-57.42	≤ -21.20	37.78	≤ 74	PASS
11G	Ant1	2412	AV	2310.000	-67.88	≤ -41.20	27.32	≤ 54	PASS
			AV	2389.960	-63.22	≤ -41.20	31.98	≤ 54	PASS
			AV	2390.000	-63.22	≤ -41.20	31.98	≤ 54	PASS
			Peak	2310.000	-56.56	≤ -21.20	38.64	≤ 74	PASS
			Peak	2389.830	-51.48	≤ -21.20	43.72	≤ 74	PASS
			Peak	2390.000	-51.68	≤ -21.20	43.52	≤ 74	PASS
		2462	AV	2483.500	-64.32	≤ -41.20	30.88	≤ 54	PASS
			AV	2483.560	-64.31	≤ -41.20	30.89	≤ 54	PASS
			AV	2500.000	-67.36	≤ -41.20	27.84	≤ 54	PASS
			Peak	2483.500	-51.3	≤ -21.20	43.90	≤ 74	PASS
			Peak	2483.670	-50.44	≤ -21.20	44.76	≤ 74	PASS
			Peak	2500.000	-57.36	≤ -21.20	37.84	≤ 74	PASS



11N20 SISO	Ant1	2412	AV	2310.000	-67.9	≤ -41.20	27.30	≤ 54	PASS
			AV	2389.960	-62.51	≤ -41.20	32.69	≤ 54	PASS
			AV	2390.000	-62.51	≤ -41.20	32.69	≤ 54	PASS
			Peak	2310.000	-57.03	≤ -21.20	38.17	≤ 74	PASS
			Peak	2389.700	-48.11	≤ -21.20	47.09	≤ 74	PASS
			Peak	2390.000	-49.54	≤ -21.20	45.66	≤ 74	PASS
		2462	AV	2483.500	-63.46	≤ -41.20	31.74	≤ 54	PASS
			AV	2483.560	-63.2	≤ -41.20	32.00	≤ 54	PASS
			AV	2500.000	-67.39	≤ -41.20	27.81	≤ 54	PASS
			Peak	2483.500	-49.6	≤ -21.20	45.60	≤ 74	PASS
			Peak	2484.000	-48.01	≤ -21.20	47.19	≤ 74	PASS
			Peak	2500.000	-56.91	≤ -21.20	38.29	≤ 74	PASS
11N40 SISO	Ant1	2422	AV	2310.000	-68	≤ -41.20	27.20	≤ 54	PASS
			AV	2389.440	-60.02	≤ -41.20	35.18	≤ 54	PASS
			AV	2390.000	-60.04	≤ -41.20	35.16	≤ 54	PASS
			Peak	2310.000	-58.49	≤ -21.20	36.71	≤ 74	PASS
			Peak	2388.140	-43.45	≤ -21.20	51.75	≤ 74	PASS
			Peak	2390.000	-47.4	≤ -21.20	47.80	≤ 74	PASS
		2452	AV	2483.500	-65.68	≤ -41.20	29.52	≤ 54	PASS
			AV	2483.780	-65.63	≤ -41.20	29.57	≤ 54	PASS
			AV	2500.000	-67.07	≤ -41.20	28.13	≤ 54	PASS
			Peak	2483.500	-54.16	≤ -21.20	41.04	≤ 74	PASS
			Peak	2484.990	-52.85	≤ -21.20	42.35	≤ 74	PASS
			Peak	2500.000	-56.44	≤ -21.20	38.76	≤ 74	PASS

Test Mode	Antenna	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant2	2412	AV	2310.000	-68.88	≤ -41.20	26.32	≤ 54	PASS
			AV	2387.230	-66.59	≤ -41.20	28.61	≤ 54	PASS
			AV	2390.000	-68.04	≤ -41.20	27.16	≤ 54	PASS
			Peak	2310.000	-58.6	≤ -21.20	36.60	≤ 74	PASS
			Peak	2389.960	-54.81	≤ -21.20	40.39	≤ 74	PASS
			Peak	2390.000	-54.81	≤ -21.20	40.39	≤ 74	PASS
		2462	AV	2483.500	-66.32	≤ -41.20	28.88	≤ 54	PASS
			AV	2483.560	-66.61	≤ -41.20	28.59	≤ 54	PASS
			AV	2500.000	-67.8	≤ -41.20	27.40	≤ 54	PASS
			Peak	2483.500	-54.22	≤ -21.20	40.98	≤ 74	PASS
			Peak	2483.560	-51.67	≤ -21.20	43.53	≤ 74	PASS
			Peak	2500.000	-55.91	≤ -21.20	39.29	≤ 74	PASS



11G	Ant2	2412	AV	2310.000	-67.98	≤ -41.20	27.22	≤ 54	PASS
			AV	2389.960	-63.24	≤ -41.20	31.96	≤ 54	PASS
			AV	2390.000	-63.24	≤ -41.20	31.96	≤ 54	PASS
			Peak	2310.000	-56.91	≤ -21.20	38.29	≤ 74	PASS
			Peak	2389.440	-51.32	≤ -21.20	43.88	≤ 74	PASS
			Peak	2390.000	-51.37	≤ -21.20	43.83	≤ 74	PASS
		2462	AV	2483.500	-64.16	≤ -41.20	31.04	≤ 54	PASS
			AV	2483.560	-64.18	≤ -41.20	31.02	≤ 54	PASS
			AV	2500.000	-67.39	≤ -41.20	27.81	≤ 54	PASS
			Peak	2483.500	-52.75	≤ -21.20	42.45	≤ 74	PASS
			Peak	2483.560	-49.67	≤ -21.20	45.53	≤ 74	PASS
			Peak	2500.000	-57.26	≤ -21.20	37.94	≤ 74	PASS
11N20 SISO	Ant2	2412	AV	2310.000	-67.75	≤ -41.20	27.45	≤ 54	PASS
			AV	2389.960	-62.46	≤ -41.20	32.74	≤ 54	PASS
			AV	2390.000	-62.46	≤ -41.20	32.74	≤ 54	PASS
			Peak	2310.000	-57.62	≤ -21.20	37.58	≤ 74	PASS
			Peak	2389.960	-48.73	≤ -21.20	46.47	≤ 74	PASS
			Peak	2390.000	-48.73	≤ -21.20	46.47	≤ 74	PASS
		2462	AV	2483.500	-63.48	≤ -41.20	31.72	≤ 54	PASS
			AV	2483.560	-63.34	≤ -41.20	31.86	≤ 54	PASS
			AV	2500.000	-67.33	≤ -41.20	27.87	≤ 54	PASS
			Peak	2483.500	-45.94	≤ -21.20	49.26	≤ 74	PASS
			Peak	2483.560	-47.35	≤ -21.20	47.85	≤ 74	PASS
			Peak	2500.000	-57.28	≤ -21.20	37.92	≤ 74	PASS
11N40 SISO	Ant2	2422	AV	2310.000	-68.04	≤ -41.20	27.16	≤ 54	PASS
			AV	2389.960	-59.88	≤ -41.20	35.32	≤ 54	PASS
			AV	2390.000	-59.88	≤ -41.20	35.32	≤ 54	PASS
			Peak	2310.000	-58.2	≤ -21.20	37.00	≤ 74	PASS
			Peak	2388.920	-44.1	≤ -21.20	51.10	≤ 74	PASS
			Peak	2390.000	-45.59	≤ -21.20	49.61	≤ 74	PASS
		2452	AV	2483.500	-65.84	≤ -41.20	29.36	≤ 54	PASS
			AV	2485.100	-65.68	≤ -41.20	29.52	≤ 54	PASS
			AV	2500.000	-67.2	≤ -41.20	28.00	≤ 54	PASS
			Peak	2483.500	-54.44	≤ -21.20	40.76	≤ 74	PASS
			Peak	2484.660	-51.62	≤ -21.20	43.58	≤ 74	PASS
			Peak	2500.000	-56.91	≤ -21.20	38.29	≤ 74	PASS



Test Mode	Antenna	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant3	2412	AV	2310.000	-68.88	≤-41.20	26.32	≤54	PASS
			AV	2387.360	-66.65	≤-41.20	28.55	≤54	PASS
			AV	2390.000	-68.02	≤-41.20	27.18	≤54	PASS
			Peak	2310.000	-57.65	≤-21.20	37.55	≤74	PASS
			Peak	2389.960	-54.18	≤-21.20	41.02	≤74	PASS
			Peak	2390.000	-54.19	≤-21.20	41.01	≤74	PASS
		2462	AV	2483.500	-66.37	≤-41.20	28.83	≤54	PASS
			AV	2483.560	-66.54	≤-41.20	28.66	≤54	PASS
			AV	2500.000	-67.77	≤-41.20	27.43	≤54	PASS
			Peak	2483.500	-52.98	≤-21.20	42.22	≤74	PASS
			Peak	2484.000	-52.85	≤-21.20	42.35	≤74	PASS
			Peak	2500.000	-57.82	≤-21.20	37.38	≤74	PASS
11G	Ant3	2412	AV	2310.000	-68.03	≤-41.20	27.17	≤54	PASS
			AV	2389.960	-63.07	≤-41.20	32.13	≤54	PASS
			AV	2390.000	-63.07	≤-41.20	32.13	≤54	PASS
			Peak	2310.000	-58.19	≤-21.20	37.01	≤74	PASS
			Peak	2389.700	-51.09	≤-21.20	44.11	≤74	PASS
			Peak	2390.000	-51.24	≤-21.20	43.96	≤74	PASS
		2462	AV	2483.500	-64.08	≤-41.20	31.12	≤54	PASS
			AV	2483.780	-64.26	≤-41.20	30.94	≤54	PASS
			AV	2500.000	-67.31	≤-41.20	27.89	≤54	PASS
			Peak	2483.500	-50.58	≤-21.20	44.62	≤74	PASS
			Peak	2483.890	-50.41	≤-21.20	44.79	≤74	PASS
			Peak	2500.000	-56.85	≤-21.20	38.35	≤74	PASS
11N20 SISO	Ant3	2412	AV	2310.000	-67.92	≤-41.20	27.28	≤54	PASS
			AV	2389.960	-62.24	≤-41.20	32.96	≤54	PASS
			AV	2390.000	-62.24	≤-41.20	32.96	≤54	PASS
			Peak	2310.000	-57.72	≤-21.20	37.48	≤74	PASS
			Peak	2389.960	-48.2	≤-21.20	47.00	≤74	PASS
			Peak	2390.000	-48.2	≤-21.20	47.00	≤74	PASS
		2462	AV	2483.500	-63.35	≤-41.20	31.85	≤54	PASS
			AV	2483.780	-63.42	≤-41.20	31.78	≤54	PASS
			AV	2500.000	-67.24	≤-41.20	27.96	≤54	PASS
			Peak	2483.500	-49.26	≤-21.20	45.94	≤74	PASS
			Peak	2483.890	-48.09	≤-21.20	47.11	≤74	PASS
			Peak	2500.000	-56.78	≤-21.20	38.42	≤74	PASS
11N40 SISO	Ant3	2422	AV	2310.000	-67.89	≤-41.20	27.31	≤54	PASS
			AV	2389.830	-59.83	≤-41.20	35.37	≤54	PASS
			AV	2390.000	-59.96	≤-41.20	35.24	≤54	PASS
			Peak	2310.000	-57.96	≤-21.20	37.24	≤74	PASS



			Peak	2388.660	-44.06	≤ -21.20	51.14	≤ 74	PASS
			Peak	2390.000	-48.09	≤ -21.20	47.11	≤ 74	PASS
		2452	AV	2483.500	-65.68	≤ -41.20	29.52	≤ 54	PASS
			AV	2483.670	-65.7	≤ -41.20	29.50	≤ 54	PASS
			AV	2500.000	-67.15	≤ -41.20	28.05	≤ 54	PASS
			Peak	2483.500	-52.8	≤ -21.20	42.40	≤ 74	PASS
			Peak	2487.080	-51.25	≤ -21.20	43.95	≤ 74	PASS
			Peak	2500.000	-57.23	≤ -21.20	37.97	≤ 74	PASS



Combined Ant_0 and Ant_1

Test Mode	Channel	Detector	Freq. [MHz]	ANT 0 Result [dBm]	ANT 1 Result [dBm]	ANT 2 Result [dBm]	ANT 3 Result [dBm]	sum [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11N20M IMO	2412	AV	2310.00	-67.8	-67.9	-67.75	-67.92	-61.82	33.41	≤54	PASS
		AV	2389.96	-62.52	-62.51	-62.46	-62.24	-56.41	38.82	≤54	PASS
		AV	2390.00	-62.52	-62.51	-62.46	-62.24	-56.41	38.82	≤54	PASS
		Peak	2310.00	-57.42	-57.03	-57.62	-57.72	-51.42	43.81	≤74	PASS
		Peak	2389.96	-48.41	-48.11	-48.73	-48.2	-42.34	52.89	≤74	PASS
		Peak	2390.00	-48.41	-49.54	-48.73	-48.2	-42.67	52.56	≤74	PASS
	2462	AV	2483.50	-63.11	-63.46	-63.48	-63.35	-57.33	37.90	≤54	PASS
		AV	2483.56	-63.44	-63.2	-63.34	-63.42	-57.33	37.90	≤54	PASS
		AV	2500.00	-67.28	-67.39	-67.33	-67.24	-61.29	33.94	≤54	PASS
		Peak	2483.50	-46.67	-49.6	-45.94	-49.26	-41.56	53.67	≤74	PASS
		Peak	2484.22	-48.84	-48.01	-47.35	-48.09	-42.02	53.21	≤74	PASS
		Peak	2500.00	-57.33	-56.91	-57.28	-56.78	-51.05	44.18	≤74	PASS
11N40 MIMO	2422	AV	2310.00	-67.98	-68	-68.04	-67.89	-61.96	33.27	≤54	PASS
		AV	2389.96	-59.75	-60.02	-59.88	-59.83	-53.85	41.38	≤54	PASS
		AV	2390.00	-59.75	-60.04	-59.88	-59.96	-53.89	41.34	≤54	PASS
		Peak	2310.00	-57.3	-58.49	-58.2	-57.96	-51.94	43.29	≤74	PASS
		Peak	2389.44	-43.9	-43.45	-44.1	-44.06	-37.85	57.38	≤74	PASS
		Peak	2390.00	-46.83	-47.4	-45.59	-48.09	-40.86	54.37	≤74	PASS
	2452	AV	2483.50	-65.75	-65.68	-65.84	-65.68	-59.72	35.51	≤54	PASS
		AV	2484.22	-65.76	-65.63	-65.68	-65.7	-59.67	35.56	≤54	PASS
		AV	2500.00	-67.11	-67.07	-67.2	-67.15	-61.11	34.12	≤54	PASS
		Peak	2483.50	-54.01	-54.16	-54.44	-52.8	-47.78	47.45	≤74	PASS
		Peak	2486.31	-52.71	-52.85	-51.62	-51.25	-46.03	49.20	≤74	PASS
		Peak	2500.00	-57.03	-56.44	-56.91	-57.23	-50.87	44.36	≤74	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11B_Ant0_Low_2412_AV




11B_Ant0_Low_2412_Peak




11B_Ant0_High_2462_AV




11B_Ant0_High_2462_Peak




11G_Ant0_Low_2412_AV




11G_Ant0_Low_2412_Peak




11G_Ant0_High_2462_AV




11G_Ant0_High_2462_Peak




11N20SISO_Ant0_Low_2412_AV




11N20SISO_Ant0_Low_2412_Peak




11N20SISO_Ant0_High_2462_AV




11N20SISO_Ant0_High_2462_Peak




11N40SISO_Ant0_Low_2422_AV




11N40SISO_Ant0_Low_2422_Peak



11N40SISO_Ant0_High_2452_AV




11N40SISO_Ant0_High_2452_Peak







11B_Ant1_Low_2412_AV




11B_Ant1_Low_2412_Peak




11B_Ant1_High_2462_AV




11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV




11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak




11N20SISO_Ant1_Low_2412_AV




11N20SISO_Ant1_Low_2412_Peak




11N20SISO_Ant1_High_2462_AV




11N20SISO_Ant1_High_2462_Peak




11N40SISO_Ant1_Low_2422_AV




11N40SISO_Ant1_Low_2422_Peak



11N40SISO_Ant1_High_2452_AV




11N40SISO_Ant1_High_2452_Peak







11B_Ant2_Low_2412_AV




11B_Ant2_Low_2412_Peak




11B_Ant2_High_2462_AV




11B_Ant2_High_2462_Peak




11G_Ant2_Low_2412_AV




11G_Ant2_Low_2412_Peak




11G_Ant2_High_2462_AV




11G_Ant2_High_2462_Peak




11N20SISO_Ant2_Low_2412_AV




11N20SISO_Ant2_Low_2412_Peak




11N20SISO_Ant2_High_2462_AV




11N20SISO_Ant2_High_2462_Peak




11N40SISO_Ant2_Low_2422_AV




11N40SISO_Ant2_Low_2422_Peak



11N40SISO_Ant2_High_2452_AV




11N40SISO_Ant2_High_2452_Peak







11B_Ant3_Low_2412_AV




11B_Ant3_Low_2412_Peak




11B_Ant3_High_2462_AV




11B_Ant3_High_2462_Peak




11G_Ant3_Low_2412_AV




11G_Ant3_Low_2412_Peak




11G_Ant3_High_2462_AV




11G_Ant3_High_2462_Peak




11N20SISO_Ant3_Low_2412_AV




11N20SISO_Ant3_Low_2412_Peak




11N20SISO_Ant3_High_2462_AV




11N20SISO_Ant3_High_2462_Peak




11N40SISO_Ant3_Low_2422_AV



11N40SISO_Ant3_Low_2422_Peak



11N40SISO_Ant3_High_2452_AV



11N40SISO_Ant3_High_2452_Peak

