






11AC20SISO_Ant7_5825




11AC40SISO_Ant7_5755



11AC40SISO_Ant7_5795



11AC80SISO_Ant7_5775





C.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant4	Low	5745	Peak	5650.000	-47.79	≤-27.00	PASS
				Peak	5700.000	-47.00	≤10.00	PASS
				Peak	5720.000	-46.69	≤15.60	PASS
				Peak	5725.000	-42.07	≤27.00	PASS
		High	5825	Peak	5850.000	-45.61	≤15.60	PASS
				Peak	5855.000	-46.23	≤27.00	PASS
				Peak	5875.000	-47.18	≤15.60	PASS
				Peak	5925.000	-47.75	≤10.00	PASS
11N20 SISO	Ant4	Low	5745	Peak	5650.000	-47.07	≤-27.00	PASS
				Peak	5700.000	-46.99	≤10.00	PASS
				Peak	5720.000	-46.44	≤15.60	PASS
				Peak	5725.000	-44.80	≤27.00	PASS
		High	5825	Peak	5850.000	-46.77	≤15.60	PASS
				Peak	5855.000	-47.10	≤27.00	PASS
				Peak	5875.000	-45.04	≤15.60	PASS
				Peak	5925.000	-46.73	≤10.00	PASS
11N40 SISO	Ant4	Low	5755	Peak	5650.000	-47.69	≤-27.00	PASS
				Peak	5700.000	-45.92	≤10.00	PASS
				Peak	5720.000	-36.78	≤15.60	PASS
				Peak	5725.000	-39.42	≤27.00	PASS
		High	5795	Peak	5850.000	-45.88	≤15.60	PASS
				Peak	5855.000	-45.94	≤27.00	PASS
				Peak	5875.000	-46.10	≤15.60	PASS
				Peak	5925.000	-45.60	≤10.00	PASS
11AC20 SISO	Ant4	Low	5745	Peak	5650.000	-47.96	≤-27.00	PASS
				Peak	5700.000	-47.21	≤10.00	PASS
				Peak	5720.000	-45.20	≤15.60	PASS
				Peak	5725.000	-43.36	≤27.00	PASS
		High	5825	Peak	5850.000	-44.03	≤15.60	PASS
				Peak	5855.000	-46.35	≤27.00	PASS
				Peak	5875.000	-45.95	≤15.60	PASS
				Peak	5925.000	-47.04	≤10.00	PASS
11AC40 SISO	Ant4	Low	5755	Peak	5650.000	-46.95	≤-27.00	PASS
				Peak	5700.000	-46.31	≤10.00	PASS
				Peak	5720.000	-41.03	≤15.60	PASS
				Peak	5725.000	-38.34	≤27.00	PASS
		High	5795	Peak	5850.000	-46.35	≤15.60	PASS



				Peak	5855.000	-47.17	≤27.00	PASS
				Peak	5875.000	-46.08	≤15.60	PASS
				Peak	5925.000	-46.89	≤10.00	PASS
11AC80 SISO	Ant4	Low	5775	Peak	5650.000	-46.44	≤-27.00	PASS
				Peak	5700.000	-41.14	≤10.00	PASS
				Peak	5720.000	-42.09	≤15.60	PASS
				Peak	5725.000	-41.23	≤27.00	PASS
		High	5775	Peak	5850.000	-42.91	≤15.60	PASS
				Peak	5855.000	-45.68	≤27.00	PASS
				Peak	5875.000	-45.82	≤15.60	PASS
				Peak	5925.000	-47.13	≤10.00	PASS

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant5	Low	5745	Peak	5650.000	-47.03	≤-27.00	PASS
				Peak	5700.000	-47.19	≤10.00	PASS
				Peak	5720.000	-47.53	≤15.60	PASS
				Peak	5725.000	-45.00	≤27.00	PASS
		High	5825	Peak	5850.000	-46.88	≤15.60	PASS
				Peak	5855.000	-47.84	≤27.00	PASS
				Peak	5875.000	-46.78	≤15.60	PASS
				Peak	5925.000	-48.19	≤10.00	PASS
11N20 SISO	Ant5	Low	5745	Peak	5650.000	-47.34	≤-27.00	PASS
				Peak	5700.000	-47.37	≤10.00	PASS
				Peak	5720.000	-45.94	≤15.60	PASS
				Peak	5725.000	-43.90	≤27.00	PASS
		High	5825	Peak	5850.000	-45.79	≤15.60	PASS
				Peak	5855.000	-46.39	≤27.00	PASS
				Peak	5875.000	-47.27	≤15.60	PASS
				Peak	5925.000	-46.27	≤10.00	PASS
11N40 SISO	Ant5	Low	5755	Peak	5650.000	-47.48	≤-27.00	PASS
				Peak	5700.000	-46.39	≤10.00	PASS
				Peak	5720.000	-39.47	≤15.60	PASS
				Peak	5725.000	-39.41	≤27.00	PASS
		High	5795	Peak	5850.000	-46.21	≤15.60	PASS
				Peak	5855.000	-46.97	≤27.00	PASS
				Peak	5875.000	-46.41	≤15.60	PASS
				Peak	5925.000	-46.99	≤10.00	PASS
11AC20 SISO	Ant5	Low	5745	Peak	5650.000	-46.57	≤-27.00	PASS
				Peak	5700.000	-46.78	≤10.00	PASS
				Peak	5720.000	-45.11	≤15.60	PASS
				Peak	5725.000	-42.55	≤27.00	PASS



		High	5825	Peak	5850.000	-45.47	≤15.60	PASS
				Peak	5855.000	-45.11	≤27.00	PASS
				Peak	5875.000	-47.08	≤15.60	PASS
				Peak	5925.000	-47.11	≤10.00	PASS
11AC40 SISO	Ant5	Low	5755	Peak	5650.000	-47.05	≤-27.00	PASS
				Peak	5700.000	-46.39	≤10.00	PASS
				Peak	5720.000	-42.10	≤15.60	PASS
				Peak	5725.000	-39.25	≤27.00	PASS
		High	5795	Peak	5850.000	-46.00	≤15.60	PASS
				Peak	5855.000	-46.24	≤27.00	PASS
				Peak	5875.000	-47.00	≤15.60	PASS
				Peak	5925.000	-46.44	≤10.00	PASS
11AC80 SISO	Ant5	Low	5775	Peak	5650.000	-46.69	≤-27.00	PASS
				Peak	5700.000	-43.77	≤10.00	PASS
				Peak	5720.000	-40.59	≤15.60	PASS
				Peak	5725.000	-41.19	≤27.00	PASS
		High	5775	Peak	5850.000	-43.27	≤15.60	PASS
				Peak	5855.000	-45.84	≤27.00	PASS
				Peak	5875.000	-47.26	≤15.60	PASS
				Peak	5925.000	-47.13	≤10.00	PASS

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant6	Low	5745	Peak	5650.000	-48.11	≤-27.00	PASS
				Peak	5700.000	-47.72	≤10.00	PASS
				Peak	5720.000	-46.96	≤15.60	PASS
				Peak	5725.000	-45.48	≤27.00	PASS
		High	5825	Peak	5850.000	-46.66	≤15.60	PASS
				Peak	5855.000	-46.52	≤27.00	PASS
				Peak	5875.000	-47.20	≤15.60	PASS
				Peak	5925.000	-46.82	≤10.00	PASS
11N20 SISO	Ant6	Low	5745	Peak	5650.000	-47.58	≤-27.00	PASS
				Peak	5700.000	-47.70	≤10.00	PASS
				Peak	5720.000	-47.04	≤15.60	PASS
				Peak	5725.000	-42.41	≤27.00	PASS
		High	5825	Peak	5850.000	-45.27	≤15.60	PASS
				Peak	5855.000	-47.19	≤27.00	PASS
				Peak	5875.000	-46.23	≤15.60	PASS
				Peak	5925.000	-47.35	≤10.00	PASS
11N40 SISO	Ant6	Low	5755	Peak	5650.000	-47.18	≤-27.00	PASS
				Peak	5700.000	-46.04	≤10.00	PASS
				Peak	5720.000	-36.83	≤15.60	PASS
				Peak	5725.000	-40.07	≤27.00	PASS



		High	5795	Peak	5850.000	-46.78	≤15.60	PASS
				Peak	5855.000	-46.60	≤27.00	PASS
				Peak	5875.000	-46.65	≤15.60	PASS
				Peak	5925.000	-46.72	≤10.00	PASS
11AC20 SISO	Ant6	Low	5745	Peak	5650.000	-46.93	≤-27.00	PASS
				Peak	5700.000	-46.82	≤10.00	PASS
				Peak	5720.000	-45.44	≤15.60	PASS
				Peak	5725.000	-42.91	≤27.00	PASS
		High	5825	Peak	5850.000	-43.73	≤15.60	PASS
				Peak	5855.000	-45.93	≤27.00	PASS
				Peak	5875.000	-46.63	≤15.60	PASS
				Peak	5925.000	-47.87	≤10.00	PASS
11AC40 SISO	Ant6	Low	5755	Peak	5650.000	-47.74	≤-27.00	PASS
				Peak	5700.000	-47.22	≤10.00	PASS
				Peak	5720.000	-41.28	≤15.60	PASS
				Peak	5725.000	-39.78	≤27.00	PASS
		High	5795	Peak	5850.000	-44.83	≤15.60	PASS
				Peak	5855.000	-46.40	≤27.00	PASS
				Peak	5875.000	-46.88	≤15.60	PASS
				Peak	5925.000	-47.21	≤10.00	PASS
11AC80 SISO	Ant6	Low	5775	Peak	5650.000	-46.66	≤-27.00	PASS
				Peak	5700.000	-43.47	≤10.00	PASS
				Peak	5720.000	-41.52	≤15.60	PASS
				Peak	5725.000	-39.15	≤27.00	PASS
		High	5775	Peak	5850.000	-43.10	≤15.60	PASS
				Peak	5855.000	-46.35	≤27.00	PASS
				Peak	5875.000	-46.32	≤15.60	PASS
				Peak	5925.000	-47.23	≤10.00	PASS

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant7	Low	5745	Peak	5650.000	-47.82	≤-27.00	PASS
				Peak	5700.000	-47.08	≤10.00	PASS
				Peak	5720.000	-44.59	≤15.60	PASS
				Peak	5725.000	-42.56	≤27.00	PASS
		High	5825	Peak	5850.000	-46.21	≤15.60	PASS
				Peak	5855.000	-47.16	≤27.00	PASS
				Peak	5875.000	-47.04	≤15.60	PASS
				Peak	5925.000	-46.09	≤10.00	PASS
11N20 SISO	Ant7	Low	5745	Peak	5650.000	-46.82	≤-27.00	PASS
				Peak	5700.000	-46.95	≤10.00	PASS
				Peak	5720.000	-47.43	≤15.60	PASS
				Peak	5725.000	-45.50	≤27.00	PASS



		High	5825	Peak	5850.000	-45.08	≤15.60	PASS
				Peak	5855.000	-46.18	≤27.00	PASS
				Peak	5875.000	-46.40	≤15.60	PASS
				Peak	5925.000	-46.58	≤10.00	PASS
11N40 SISO	Ant7	Low	5755	Peak	5650.000	-46.77	≤-27.00	PASS
				Peak	5700.000	-46.38	≤10.00	PASS
				Peak	5720.000	-38.71	≤15.60	PASS
				Peak	5725.000	-40.06	≤27.00	PASS
		High	5795	Peak	5850.000	-45.64	≤15.60	PASS
				Peak	5855.000	-46.03	≤27.00	PASS
				Peak	5875.000	-46.95	≤15.60	PASS
				Peak	5925.000	-46.56	≤10.00	PASS
11AC20 SISO	Ant7	Low	5745	Peak	5650.000	-48.38	≤-27.00	PASS
				Peak	5700.000	-45.88	≤10.00	PASS
				Peak	5720.000	-44.88	≤15.60	PASS
				Peak	5725.000	-43.22	≤27.00	PASS
		High	5825	Peak	5850.000	-44.93	≤15.60	PASS
				Peak	5855.000	-45.54	≤27.00	PASS
				Peak	5875.000	-45.40	≤15.60	PASS
				Peak	5925.000	-46.61	≤10.00	PASS
11AC40 SISO	Ant7	Low	5755	Peak	5650.000	-46.80	≤-27.00	PASS
				Peak	5700.000	-46.37	≤10.00	PASS
				Peak	5720.000	-41.32	≤15.60	PASS
				Peak	5725.000	-41.09	≤27.00	PASS
		High	5795	Peak	5850.000	-45.85	≤15.60	PASS
				Peak	5855.000	-46.62	≤27.00	PASS
				Peak	5875.000	-47.33	≤15.60	PASS
				Peak	5925.000	-47.91	≤10.00	PASS
11AC80 SISO	Ant7	Low	5775	Peak	5650.000	-46.40	≤-27.00	PASS
				Peak	5700.000	-42.78	≤10.00	PASS
				Peak	5720.000	-40.64	≤15.60	PASS
				Peak	5725.000	-40.42	≤27.00	PASS
		High	5775	Peak	5850.000	-42.11	≤15.60	PASS
				Peak	5855.000	-46.29	≤27.00	PASS
				Peak	5875.000	-45.92	≤15.60	PASS
				Peak	5925.000	-47.12	≤10.00	PASS




Test Mode	Channel	Detector	Freq. [MHz]	Result [dBm]					Limit [dBm]	Verdict
				ANT 4	ANT 5	ANT 6	ANT 7	SUM		
11N20 MIMO	5745	Peak	5650.0	-47.07	-47.34	-47.58	-46.82	-41.17	≤-27.00	PASS
		Peak	5700.0	-46.99	-47.37	-47.70	-46.95	-41.22	≤10.00	PASS
		Peak	5720.0	-46.44	-45.94	-47.04	-47.43	-40.65	≤15.60	PASS
		Peak	5725.0	-44.80	-43.90	-42.41	-45.50	-37.97	≤27.00	PASS
	5825	Peak	5850.0	-46.77	-45.79	-45.27	-45.08	-39.66	≤15.60	PASS
		Peak	5855.0	-47.10	-46.39	-47.19	-46.18	-40.67	≤27.00	PASS
		Peak	5875.0	-45.04	-47.27	-46.23	-46.40	-40.14	≤15.60	PASS
		Peak	5925.0	-46.73	-46.27	-47.35	-46.58	-40.69	≤10.00	PASS
11N40 MIMO	5755	Peak	5650.0	-47.69	-47.48	-47.18	-46.77	-41.25	≤-27.00	PASS
		Peak	5700.0	-45.92	-46.39	-46.04	-46.38	-40.16	≤10.00	PASS
		Peak	5720.0	-36.78	-39.47	-36.83	-38.71	-31.77	≤15.60	PASS
		Peak	5725.0	-39.42	-39.41	-40.07	-40.06	-33.71	≤27.00	PASS
	5795	Peak	5850.0	-45.88	-46.21	-46.78	-45.64	-40.09	≤15.60	PASS
		Peak	5855.0	-45.94	-46.97	-46.60	-46.03	-40.34	≤27.00	PASS
		Peak	5875.0	-46.10	-46.41	-46.65	-46.95	-40.50	≤15.60	PASS
		Peak	5925.0	-45.60	-46.99	-46.72	-46.56	-40.41	≤10.00	PASS
11AC20 MIMO	5745	Peak	5650.0	-47.96	-46.57	-46.93	-48.38	-41.38	≤-27.00	PASS
		Peak	5700.0	-47.21	-46.78	-46.82	-45.88	-40.62	≤10.00	PASS
		Peak	5720.0	-45.20	-45.11	-45.44	-44.88	-39.13	≤15.60	PASS
		Peak	5725.0	-43.36	-42.55	-42.91	-43.22	-36.98	≤27.00	PASS
	5825	Peak	5850.0	-44.03	-45.47	-43.73	-44.93	-38.46	≤15.60	PASS
		Peak	5855.0	-46.35	-45.11	-45.93	-45.54	-39.69	≤27.00	PASS
		Peak	5875.0	-45.95	-47.08	-46.63	-45.40	-40.20	≤15.60	PASS
		Peak	5925.0	-47.04	-47.11	-47.87	-46.61	-41.11	≤10.00	PASS
11AC40 MIMO	5755	Peak	5650.0	-46.95	-47.05	-47.74	-46.80	-41.10	≤-27.00	PASS
		Peak	5700.0	-46.31	-46.39	-47.22	-46.37	-40.54	≤10.00	PASS
		Peak	5720.0	-41.03	-42.10	-41.28	-41.32	-35.39	≤15.60	PASS
		Peak	5725.0	-38.34	-39.25	-39.78	-41.09	-33.48	≤27.00	PASS
	5795	Peak	5850.0	-46.35	-46.00	-44.83	-45.85	-39.70	≤15.60	PASS
		Peak	5855.0	-47.17	-46.24	-46.40	-46.62	-40.57	≤27.00	PASS
		Peak	5875.0	-46.08	-47.00	-46.88	-47.33	-40.78	≤15.60	PASS
		Peak	5925.0	-46.89	-46.44	-47.21	-47.91	-41.06	≤10.00	PASS
11AC80 MIMO	5775	Peak	5650.0	-46.44	-46.69	-46.66	-46.40	-40.52	≤-27.00	PASS
		Peak	5700.0	-41.14	-43.77	-43.47	-42.78	-36.64	≤10.00	PASS
		Peak	5720.0	-42.09	-40.59	-41.52	-40.64	-35.14	≤15.60	PASS
		Peak	5725.0	-41.23	-41.19	-39.15	-40.42	-34.39	≤27.00	PASS
	5775	Peak	5850.0	-42.91	-43.27	-43.10	-42.11	-36.80	≤15.60	PASS
		Peak	5855.0	-45.68	-45.84	-46.35	-46.29	-40.01	≤27.00	PASS
		Peak	5875.0	-45.82	-47.26	-46.32	-45.92	-40.27	≤15.60	PASS
		Peak	5925.0	-47.13	-47.13	-47.23	-47.12	-41.13	≤10.00	PASS

Note: The Antenna Gain is compensated in the graph.




Test Graphs


11A_Ant4_Low_5745_Peak




11A_Ant4_High_5825_Peak




11N20SISO_Ant4_Low_5745_Peak



11N20SISO_Ant4_High_5825_Peak




11N40SISO_Ant4_Low_5755_Peak







11N40SISO_Ant4_High_5795_Peak




11AC20SISO_Ant4_Low_5745_Peak




11AC20SISO_Ant4_High_5825_Peak



11AC40SISO_Ant4_Low_5755_Peak




11AC40SISO_Ant4_High_5795_Peak






11AC80SISO_Ant4_Low_5775_Peak




11AC80SISO_Ant4_High_5775_Peak







11A_Ant5_Low_5745_Peak




11A_Ant5_High_5825_Peak




11N20SISO_Ant5_Low_5745_Peak



11N20SISO_Ant5_High_5825_Peak




11N40SISO_Ant5_Low_5755_Peak







11N40SISO_Ant5_High_5795_Peak




11AC20SISO_Ant5_Low_5745_Peak




11AC20SISO_Ant5_High_5825_Peak



11AC40SISO_Ant5_Low_5755_Peak




11AC40SISO_Ant5_High_5795_Peak






11AC80SISO_Ant5_Low_5775_Peak




11AC80SISO_Ant5_High_5775_Peak







11A_Ant6_Low_5745_Peak




11A_Ant6_High_5825_Peak




11N20SISO_Ant6_Low_5745_Peak



11N20SISO_Ant6_High_5825_Peak




11N40SISO_Ant6_Low_5755_Peak







11N40SISO_Ant6_High_5795_Peak




11AC20SISO_Ant6_Low_5745_Peak




11AC20SISO_Ant6_High_5825_Peak



11AC40SISO_Ant6_Low_5755_Peak




11AC40SISO_Ant6_High_5795_Peak






11AC80SISO_Ant6_Low_5775_Peak




11AC80SISO_Ant6_High_5775_Peak







11A_Ant7_Low_5745_Peak




11A_Ant7_High_5825_Peak




11N20SISO_Ant7_Low_5745_Peak



11N20SISO_Ant7_High_5825_Peak




11N40SISO_Ant7_Low_5755_Peak







11N40SISO_Ant7_High_5795_Peak




11AC20SISO_Ant7_Low_5745_Peak




11AC20SISO_Ant7_High_5825_Peak



11AC40SISO_Ant7_Low_5755_Peak




11AC40SISO_Ant7_High_5795_Peak






11AC80SISO_Ant7_Low_5775_Peak



11AC80SISO_Ant7_High_5775_Peak





C.5: Frequency Stability

Voltage							
TestMode	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5745	NV	NT	97000	16.884247	20	PASS
		LV	NT	95000	16.536118	20	PASS
		HV	NT	94000	16.362054	20	PASS
	5785	NV	NT	95000	16.42178	20	PASS
		LV	NT	94000	16.24892	20	PASS
		HV	NT	93000	16.076059	20	PASS
	5825	NV	NT	95000	16.309013	20	PASS
		LV	NT	94000	16.137339	20	PASS
		HV	NT	94000	16.137339	20	PASS
11N20	5745	NV	NT	92000	16.013925	20	PASS
		LV	NT	93000	16.18799	20	PASS
		HV	NT	93000	16.18799	20	PASS
	5785	NV	NT	95000	16.42178	20	PASS
		LV	NT	94000	16.24892	20	PASS
		HV	NT	94000	16.24892	20	PASS
	5825	NV	NT	95000	16.309013	20	PASS
		LV	NT	95000	16.309013	20	PASS
		HV	NT	94000	16.137339	20	PASS
11N40	5755	NV	NT	95000	16.507385	20	PASS
		LV	NT	95000	16.507385	20	PASS
		HV	NT	95000	16.507385	20	PASS
	5795	NV	NT	95000	16.393443	20	PASS
		LV	NT	95000	16.393443	20	PASS
		HV	NT	96000	16.566005	20	PASS
11AC20	5745	NV	NT	95000	16.536118	20	PASS
		LV	NT	94000	16.362054	20	PASS
		HV	NT	93000	16.18799	20	PASS
	5785	NV	NT	93000	16.076059	20	PASS
		LV	NT	94000	16.24892	20	PASS
		HV	NT	93000	16.076059	20	PASS
	5825	NV	NT	96000	16.480687	20	PASS
		LV	NT	95000	16.309013	20	PASS
		HV	NT	95000	16.309013	20	PASS
11AC40	5755	NV	NT	91000	15.812337	20	PASS
		LV	NT	92000	15.986099	20	PASS
		HV	NT	92000	15.986099	20	PASS
	5795	NV	NT	108000	18.636756	20	PASS
		LV	NT	104000	17.946506	20	PASS



		HV	NT	101000	17.428818	20	PASS
11AC80	5775	NV	NT	93000	16.103896	20	PASS
		LV	NT	93000	16.103896	20	PASS
		HV	NT	93000	16.103896	20	PASS

Temperature							
TestMode	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5745	NV	-30	94000	16.362054	20	PASS
		NV	-20	95000	16.536118	20	PASS
		NV	-10	95000	16.536118	20	PASS
		NV	0	95000	16.536118	20	PASS
		NV	10	94000	16.362054	20	PASS
		NV	20	94000	16.362054	20	PASS
		NV	30	94000	16.362054	20	PASS
		NV	40	93000	16.18799	20	PASS
		NV	50	93000	16.18799	20	PASS
	5785	NV	-30	93000	16.076059	20	PASS
		NV	-20	93000	16.076059	20	PASS
		NV	-10	93000	16.076059	20	PASS
		NV	0	93000	16.076059	20	PASS
		NV	10	93000	16.076059	20	PASS
		NV	20	93000	16.076059	20	PASS
		NV	30	93000	16.076059	20	PASS
		NV	40	93000	16.076059	20	PASS
		NV	50	93000	16.076059	20	PASS
	5825	NV	-30	94000	16.137339	20	PASS
		NV	-20	94000	16.137339	20	PASS
		NV	-10	94000	16.137339	20	PASS
		NV	0	94000	16.137339	20	PASS
		NV	10	94000	16.137339	20	PASS
		NV	20	93000	15.965665	20	PASS
		NV	30	94000	16.137339	20	PASS
		NV	40	93000	15.965665	20	PASS
		NV	50	94000	16.137339	20	PASS
11N20	5745	NV	-30	93000	16.18799	20	PASS
		NV	-20	93000	16.18799	20	PASS
		NV	-10	93000	16.18799	20	PASS
		NV	0	93000	16.18799	20	PASS
		NV	10	93000	16.18799	20	PASS
		NV	20	93000	16.18799	20	PASS
		NV	30	93000	16.18799	20	PASS
		NV	40	93000	16.18799	20	PASS



	5785	NV	50	92000	16.013925	20	PASS
		NV	-30	94000	16.24892	20	PASS
		NV	-20	94000	16.24892	20	PASS
		NV	-10	94000	16.24892	20	PASS
		NV	0	94000	16.24892	20	PASS
		NV	10	94000	16.24892	20	PASS
		NV	20	93000	16.076059	20	PASS
		NV	30	94000	16.24892	20	PASS
		NV	40	94000	16.24892	20	PASS
		NV	50	94000	16.24892	20	PASS
	5825	NV	-30	94000	16.137339	20	PASS
		NV	-20	94000	16.137339	20	PASS
		NV	-10	94000	16.137339	20	PASS
		NV	0	94000	16.137339	20	PASS
		NV	10	94000	16.137339	20	PASS
		NV	20	94000	16.137339	20	PASS
		NV	30	94000	16.137339	20	PASS
		NV	40	94000	16.137339	20	PASS
		NV	50	94000	16.137339	20	PASS
11N40	5755	NV	-30	95000	16.507385	20	PASS
		NV	-20	94000	16.333623	20	PASS
		NV	-10	94000	16.333623	20	PASS
		NV	0	94000	16.333623	20	PASS
		NV	10	94000	16.333623	20	PASS
		NV	20	94000	16.333623	20	PASS
		NV	30	94000	16.333623	20	PASS
		NV	40	94000	16.333623	20	PASS
		NV	50	94000	16.333623	20	PASS
	5795	NV	-30	96000	16.566005	20	PASS
		NV	-20	96000	16.566005	20	PASS
		NV	-10	96000	16.566005	20	PASS
		NV	0	96000	16.566005	20	PASS
		NV	10	96000	16.566005	20	PASS
		NV	20	95000	16.393443	20	PASS
		NV	30	95000	16.393443	20	PASS
		NV	40	95000	16.393443	20	PASS
		NV	50	95000	16.393443	20	PASS
11AC20	5745	NV	-30	93000	16.18799	20	PASS
		NV	-20	93000	16.18799	20	PASS
		NV	-10	93000	16.18799	20	PASS
		NV	0	93000	16.18799	20	PASS
		NV	10	93000	16.18799	20	PASS
		NV	20	93000	16.18799	20	PASS



		NV	30	93000	16.18799	20	PASS
		NV	40	93000	16.18799	20	PASS
		NV	50	93000	16.18799	20	PASS
	5785	NV	-30	93000	16.076059	20	PASS
		NV	-20	93000	16.076059	20	PASS
		NV	-10	93000	16.076059	20	PASS
		NV	0	93000	16.076059	20	PASS
		NV	10	93000	16.076059	20	PASS
		NV	20	93000	16.076059	20	PASS
		NV	30	93000	16.076059	20	PASS
		NV	40	93000	16.076059	20	PASS
		NV	50	93000	16.076059	20	PASS
		NV	-30	94000	16.137339	20	PASS
	5825	NV	-20	94000	16.137339	20	PASS
		NV	-10	94000	16.137339	20	PASS
		NV	0	94000	16.137339	20	PASS
		NV	10	94000	16.137339	20	PASS
		NV	20	94000	16.137339	20	PASS
		NV	30	94000	16.137339	20	PASS
		NV	40	94000	16.137339	20	PASS
		NV	50	94000	16.137339	20	PASS
11AC40	5755	NV	-30	92000	15.986099	20	PASS
		NV	-20	92000	15.986099	20	PASS
		NV	-10	92000	15.986099	20	PASS
		NV	0	92000	15.986099	20	PASS
		NV	10	92000	15.986099	20	PASS
		NV	20	92000	15.986099	20	PASS
		NV	30	92000	15.986099	20	PASS
		NV	40	92000	15.986099	20	PASS
		NV	50	92000	15.986099	20	PASS
	5795	NV	-30	99000	17.083693	20	PASS
		NV	-20	98000	16.91113	20	PASS
		NV	-10	96000	16.566005	20	PASS
		NV	0	96000	16.566005	20	PASS
		NV	10	95000	16.393443	20	PASS
		NV	20	94000	16.22088	20	PASS
		NV	30	94000	16.22088	20	PASS
		NV	40	93000	16.048318	20	PASS
		NV	50	93000	16.048318	20	PASS
11AC80	5775	NV	-30	93000	16.103896	20	PASS
		NV	-20	93000	16.103896	20	PASS
		NV	-10	92000	15.930736	20	PASS
		NV	0	92000	15.930736	20	PASS



		NV	10	92000	15.930736	20	PASS
		NV	20	92000	15.930736	20	PASS
		NV	30	92000	15.930736	20	PASS
		NV	40	92000	15.930736	20	PASS
		NV	50	92000	15.930736	20	PASS



C.6 Duty Cycle


Test Result

TestMode	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	5180	1.44	1.64	87.80	---	---
	5220	1.44	1.65	87.27	---	---
	5240	1.44	1.65	87.27	---	---
	5745	1.44	1.64	87.80	---	---
	5785	1.44	1.65	87.27	---	---
	5825	1.44	1.64	87.80	---	---
11N20	5180	1.34	1.55	86.45	---	---
	5220	1.35	1.56	86.54	---	---
	5240	1.36	1.56	87.18	---	---
	5745	1.34	1.55	86.45	---	---
	5785	1.34	1.55	86.45	---	---
	5825	1.35	1.56	86.54	---	---
11N40	5190	0.67	0.87	77.01	---	---
	5230	0.66	0.87	75.86	---	---
	5755	0.67	0.87	77.01	---	---
	5795	0.67	0.87	77.01	---	---
11AC20	5180	1.36	1.57	86.62	---	---
	5220	1.36	1.57	86.62	---	---
	5240	1.36	1.57	86.62	---	---
	5745	1.36	1.57	86.62	---	---
	5785	1.36	1.57	86.62	---	---
	5825	1.36	1.57	86.62	---	---
11AC40	5190	0.67	0.88	76.14	---	---
	5230	0.67	0.88	76.14	---	---
	5755	0.68	0.88	77.27	---	---
	5795	0.67	0.88	76.14	---	---
11AC80	5210	0.33	0.54	61.11	---	---
	5775	0.33	0.54	61.11	---	---




Test Graphs


11A_5745




11A_5785




11A_5825



11N20_5745




11N20_5785







11N20_5825




11N40_5755




11N40_5795



11AC20_5745




11AC20_5785







11AC20_5825



11AC40_5755



11AC40_5795



11AC80_5775

