

承 認 書

SPECIFICATION FOR APPROVAL

客 戶:
CUSTOMER:

客 戶 料 號:
CUST P/N:

料 號:
FINE P/N:

產 品 型 號:
DESC:

A11 4.6UH 0.08*105T 45*2.0

日 期:
DATE:

2022/08/02

版 本:
Version:

A.0

擬制 PREPARED BY	審核 CHECKED BY	批准 APPROVED BY	客戶承認 CUSTOMER APPROVE

Shenzhen Jujin Weiye Electronic Co., LTD

Address: Floor 5, Building 1, Tiejia Technology Park, 383 Minsheng Road, Gongming
Street, Guangming District, Shenzhen


Version Change History

[illegible]

SPECIFICATION


產品型號: DESC	Φ 20.5x43-6.8uH-0.08x105	版本 Rev: A.0	客戶 CUST:	
			客戶料号 CUST P/N:	

一、尺寸 DIMENSION:(mm)



A	39.5±0.5
B	22.3±0.5
C	1.25 Max
D	56±2
E	2±1.5
F	44±0.5
G	11.0 ref
H	4.0 Max
I	5.15ref

二、原理图 SCHEMATIC DIAGRAM:



三、绕线参数 Winding Specification:

序号 NO.	端子 TERMINAL		线径 WIRE	圈数 Turns	绕线方向 Winding Direction
1	S	F	丝包线 0.08*105P	8Ts	CCW

四、电气特性 ELECTRICAL CHARACTERISTICS:

温度 TEMPERATURE:25±10°C, 湿度 RELATIVE HUMIDITY:65±20%

序号 NO.	项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
1	IND.	S-F	2.4uH ±20% Individual coil	100KHz/1.0V	LCZ METER 1062B
2	IND.	S-F	4.6uH ±10%	100KHz/1.0V	LCZ METER 1062B
3	DCR	S-F	≤50m Ω		LCZ METER 502B