



LED KEY LIGHT 14P USER MANUAL



Installation Guide



Activate Warranty

ACTIVATE WARRANTY

ACTIVATE YOUR 18-MONTH WARRANTY

Register within 2 weeks after receiving your new product.

 ↗ visit: www.eotolight.com/warranty

CUSTOMER SERVICE

↗ Scan the Messenger QR code to Start Live chat


 Scan me Or Visit: m.me/eotolight

↗ support@eotolight.com

↗ @eotolight

↗ +86 181 7136 3020

↗ www.eotolight.com




PRODUCT PARAMETER



14P Product Parameters

Product	14 inch Key Light	Power	40W
Diameter	34cm	Number of LED beads	105+105 0.5W
Product Functions	Remote control/touch/display	Material	ABS+PC
Color temperature	3000-6000K	Lamp bead life	3 years
Input voltage	100-240VAC	Power supply mode	AC
Color rendering index	RA>90	Light color	White light/warm white/natural light


SHOW DETAILS



Key light cooling hole




Touch screen control and LED display




BLUETOOTH SHUTTER

- 1-Turn on the Bluetooth switch on the left side (the blue light flash)
- 2-Open your smartphone bluetooth setting
- 3-Search for "AB Shutter 3" and connect it (the light stops flashing after connected)
- 4-Open your camera , and click the button to take photos or video .



REMOTE CONTROL


 FCC Caution:
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

 Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

INSTALLATION STEPS



PACKAGE INCLUDING

