

User Manual

- 1) This remote control lock has the same unlocking function as the ordinary lock, and there is also a password wheel at the bottom. The difference is that the password cannot unlock the lock, and the unlocking function can only be realized when used together with the remote control; this lock also has RFID sensing function.
- 2) Power-on function: When the host is powered on, there is a small hole on the side, insert it with a thimble, touch the power button to the power button, the host will vibrate for 5 seconds, indicating that it is powered on; It goes out in seconds, indicating that it is turned on, and the remote control unlocking function can be realized after turning it on.
- 3) Instant remote control unlocking function: Press the remote control instant unlocking button (big button), the blue light of the remote control flashes once, and you can feel the motor of the host machine rotate a bit at this time, and you can see the blue light from the plug hole at this time. When the light is on, the lock can be unlocked by hand-pulling the lock beam.

- 4) Delayed unlocking function: press the delayed unlocking function of the remote control (small button), the blue light of the remote control flashes quickly 3 times, wait for 15 seconds at this time, and then extract the lock beam by hand to unlock.
- 5) Locking function: Press down the lock beam of the padlock host for 4 seconds, and you can feel the motor in the host reverses, that is, it is locked.
- 6) Charging and LED light indication function: This ignition device adopts rechargeable lithium battery, USB+2.5 plug charging method, and is equipped with a charging transformer. In addition, the padlock itself has power-on, power-off and weak power prompts, charging prompts, and code matching. Tips, etc.
- 7) RFID induction function: equipped with an induction card, used in conjunction with the host, when the induction card is close to the host, the unlocking function can be realized.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.