






Time	2024/10/17		
Antenna name	BT	Antenna material	PCB
Test mode	Passive testing		
Supplier	Shanghai Welletronics Future Communication Technology Co.,Ltd		
Address	Rm 111, Building 11, No.1101 HuYi RD, Jiading District, Shanghai		


Machine picture








S11









3D Apple chart







2D Directional diagram







Passive data testing

HS02-BT			
频率	效率/db	增益/db	效率
2300	-6.81	-3.34	20.86
2310	-6.68	-3.23	21.5
2320	-6.64	-3.04	21.68
2330	-6.55	-2.65	22.12
2340	-6.5	-2.58	22.38
2350	-6.56	-2.63	22.06
2360	-6.52	-2.45	22.29
2370	-6.54	-2.41	22.2
2380	-6.69	-2.68	21.44
2390	-6.74	-2.91	21.16
2400	-6.88	-2.94	20.49
2410	-7.02	-3.04	19.87
2420	-7.12	-3.04	19.39
2430	-7.27	-3.03	18.73
2440	-7.26	-2.96	18.78
2450	-7.24	-2.98	18.88
2460	-7.12	-2.86	19.43
2470	-6.92	-2.7	20.33
2480	-6.73	-2.6	21.24
2490	-6.63	-2.4	21.72
2500	-6.52	-2.31	22.28
2510	-6.52	-2.31	22.3
2520	-6.52	-2.1	22.26
2530	-6.63	-2.01	21.73
2540	-6.62	-1.87	21.77
2550	-6.77	-1.89	21.04
2560	-6.92	-1.97	20.31
2570	-6.93	-2	20.27
2580	-7.09	-2.15	19.56
2590	-7.16	-2.27	19.23
2600	-7.31	-2.5	18.57