



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: 10.1inch tablet

Test Model: AK10

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant	0.816	N/A	Pass
NVNT	1-DH5	2441	Ant	0.904	N/A	Pass
NVNT	1-DH5	2480	Ant	0.904	N/A	Pass
NVNT	2-DH5	2402	Ant	1.281	N/A	Pass
NVNT	2-DH5	2441	Ant	1.272	N/A	Pass
NVNT	2-DH5	2480	Ant	1.317	N/A	Pass
NVNT	3-DH5	2402	Ant	1.295	N/A	Pass
NVNT	3-DH5	2441	Ant	1.272	N/A	Pass
NVNT	3-DH5	2480	Ant	1.302	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant	0.45	21	Pass
NVNT	1-DH5	2441	Ant	0.59	21	Pass
NVNT	1-DH5	2480	Ant	0.09	21	Pass
NVNT	2-DH5	2402	Ant	0.02	21	Pass
NVNT	2-DH5	2441	Ant	0.52	21	Pass
NVNT	2-DH5	2480	Ant	0.14	21	Pass
NVNT	3-DH5	2402	Ant	0.06	21	Pass
NVNT	3-DH5	2441	Ant	0.51	21	Pass
NVNT	3-DH5	2480	Ant	0.16	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant




Power NVNT 1-DH5 2441MHz Ant






Power NVNT 1-DH5 2480MHz Ant




Power NVNT 2-DH5 2402MHz Ant






Power NVNT 2-DH5 2441MHz Ant




Power NVNT 2-DH5 2480MHz Ant







Power NVNT 3-DH5 2402MHz Ant



Power NVNT 3-DH5 2441MHz Ant







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant	2402.006	2403.158	1.152	0.544	Pass
NVNT	2-DH5	Ant	2402.16	2403.064	0.904	0.854	Pass
NVNT	3-DH5	Ant	2401.902	2403.006	1.104	0.863	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant	2.882	314.138	109	31600	400	Pass
NVNT	2-DH5	2402	Ant	2.882	322.784	112	31600	400	Pass
NVNT	3-DH5	2402	Ant	2.886	343.434	119	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant One Burst




Dwell NVNT 1-DH5 2402MHz Ant Accumulated






Dwell NVNT 2-DH5 2402MHz Ant One Burst




Dwell NVNT 2-DH5 2402MHz Ant Accumulated






Dwell NVNT 3-DH5 2402MHz Ant One Burst



Dwell NVNT 3-DH5 2402MHz Ant Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant	79	15	Pass
NVNT	2-DH5	Ant	79	15	Pass
NVNT	3-DH5	Ant	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant



Hopping No. NVNT 2-DH5 2402MHz Ant







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	-55.71	-20	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	-56.91	-20	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	-53.85	-20	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	-53.72	-20	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	-52.96	-20	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	-55.59	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	Hopping	-57.76	-20	Pass
NVNT	1-DH5	2480	Ant	Hopping	-54.81	-20	Pass
NVNT	2-DH5	2402	Ant	Hopping	-56.21	-20	Pass
NVNT	2-DH5	2480	Ant	Hopping	-53.38	-20	Pass
NVNT	3-DH5	2402	Ant	Hopping	-53.13	-20	Pass
NVNT	3-DH5	2480	Ant	Hopping	-54.33	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-55.09	-20	Pass
NVNT	1-DH5	2441	Ant	-55.47	-20	Pass
NVNT	1-DH5	2480	Ant	-54.51	-20	Pass
NVNT	2-DH5	2402	Ant	-54.17	-20	Pass
NVNT	2-DH5	2441	Ant	-55.53	-20	Pass
NVNT	2-DH5	2480	Ant	-54.81	-20	Pass
NVNT	3-DH5	2402	Ant	-54.88	-20	Pass
NVNT	3-DH5	2441	Ant	-55.62	-20	Pass
NVNT	3-DH5	2480	Ant	-54.72	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant



Duty Cycle NVNT 2-DH5 2480MHz Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Duty Cycle NVNT 3-DH5 2402MHz Ant



Duty Cycle NVNT 3-DH5 2441MHz Ant







A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-49.86	2	-	47.4	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-58.78	2	1.14	39.62	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2353.392	-46.55	2	-	50.71	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2378.256	-57.68	2	1.14	40.72	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-50.3	2	-	46.96	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-58.21	2	1.14	40.19	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-50	2	-	47.26	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-58.01	2	1.14	40.39	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2491.72	-46.89	2	-	50.37	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2486.128	-57.16	2	1.14	41.24	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-50.22	2	-	47.04	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-57.54	2	1.14	40.86	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-50.75	2	-	46.51	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-58.44	2	1.14	39.96	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2338.416	-47.45	2	-	49.81	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2384.304	-57.58	2	1.14	40.82	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-49.57	2	-	47.69	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-58.68	2	1.14	39.72	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-50	2	-	47.26	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-57.31	2	1.14	41.09	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2495.344	-46.87	2	-	50.39	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2484.016	-57.09	2	1.14	41.31	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-50.06	2	-	47.2	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-58.2	2	1.14	40.2	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-50.02	2	-	47.24	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.78	2	1.13	39.61	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2348.88	-47.7	2	-	49.56	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2380.464	-57.55	2	1.13	40.84	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-49.64	2	-	47.62	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-58.89	2	1.13	39.5	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-49.74	2	-	47.52	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-57.85	2	1.13	40.54	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2484.952	-45.99	2	-	51.27	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2487.952	-57.02	2	1.13	41.37	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-48.97	2	-	48.29	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-57.93	2	1.13	40.46	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

