

产品规格书

PRODUCT SPECIFICATION

Customer:

Customer's part number:

Product description: 2.4G-5.8G Terminal Antenna

Uni Link's part number: Issue Date:

2020-06-10

Note:

术指标（PRODUCT TECHNICAL SPECIFICATION）

电性能指标 Electrical Specifications	
频率范围 Frequency Range (MHz)	2400-2500-5750-5850
频带宽度 Bandwidth (MHz)	100
输入阻抗 Input Impendence (Ω)	50
电压驻波比 V.S.W.R	≤1.5
增益 Gain (dBi)	3
极化形式 Polarization Type	垂直 Vertical
功率容量 Power Capacity (w)	50
机械指标 Mechanical Specifications	
天线长度 Antenna Length (mm)	110mm
辐射体 Radiator	铜 Cuprum

连接器型号 Connect Type	SMA
工作温度 Working Temp(℃)	-40~60
外壳颜色 Radome Color	黑色 Black
重量 Weight (g)	


产品简介

该天线是专为无线上网卡设计生产的, 天线具有外形美观, 结构小巧, 安装方便的优点。


2、产品图片（PRODUCT PICTURE）



3、产品规格图(PRODUCT SPECIFICATION CHART)






4、驻波图 (STATIONARY WAVE PATTERN)






2. 4GWIFI&BT-无源参数-平面图-2400MHz-2500MHz

Horizontal:






Vertical:



5GWIFI-无源参数-平面图-5100MHz-5800MHz

Horizontal:



Vertical:

