



Appendix E

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: UV Photocuring 3D Printer

Trade Mark: ELEGOO

Test Model: Saturn 4 Ultra

Environmental Conditions

Temperature:	23.9° C
Relative Humidity:	51.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

	Page
COVER PAGE	
1 Duty Cycle.....	3
1.1 Test Result.....	3
1.2 Test Graphs.....	4
2 Maximum Conducted Output Power.....	11
2.1 Test Result.....	11
3 -6dB Bandwidth.....	12
3.1 Test Result.....	12
3.2 Test Graphs.....	13
4 Occupied Channel Bandwidth.....	20
4.1 Test Result.....	20
4.2 Test Graphs.....	21
5 Maximum Power Spectral Density Level.....	28
5.1 Test Result.....	28
5.2 Test Graphs.....	29
6 Frequency Stability.....	36
6.1 Test Result.....	36
7 Conducted RF Spurious Emission.....	40
7.1 Test Result.....	40
7.2 Test Graphs.....	41
8 Restrict Band.....	48
8.1 Test Result.....	48
8.2 Test Graphs.....	51




1 Duty Cycle

1.1 Test Result


Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5745	Ant1	87	0.6	4.76
a	5785	Ant1	87.09	0.6	4.76
a	5825	Ant1	87.07	0.6	4.76
n20	5745	Ant1	87.63	0.57	4.35
n20	5785	Ant1	87.6	0.57	4.17
n20	5825	Ant1	87.55	0.58	4.35
n40	5755	Ant1	88.14	0.55	4
n40	5795	Ant1	88.1	0.55	4
ac20	5745	Ant1	87.21	0.59	4.55
ac20	5785	Ant1	87.2	0.59	4.35
ac20	5825	Ant1	87.21	0.59	4.55
ac40	5755	Ant1	86.94	0.61	4.35
ac40	5795	Ant1	87	0.6	4.55
ac80	5775	Ant1	86.99	0.61	4.35

1.2 Test Graphs





Duty Cycle a 5825MHz Ant1



Duty Cycle n20 5745MHz Ant1







Duty Cycle n20 5785MHz Ant1



Duty Cycle n20 5825MHz Ant1






Duty Cycle ac20 5745MHz Ant1




Duty Cycle ac20 5785MHz Ant1






Duty Cycle ac20 5825MHz Ant1




Duty Cycle ac40 5755MHz Ant1






Duty Cycle ac40 5795MHz Ant1



Duty Cycle ac80 5775MHz Ant1



2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	11.43	30	Pass
a	5785	Ant1	10.58	30	Pass
a	5825	Ant1	10.72	30	Pass
n20	5745	Ant1	10.82	30	Pass
n20	5785	Ant1	9.98	30	Pass
n20	5825	Ant1	10.14	30	Pass
n40	5755	Ant1	10.42	30	Pass
n40	5795	Ant1	9.47	30	Pass
ac20	5745	Ant1	10.86	30	Pass
ac20	5785	Ant1	9.94	30	Pass
ac20	5825	Ant1	10.11	30	Pass
ac40	5755	Ant1	10.48	30	Pass
ac40	5795	Ant1	9.5	30	Pass
ac80	5775	Ant1	9.88	30	Pass

Note:

The duty factor has been compensated into the result.




3 -6dB Bandwidth

3.1 Test Result


Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
a	5745	Ant1	14.442	0.5	Pass
a	5785	Ant1	15.111	0.5	Pass
a	5825	Ant1	15.087	0.5	Pass
n20	5745	Ant1	15.027	0.5	Pass
n20	5785	Ant1	15.114	0.5	Pass
n20	5825	Ant1	15.114	0.5	Pass
n40	5755	Ant1	35.07	0.5	Pass
n40	5795	Ant1	35.088	0.5	Pass
ac20	5745	Ant1	15.687	0.5	Pass
ac20	5785	Ant1	15.114	0.5	Pass
ac20	5825	Ant1	15.096	0.5	Pass
ac40	5755	Ant1	31.338	0.5	Pass
ac40	5795	Ant1	35.082	0.5	Pass
ac80	5775	Ant1	75.048	0.5	Pass

3.2 Test Graphs






-6dB Bandwidth a 5825MHz Ant1




-6dB Bandwidth n20 5745MHz Ant1







-6dB Bandwidth n20 5785MHz Ant1




-6dB Bandwidth n20 5825MHz Ant1



-6dB Bandwidth n40 5755MHz Ant1




-6dB Bandwidth n40 5795MHz Ant1






-6dB Bandwidth ac20 5745MHz Ant1




-6dB Bandwidth ac20 5785MHz Ant1







-6dB Bandwidth ac20 5825MHz Ant1




-6dB Bandwidth ac40 5755MHz Ant1



-6dB Bandwidth ac40 5795MHz Ant1



-6dB Bandwidth ac80 5775MHz Ant1






4 Occupied Channel Bandwidth


4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5745	Ant1	16.435
a	5785	Ant1	16.522
a	5825	Ant1	16.414
n20	5745	Ant1	17.641
n20	5785	Ant1	17.617
n20	5825	Ant1	17.557
n40	5755	Ant1	36.062
n40	5795	Ant1	36.02
ac20	5745	Ant1	17.65
ac20	5785	Ant1	17.626
ac20	5825	Ant1	17.632
ac40	5755	Ant1	35.996
ac40	5795	Ant1	36.002
ac80	5775	Ant1	75.268


4.2 Test Graphs




OBW a 5825MHz Ant1




OBW n20 5745MHz Ant1




OBW n20 5785MHz Ant1



OBW n20 5825MHz Ant1




OBW n40 5755MHz Ant1




OBW n40 5795MHz Ant1



OBW ac20 5745MHz Ant1




OBW ac20 5785MHz Ant1






OBW ac20 5825MHz Ant1




OBW ac40 5755MHz Ant1



OBW ac40 5795MHz Ant1



OBW ac80 5775MHz Ant1






5 Maximum Power Spectral Density Level

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5745	Ant1	-5.62	0.6	-5.02	30	Pass
a	5785	Ant1	-6.61	0.6	-6.01	30	Pass
a	5825	Ant1	-6.65	0.6	-6.05	30	Pass
n20	5745	Ant1	-6.22	0.57	-5.65	30	Pass
n20	5785	Ant1	-8.92	0.57	-8.35	30	Pass
n20	5825	Ant1	-6.78	0.58	-6.2	30	Pass
n40	5755	Ant1	-9.9	0.55	-9.35	30	Pass
n40	5795	Ant1	-10.97	0.55	-10.42	30	Pass
ac20	5745	Ant1	-6.19	0.59	-5.6	30	Pass
ac20	5785	Ant1	-6.87	0.59	-6.28	30	Pass
ac20	5825	Ant1	-6.68	0.59	-6.09	30	Pass
ac40	5755	Ant1	-10.02	0.61	-9.41	30	Pass
ac40	5795	Ant1	-10.79	0.6	-10.19	30	Pass
ac80	5775	Ant1	-13.36	0.61	-12.75	30	Pass


5.2 Test Graphs




PSD a 5825MHz Ant1




PSD n20 5745MHz Ant1




PSD n20 5785MHz Ant1




PSD n20 5825MHz Ant1



PSD n40 5755MHz Ant1




PSD n40 5795MHz Ant1




PSD ac20 5745MHz Ant1




PSD ac20 5785MHz Ant1




PSD ac20 5825MHz Ant1




PSD ac40 5755MHz Ant1



PSD ac40 5795MHz Ant1



PSD ac80 5775MHz Ant1





6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
0C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
10C 120V	a	5745	Ant1	5744.9	-100000	-17.41	25	Pass
30C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
40C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
20C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-10C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
0C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
10C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C 120V	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
40C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
50C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 102V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
40C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 138V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass



0C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
-10C 120V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
0C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
10C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
30C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
50C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 102V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 102V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-10C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
0C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
50C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 102V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-20C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-10C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass



40C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	n40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C 102V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 138V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C 120V	ac20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
0C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
50C 120V	ac20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 102V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	ac20	5785	Ant1	5784.9	-100000	-17.29	25	Pass
-20C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
-10C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
0C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
30C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
50C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 102V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	ac20	5825	Ant1	5824.9	-100000	-17.17	25	Pass
0C 120V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
10C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
40C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 102V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	ac40	5755	Ant1	5754.88	-120000	-20.85	25	Pass
-20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C 120V	ac40	5755	Ant1	5755.24	240000	41.7	25	Pass
0C 120V	ac40	5755	Ant1	5754.76	-240000	-41.7	25	Pass
10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
20C 102V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass



20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
-20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
0C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
10C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
30C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
40C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
50C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
20C 102V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant1	5774.84	-160000	-27.71	25	Pass
20C 138V	ac80	5775	Ant1	5774.76	-240000	-41.56	25	Pass
-20C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
-10C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
0C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5774.6	-400000	-69.26	25	Pass
40C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
50C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass




7 Conducted RF Spurious Emission


7.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5745	Ant1	-32.98	-27	Pass
a	5785	Ant1	-33.16	-27	Pass
a	5825	Ant1	-32.89	-27	Pass
n20	5745	Ant1	-32.62	-27	Pass
n20	5785	Ant1	-32.2	-27	Pass
n20	5825	Ant1	-32.75	-27	Pass
n40	5755	Ant1	-32.32	-27	Pass
n40	5795	Ant1	-30.25	-27	Pass
ac20	5745	Ant1	-33.37	-27	Pass
ac20	5785	Ant1	-33.15	-27	Pass
ac20	5825	Ant1	-33.12	-27	Pass
ac40	5755	Ant1	-32.85	-27	Pass
ac40	5795	Ant1	-32.53	-27	Pass
ac80	5775	Ant1	-32.95	-27	Pass


7.2 Test Graphs



Tx. Spurious a 5825MHz Ant1 Emission




Tx. Spurious n20 5745MHz Ant1 Emission







Tx. Spurious n20 5785MHz Ant1 Emission




Tx. Spurious n20 5825MHz Ant1 Emission



Tx. Spurious n40 5755MHz Ant1 Emission




Tx. Spurious n40 5795MHz Ant1 Emission







Tx. Spurious ac20 5745MHz Ant1 Emission




Tx. Spurious ac20 5785MHz Ant1 Emission




Tx. Spurious ac20 5825MHz Ant1 Emission




Tx. Spurious ac40 5755MHz Ant1 Emission



Tx. Spurious ac40 5795MHz Ant1 Emission



Tx. Spurious ac80 5775MHz Ant1 Emission





8 Restrict Band

8.1 Test Result

Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
a	5745	5650	-43.61	3.15	-	-40.46	Peak	-27	Pass
a	5745	5650	-50.58	3.15	0.6	-46.83	Average	-27	Pass
a	5745	5700	-43.54	3.15	-	-40.39	Peak	10	Pass
a	5745	5700	-51.06	3.15	0.6	-47.31	Average	10	Pass
a	5745	5720	-43.12	3.15	-	-39.97	Peak	15.6	Pass
a	5745	5720	-50.18	3.15	0.6	-46.43	Average	15.6	Pass
a	5745	5725	-44.9	3.15	-	-41.75	Peak	27	Pass
a	5745	5725	-50.95	3.15	0.6	-47.2	Average	27	Pass
a	5825	5850	-44.35	3.15	-	-41.2	Peak	27	Pass
a	5825	5850	-50.04	3.15	0.6	-46.29	Average	27	Pass
a	5825	5855	-43.94	3.15	-	-40.79	Peak	15.6	Pass
a	5825	5855	-49.36	3.15	0.6	-45.61	Average	15.6	Pass
a	5825	5875	-43.51	3.15	-	-40.36	Peak	10	Pass
a	5825	5875	-50	3.15	0.6	-46.25	Average	10	Pass
a	5825	5925	-40.21	3.15	-	-37.06	Peak	-27	Pass
a	5825	5925	-50.06	3.15	0.6	-46.31	Average	-27	Pass
n20	5745	5650	-43.38	3.15	-	-40.23	Peak	-27	Pass
n20	5745	5650	-50.77	3.15	0.57	-47.05	Average	-27	Pass
n20	5745	5700	-44.52	3.15	-	-41.37	Peak	10	Pass
n20	5745	5700	-50.82	3.15	0.57	-47.1	Average	10	Pass
n20	5745	5720	-41.72	3.15	-	-38.57	Peak	15.6	Pass
n20	5745	5720	-51.54	3.15	0.57	-47.82	Average	15.6	Pass
n20	5745	5725	-44.47	3.15	-	-41.32	Peak	27	Pass
n20	5745	5725	-50.74	3.15	0.57	-47.02	Average	27	Pass
n20	5825	5850	-42.84	3.15	-	-39.69	Peak	27	Pass
n20	5825	5850	-50.41	3.15	0.58	-46.68	Average	27	Pass
n20	5825	5855	-43.93	3.15	-	-40.78	Peak	15.6	Pass
n20	5825	5855	-49.67	3.15	0.58	-45.94	Average	15.6	Pass
n20	5825	5875	-44.14	3.15	-	-40.99	Peak	10	Pass
n20	5825	5875	-50.48	3.15	0.58	-46.75	Average	10	Pass
n20	5825	5925	-42.56	3.15	-	-39.41	Peak	-27	Pass
n20	5825	5925	-49.38	3.15	0.58	-45.65	Average	-27	Pass
n40	5755	5650	-44.79	3.15	-	-41.64	Peak	-27	Pass
n40	5755	5650	-51.19	3.15	0.55	-47.49	Average	-27	Pass
n40	5755	5700	-43.86	3.15	-	-40.71	Peak	10	Pass




n40	5755	5700	-50.44	3.15	0.55	-46.74	Average	10	Pass
n40	5755	5720	-42.64	3.15	-	-39.49	Peak	15.6	Pass
n40	5755	5720	-51.4	3.15	0.55	-47.7	Average	15.6	Pass
n40	5755	5725	-43.15	3.15	-	-40	Peak	27	Pass
n40	5755	5725	-50.02	3.15	0.55	-46.32	Average	27	Pass
n40	5795	5850	-42.35	3.15	-	-39.2	Peak	27	Pass
n40	5795	5850	-49.88	3.15	0.55	-46.18	Average	27	Pass
n40	5795	5855	-43.61	3.15	-	-40.46	Peak	15.6	Pass
n40	5795	5855	-49.92	3.15	0.55	-46.22	Average	15.6	Pass
n40	5795	5875	-40.38	3.15	-	-37.23	Peak	10	Pass
n40	5795	5875	-51.05	3.15	0.55	-47.35	Average	10	Pass
n40	5795	5925	-43.25	3.15	-	-40.1	Peak	-27	Pass
n40	5795	5925	-49.43	3.15	0.55	-45.73	Average	-27	Pass
ac20	5745	5650	-44.28	3.15	-	-41.13	Peak	-27	Pass
ac20	5745	5650	-51.22	3.15	0.59	-47.48	Average	-27	Pass
ac20	5745	5700	-43.9	3.15	-	-40.75	Peak	10	Pass
ac20	5745	5700	-50.57	3.15	0.59	-46.83	Average	10	Pass
ac20	5745	5720	-42.68	3.15	-	-39.53	Peak	15.6	Pass
ac20	5745	5720	-51.03	3.15	0.59	-47.29	Average	15.6	Pass
ac20	5745	5725	-44.55	3.15	-	-41.4	Peak	27	Pass
ac20	5745	5725	-50.74	3.15	0.59	-47	Average	27	Pass
ac20	5825	5850	-43.83	3.15	-	-40.68	Peak	27	Pass
ac20	5825	5850	-49.94	3.15	0.59	-46.2	Average	27	Pass
ac20	5825	5855	-44.4	3.15	-	-41.25	Peak	15.6	Pass
ac20	5825	5855	-49.37	3.15	0.59	-45.63	Average	15.6	Pass
ac20	5825	5875	-43.08	3.15	-	-39.93	Peak	10	Pass
ac20	5825	5875	-49.66	3.15	0.59	-45.92	Average	10	Pass
ac20	5825	5925	-42.23	3.15	-	-39.08	Peak	-27	Pass
ac20	5825	5925	-49.43	3.15	0.59	-45.69	Average	-27	Pass
ac40	5755	5650	-42.49	3.15	-	-39.34	Peak	-27	Pass
ac40	5755	5650	-50.84	3.15	0.61	-47.08	Average	-27	Pass
ac40	5755	5700	-45.08	3.15	-	-41.93	Peak	10	Pass
ac40	5755	5700	-50.17	3.15	0.61	-46.41	Average	10	Pass
ac40	5755	5720	-45.16	3.15	-	-42.01	Peak	15.6	Pass
ac40	5755	5720	-50.55	3.15	0.61	-46.79	Average	15.6	Pass
ac40	5755	5725	-42.27	3.15	-	-39.12	Peak	27	Pass
ac40	5755	5725	-49.27	3.15	0.61	-45.51	Average	27	Pass
ac40	5795	5850	-43.8	3.15	-	-40.65	Peak	27	Pass
ac40	5795	5850	-49.98	3.15	0.6	-46.23	Average	27	Pass
ac40	5795	5855	-42.12	3.15	-	-38.97	Peak	15.6	Pass
ac40	5795	5855	-48.82	3.15	0.6	-45.07	Average	15.6	Pass
ac40	5795	5875	-42.8	3.15	-	-39.65	Peak	10	Pass
ac40	5795	5875	-50.4	3.15	0.6	-46.65	Average	10	Pass




ac40	5795	5925	-43.45	3.15	-	-40.3	Peak	-27	Pass
ac40	5795	5925	-49.08	3.15	0.6	-45.33	Average	-27	Pass
ac80	5775	5850	-43.64	3.15	-	-40.49	Peak	27	Pass
ac80	5775	5850	-50.23	3.15	0.61	-46.47	Average	27	Pass
ac80	5775	5855	-42.76	3.15	-	-39.61	Peak	15.6	Pass
ac80	5775	5855	-49.95	3.15	0.61	-46.19	Average	15.6	Pass
ac80	5775	5875	-43.33	3.15	-	-40.18	Peak	10	Pass
ac80	5775	5875	-49.73	3.15	0.61	-45.97	Average	10	Pass
ac80	5775	5925	-41.81	3.15	-	-38.66	Peak	-27	Pass
ac80	5775	5925	-49.72	3.15	0.61	-45.96	Average	-27	Pass
ac80	5775	5650	-43.89	3.15	-	-40.74	Peak	-27	Pass
ac80	5775	5650	-50.16	3.15	0.61	-46.4	Average	-27	Pass
ac80	5775	5700	-43.73	3.15	-	-40.58	Peak	10	Pass
ac80	5775	5700	-51.01	3.15	0.61	-47.25	Average	10	Pass
ac80	5775	5720	-42.26	3.15	-	-39.11	Peak	15.6	Pass
ac80	5775	5720	-49.92	3.15	0.61	-46.16	Average	15.6	Pass
ac80	5775	5725	-37.22	3.15	-	-34.07	Peak	27	Pass
ac80	5775	5725	-47.13	3.15	0.61	-43.37	Average	27	Pass


8.2 Test Graphs




Restrict Band a 5825MHz Ant1 Peak




Restrict Band a 5825MHz Ant1 Average




Restrict Band n20 5745MHz Ant1 Peak




Restrict Band n20 5745MHz Ant1 Average



Restrict Band n20 5825MHz Ant1 Peak




Restrict Band n20 5825MHz Ant1 Average




Restrict Band n40 5755MHz Ant1 Peak




Restrict Band n40 5755MHz Ant1 Average



Restrict Band n40 5795MHz Ant1 Peak




Restrict Band n40 5795MHz Ant1 Average







Restrict Band ac20 5745MHz Ant1 Peak




Restrict Band ac20 5745MHz Ant1 Average




Restrict Band ac20 5825MHz Ant1 Peak




Restrict Band ac20 5825MHz Ant1 Average



Restrict Band ac40 5755MHz Ant1 Peak




Restrict Band ac40 5755MHz Ant1 Average







Restrict Band ac40 5795MHz Ant1 Peak




Restrict Band ac40 5795MHz Ant1 Average



Restrict Band ac80 5775MHz Ant1 Peak




Restrict Band ac80 5775MHz Ant1 Average






Restrict Band ac80 5775MHz Ant1 Peak



Restrict Band ac80 5775MHz Ant1 Average



---The End---