





LTE CA_7C_20MHz+20MHz									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
				QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
20850	2510	21041	2529.8	37.453	37.386	37.425	39.44	39.46	39.44
21001	2525.1	21199	2544.9	37.507	37.463	37.425	39.42	39.56	39.48
21152	2540.2	21350	2560	37.466	37.430	37.383	39.52	39.53	39.48






APPENDIX C - CONDUCTED SPURIOUS EMISSIONS




LTE Band 4_1.4MHz_CH20175 Spectrum Plot






LTE Band 4_5MHz_CH20175 Spectrum Plot






LTE Band 4_20MHz_CH20175 Spectrum Plot






LTE Band 7_5MHz_CH21100 Spectrum Plot






LTE Band 7_20MHz_CH21100 Spectrum Plot




LTE Band 66_5MHz_CH132322 Spectrum Plot




LTE Band 66_20MHz_CH132322 Spectrum Plot




LTE CA_7C_20MHz+10MHz_Mid CH Spectrum Plot



Date: 27-Jul-2022 18:15:39




Date: 27-Jul-2022 18:15:41




Date: 27-Jul-2022 18:17:49


LTE CA_7C_15MHz+10MHz_Mid CH Spectrum Plot



Date: 27-Jul-2022 18:15:44




Date: 27-Jul-2022 18:15:45




Date: 27-Jul-2022 18:15:49


LTE CA_7C_20MHz+15MHz_Mid CH Spectrum Plot



Date: 27-Jul-2022 18:15:51




Date: 27-Jul-2022 18:15:51




Date: 27-Jul-2022 18:15:51


LTE CA_7C_20MHz+20MHz_Mid CH Spectrum Plot



Date: 27-Jul-2022 18:15:55



Date: 27-Jul-2022 18:15:54




Date: 27-Jul-2022 18:15:59

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *	0.0182	51.22	14.86	66.08	141.48	-75.40	AVG		
2	0.0283	41.63	14.10	55.73	137.65	-81.92	AVG		
3	0.0392	43.85	13.85	57.70	134.82	-77.12	AVG		

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	0.3888	41.32	13.47	54.79	114.90	-60.11	AVG		
2 *	2.1500	40.66	12.03	52.69	88.63	-35.94	QP		
3	2.9261	30.92	11.74	42.66	88.63	-45.97	QP		

Test Mode : TX Mode

Ant 90°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *	0.0184	48.52	14.79	63.31	141.39	-78.08	AVG		
2	0.0275	41.32	14.12	55.44	137.90	-82.46	AVG		
3	0.0331	39.11	13.99	53.10	136.29	-83.19	AVG		

Test Mode : TX Mode

Ant 90°




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	0.3291	41.36	13.52	54.88	116.35	-61.47	AVG		
2 *	2.1500	35.94	12.03	47.97	88.63	-40.66	QP		
3	2.9260	32.91	11.74	44.65	88.63	-43.98	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	32.9100	-50.99	-15.24	-66.23	-13.00	-53.23	peak	
2	43.0950	-56.97	-13.95	-70.92	-13.00	-57.92	peak	
3	76.0750	-52.46	-17.55	-70.01	-13.00	-57.01	peak	
4	107.1150	-53.36	-15.48	-68.84	-13.00	-55.84	peak	
5	224.9700	-62.15	-14.38	-76.53	-13.00	-63.53	peak	
6	499.9650	-62.32	-6.54	-68.86	-13.00	-55.86	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.3500	-57.58	-18.58	-76.16	-13.00	-63.16	peak	
2	258.4350	-63.83	-12.63	-76.46	-13.00	-63.46	peak	
3	310.3300	-65.71	-10.70	-76.41	-13.00	-63.41	peak	
4	351.5550	-65.47	-9.93	-75.40	-13.00	-62.40	peak	
5	499.9650	-63.94	-6.54	-70.48	-13.00	-57.48	peak	
6 *	773.5050	-68.14	-1.35	-69.49	-13.00	-56.49	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	33.3950	-50.57	-15.16	-65.73	-13.00	-52.73	peak	
2	42.6100	-55.95	-13.95	-69.90	-13.00	-56.90	peak	
3	78.5000	-52.92	-18.06	-70.98	-13.00	-57.98	peak	
4	106.8300	-53.20	-15.55	-68.75	-13.00	-55.75	peak	
5	216.2400	-60.78	-14.97	-75.75	-13.00	-62.75	peak	
6	499.9650	-62.51	-6.54	-69.05	-13.00	-56.05	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	82.8650	-57.88	-18.55	-76.43	-13.00	-63.43	peak	
2	104.6900	-61.79	-15.84	-77.63	-13.00	-64.63	peak	
3	176.4700	-65.08	-13.26	-78.34	-13.00	-65.34	peak	
4	257.4650	-63.27	-12.65	-75.92	-13.00	-62.92	peak	
5	353.9800	-65.88	-9.88	-75.76	-13.00	-62.76	peak	
6 *	499.9650	-64.52	-6.54	-71.06	-13.00	-58.06	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	32.9100	-50.78	-15.24	-66.02	-13.00	-53.02	peak	
2	42.6100	-54.44	-13.95	-68.39	-13.00	-55.39	peak	
3	78.5000	-53.41	-18.06	-71.47	-13.00	-58.47	peak	
4	106.1450	-53.54	-15.62	-69.16	-13.00	-56.16	peak	
5	224.9700	-62.22	-14.38	-76.60	-13.00	-63.60	peak	
6 *	480.5650	-56.15	-6.88	-63.03	-13.00	-50.03	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	82.3800	-57.96	-18.52	-76.48	-13.00	-63.48	peak	
2	106.6300	-61.96	-15.55	-77.51	-13.00	-64.51	peak	
3	257.9500	-63.58	-12.64	-76.22	-13.00	-63.22	peak	
4	362.7100	-65.02	-9.67	-74.69	-13.00	-61.69	peak	
5	499.9650	-64.12	-6.54	-70.66	-13.00	-57.66	peak	
6 *	759.4400	-66.56	-1.70	-68.26	-13.00	-55.26	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	41.6400	-56.63	-13.99	-70.62	-25.00	-45.62	peak	
2	64.9200	-56.25	-15.21	-71.46	-25.00	-46.46	peak	
3	105.6600	-53.40	-15.70	-69.10	-25.00	-44.10	peak	
4	221.0900	-61.00	-14.71	-75.71	-25.00	-50.71	peak	
5 *	499.9650	-61.63	-6.54	-68.17	-25.00	-43.17	peak	
6	784.6600	-68.47	-1.06	-69.53	-25.00	-44.53	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mx.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	32.9100	-54.48	-15.24	-69.72	-25.00	-44.72	peak	
2	63.3500	-57.51	-18.58	-76.09	-25.00	-51.09	peak	
3	157.5550	-65.58	-12.43	-78.01	-25.00	-53.01	peak	
4	257.9500	-63.55	-12.64	-76.19	-25.00	-51.19	peak	
5	362.7100	-65.55	-9.67	-75.22	-25.00	-50.22	peak	
6	499.9650	-64.11	-6.54	-70.65	-25.00	-45.65	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	33.3950	-51.07	-15.16	-66.23	-25.00	-41.23	peak	
2	43.5800	-56.01	-13.94	-69.95	-25.00	-44.95	peak	
3 *	69.7700	-49.99	-16.16	-66.15	-25.00	-41.15	peak	
4	106.6300	-53.23	-15.55	-68.78	-25.00	-43.78	peak	
5	222.5450	-60.81	-14.60	-75.41	-25.00	-50.41	peak	
6	499.9650	-62.29	-6.54	-68.83	-25.00	-43.83	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.8350	-58.25	-18.61	-76.86	-25.00	-51.86	peak	
2	104.6900	-62.28	-15.84	-78.12	-25.00	-53.12	peak	
3	259.4050	-63.29	-12.58	-75.87	-25.00	-50.87	peak	
4	357.3750	-64.99	-9.78	-74.77	-25.00	-49.77	peak	
5	499.9650	-62.70	-8.54	-69.24	-25.00	-44.24	peak	
6 *	786.6000	-64.51	-1.02	-65.53	-25.00	-40.53	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	42.6100	-56.68	-13.95	-70.63	-13.00	-57.63	peak	
2	72.6800	-53.19	-16.81	-70.00	-13.00	-57.00	peak	
3	110.9950	-54.36	-14.95	-69.31	-13.00	-56.31	peak	
4	219.1500	-58.58	-14.85	-73.43	-13.00	-60.43	peak	
5	499.9650	-61.10	-8.54	-67.64	-13.00	-54.64	peak	
6 *	781.2650	-66.16	-1.15	-67.31	-13.00	-54.31	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.8350	-57.73	-18.61	-76.34	-13.00	-63.34	peak	
2	105.1750	-61.68	-15.77	-77.45	-13.00	-64.45	peak	
3	159.9800	-65.72	-12.37	-78.09	-13.00	-65.09	peak	
4	266.1950	-63.99	-12.32	-76.31	-13.00	-63.31	peak	
5	355.9200	-65.73	-9.83	-75.56	-13.00	-62.56	peak	
6 *	499.9650	-64.30	-6.54	-70.84	-13.00	-57.84	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	33.3950	-50.74	-15.16	-65.90	-13.00	-52.90	peak	
2	77.5300	-53.73	-17.86	-71.59	-13.00	-58.59	peak	
3	105.1750	-53.08	-15.77	-68.85	-13.00	-55.85	peak	
4	225.9400	-61.84	-14.29	-76.13	-13.00	-63.13	peak	
5	499.9650	-61.72	-8.54	-68.26	-13.00	-55.26	peak	
6	773.0200	-67.83	-1.36	-69.19	-13.00	-56.19	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.3500	-57.66	-18.58	-76.24	-13.00	-63.24	peak	
2	106.1450	-61.96	-15.62	-77.58	-13.00	-64.58	peak	
3	157.0700	-65.99	-12.45	-78.44	-13.00	-65.44	peak	
4	259.4050	-63.82	-12.58	-76.40	-13.00	-63.40	peak	
5	352.0400	-64.81	-9.92	-74.73	-13.00	-61.73	peak	
6 *	499.9650	-64.50	-8.54	-71.04	-13.00	-58.04	peak	

Test Mode : LTE CA_7C_TX Mid CH_20MHz+ 10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	33.395	-50.98	-15.16	-66.14	-25.00	-41.14	peak	
2	43.095	-55.45	-13.95	-69.40	-25.00	-44.40	peak	
3	72.195	-52.24	-16.70	-68.94	-25.00	-43.94	peak	
4	106.630	-53.23	-15.55	-68.78	-25.00	-43.78	peak	
5	225.940	-61.15	-14.29	-75.44	-25.00	-50.44	peak	
6	499.965	-62.38	-6.54	-68.92	-25.00	-43.92	peak	

Test Mode : LTE CA_7C_TX Mid CH_20MHz+ 10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	83.835	-57.73	-18.61	-76.34	-25.00	-51.34	peak	
2	105.175	-61.95	-15.77	-77.72	-25.00	-52.72	peak	
3	155.615	-65.98	-12.48	-78.46	-25.00	-53.46	peak	
4	263.770	-64.17	-12.41	-76.58	-25.00	-51.58	peak	
5	363.680	-66.16	-9.63	-75.79	-25.00	-50.79	peak	
6 *	499.965	-64.65	-6.54	-71.19	-25.00	-46.19	peak	

Test Mode : LTE CA_7C_TX Mid CH_
15MHz+15MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1 *	33.395	-50.85	-15.16	-66.01	-25.00	-41.01	peak	
2	72.680	-52.06	-16.81	-68.87	-25.00	-43.87	peak	
3	107.115	-53.09	-15.48	-68.57	-25.00	-43.57	peak	
4	223.030	-61.37	-14.54	-75.91	-25.00	-50.91	peak	
5	499.965	-61.95	-6.54	-68.49	-25.00	-43.49	peak	
6	780.780	-68.47	-1.17	-69.64	-25.00	-44.64	peak	

Test Mode : LTE CA_7C_TX Mid CH_
15MHz+15MHz


Horizontal



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1	82.380	-57.95	-18.52	-76.47	-25.00	-51.47	peak	
2	106.630	-61.91	-15.55	-77.46	-25.00	-52.46	peak	
3	158.525	-65.74	-12.40	-78.14	-25.00	-53.14	peak	
4	261.345	-63.88	-12.51	-76.39	-25.00	-51.39	peak	
5	365.620	-65.68	-9.59	-75.27	-25.00	-50.27	peak	
6 *	499.965	-63.11	-6.54	-69.65	-25.00	-44.65	peak	

Test Mode : LTE CA_7C_TX Mid CH_
20MHz+ 20MHz


Vertical



No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1 *	33.395	-50.75	-15.16	-65.91	-25.00	-40.91	peak	
2	42.610	-56.24	-13.95	-70.19	-25.00	-45.19	peak	
3	64.920	-56.43	-15.21	-71.64	-25.00	-46.64	peak	
4	106.145	-53.22	-15.62	-68.84	-25.00	-43.84	peak	
5	222.060	-61.47	-14.64	-76.11	-25.00	-51.11	peak	
6	499.965	-61.41	-6.54	-67.95	-25.00	-42.95	peak	

Test Mode : LTE CA_7C_TX Mid CH_
20MHz+ 20MHz

Horizontal




No. Mx	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm	dBm	dB			
1	84.320	-57.89	-18.64	-76.53	-25.00	-51.53	peak	
2	106.630	-62.25	-15.55	-77.80	-25.00	-52.80	peak	
3	159.010	-66.28	-12.40	-78.68	-25.00	-53.68	peak	
4	262.800	-64.31	-12.45	-76.76	-25.00	-51.76	peak	
5	356.405	-64.74	-9.82	-74.56	-25.00	-49.56	peak	
6 *	499.965	-63.32	-6.54	-69.86	-25.00	-44.86	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6975.500	-53.47	10.17	-43.30	-13.00	-30.30	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6975.500	-54.64	10.17	-44.47	-13.00	-31.47	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6967.000	-52.05	10.13	-41.92	-13.00	-28.92	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6967.000	-53.65	10.13	-43.52	-13.00	-30.52	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6975.500	-53.58	10.17	-43.41	-13.00	-30.41	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6975.500	-54.47	10.17	-44.30	-13.00	-31.30	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	5067.250	-38.54	6.20	-32.34	-25.00	-7.34	peak	
2 *	7604.500	-43.16	10.91	-32.25	-25.00	-7.25	peak	

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	5067.250	-42.36	6.20	-36.16	-25.00	-11.16	peak	
2	7604.500	-49.74	10.91	-38.83	-25.00	-13.83	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	5054.500	-40.95	6.18	-34.77	-25.00	-9.77	peak	
2	7579.000	-45.46	10.92	-34.54	-25.00	-9.54	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	5054.500	-42.92	6.18	-36.74	-25.00	-11.74	peak	
2	7579.000	-49.04	10.92	-38.12	-25.00	-13.12	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	6975.500	-51.17	10.17	-41.00	-13.00	-28.00	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	6975.000	-54.23	10.13	-44.10	-13.00	-31.10	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	6967.000	-51.31	10.13	-41.18	-13.00	-28.18	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10010.000	-55.45	13.17	-42.28	-13.00	-29.28	peak	

Test Mode : LTE CA_7C_TX Mid CH_20MHz+ 10MHz


Test Mode : LTE CA_7C_TX Mid CH_20MHz+ 10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-46.73	13.25	-33.48	-25.00	-8.48	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-50.07	13.25	-36.82	-25.00	-11.82	peak	

Test Mode : LTE CA_7C_TX Mid CH_
15MHz+15MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-45.90	13.25	-32.65	-25.00	-7.65	peak	

Test Mode : LTE CA_7C_TX Mid CH_
15MHz+15MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-49.11	13.25	-35.86	-25.00	-10.86	peak	

Test Mode : LTE CA_7C_TX Mid CH_
20MHz+ 20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-44.63	13.25	-31.38	-25.00	-6.38	peak	

Test Mode : LTE CA_7C_TX Mid CH_
20MHz+ 20MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	10103.500	-44.63	13.25	-31.38	-25.00	-6.38	peak	

APPENDIX G - BAND EDGE

