



Profile: 2310083R	Page No.: 276
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.632	49.884	-31.368	74.000	-7.251	PK
2	*	15630.000	45.877	50.021	-28.123	74.000	-4.143	PK

Profile: 2310083R	Page No.: 277
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.480	48.394	-32.520	74.000	-6.914	PK
2	*	15870.000	45.008	47.904	-28.992	74.000	-2.897	PK

Profile: 2310083R	Page No.: 278
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.816	49.730	-31.184	74.000	-6.914	PK
2	*	15870.000	44.398	47.294	-29.602	74.000	-2.897	PK

Profile: 2310083R	Page No.: 279
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.342	49.234	-30.658	74.000	-5.891	PK
2	*	16590.000	44.823	47.694	-29.177	74.000	-2.872	PK

Profile: 2310083R	Page No.: 280
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.773	48.665	-31.227	74.000	-5.891	PK
2	*	16590.000	45.953	48.627	-28.047	74.000	-2.675	PK

Profile: 2310083R	Page No.: 281
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.141	48.406	-30.859	74.000	-5.265	PK
2	*	17325.000	46.927	50.343	-27.073	74.000	-3.417	PK


Profile: 2310083R	Page No.: 282
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.511	47.776	-31.489	74.000	-5.265	PK
2	*	17325.000	45.796	48.827	-28.204	74.000	-3.031	PK




Profile: 2310083R	Page No.: 283
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.279	49.691	-31.721	74.000	-7.412	PK
2	*	15540.000	44.879	48.992	-29.121	74.000	-4.113	PK

Profile: 2310083R	Page No.: 284
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.238	49.650	-31.762	74.000	-7.412	PK
2	*	15540.000	43.611	47.724	-30.389	74.000	-4.113	PK

Profile: 2310083R	Page No.: 285
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.140	49.379	-31.860	74.000	-7.239	PK
2	*	15660.000	44.427	48.649	-29.573	74.000	-4.221	PK

Profile: 2310083R	Page No.: 286
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.944	50.183	-31.056	74.000	-7.239	PK
2	*	15660.000	43.844	48.066	-30.156	74.000	-4.221	PK

Profile: 2310083R	Page No.: 287
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.724	48.748	-32.276	74.000	-7.024	PK
2	*	15720.000	45.247	48.905	-28.753	74.000	-3.658	PK

Profile: 2310083R	Page No.: 288
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.807	49.831	-31.193	74.000	-7.024	PK
2	*	15720.000	44.780	48.438	-29.220	74.000	-3.658	PK

Profile: 2310083R	Page No.: 289
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.639	49.052	-32.361	74.000	-7.413	PK
2	*	15780.000	44.871	48.149	-29.129	74.000	-3.278	PK

Profile: 2310083R	Page No.: 290
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.450	48.863	-32.550	74.000	-7.413	PK
2	*	15780.000	44.176	47.454	-29.824	74.000	-3.278	PK

Profile: 2310083R	Page No.: 291
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.817	48.685	-32.183	74.000	-6.867	PK
2	*	15900.000	45.460	48.027	-28.540	74.000	-2.566	PK

Profile: 2310083R	Page No.: 292
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.748	48.616	-32.252	74.000	-6.867	PK
2	*	15900.000	43.999	46.566	-30.001	74.000	-2.566	PK

Profile: 2310083R	Page No.: 293
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.651	48.761	-32.349	74.000	-7.109	PK
2	*	15960.000	44.087	47.545	-29.913	74.000	-3.458	PK

Profile: 2310083R	Page No.: 294
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.727	49.837	-31.273	74.000	-7.109	PK
2	*	15960.000	43.605	47.013	-30.395	74.000	-3.408	PK

Profile: 2310083R	Page No.: 295
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11000.000	43.988	50.476	-30.012	74.000	-6.489	PK
2		16500.000	43.076	46.459	-30.924	74.000	-3.383	PK

Profile: 2310083R	Page No.: 296
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.369	48.857	-31.631	74.000	-6.489	PK
2	*	16500.000	44.716	47.637	-29.284	74.000	-2.922	PK

Profile: 2310083R	Page No.: 297
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.087	48.955	-30.913	74.000	-5.867	PK
2	*	16740.000	44.271	47.749	-29.729	74.000	-3.478	PK

Profile: 2310083R	Page No.: 298
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.190	50.058	-29.810	74.000	-5.867	PK
2	*	16740.000	45.167	48.351	-28.833	74.000	-3.184	PK

Profile: 2310083R	Page No.: 299
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.079	48.790	-30.921	74.000	-5.711	PK
2	*	17100.000	44.682	47.677	-29.318	74.000	-2.995	PK

Profile: 2310083R	Page No.: 300
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.725	49.436	-30.275	74.000	-5.711	PK
2	*	17100.000	46.514	48.462	-27.486	74.000	-1.948	PK

Profile: 2310083R	Page No.: 301
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.372	48.261	-31.628	74.000	-5.890	PK
2	*	17235.000	45.066	48.468	-28.934	74.000	-3.403	PK

Profile: 2310083R	Page No.: 302
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.615	48.504	-31.385	74.000	-5.890	PK
2	*	17235.000	44.341	47.093	-29.659	74.000	-2.753	PK

Profile: 2310083R	Page No.: 303
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.530	47.649	-31.470	74.000	-5.119	PK
2	*	17355.000	45.450	48.356	-28.550	74.000	-2.906	PK

Profile: 2310083R	Page No.: 304
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.652	48.771	-30.348	74.000	-5.119	PK
2	*	17355.000	45.518	48.127	-28.482	74.000	-2.609	PK

Profile: 2310083R	Page No.: 305
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.799	48.037	-31.201	74.000	-5.238	PK
2	*	17475.000	46.280	49.418	-27.720	74.000	-3.139	PK

Profile: 2310083R	Page No.: 306
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.173	48.411	-30.827	74.000	-5.238	PK
2	*	17475.000	45.732	48.870	-28.268	74.000	-3.139	PK

Profile: 2310083R	Page No.: 307
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.853	49.326	-32.147	74.000	-7.473	PK
2	*	15570.000	43.587	48.176	-30.413	74.000	-4.588	PK

Profile: 2310083R	Page No.: 308
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.067	49.540	-31.933	74.000	-7.473	PK
2	*	15570.000	43.075	47.664	-30.925	74.000	-4.588	PK

Profile: 2310083R	Page No.: 309
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.325	49.412	-31.675	74.000	-7.088	PK
2	*	15690.000	43.566	47.952	-30.434	74.000	-4.387	PK

Profile: 2310083R	Page No.: 310
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.096	49.183	-31.904	74.000	-7.088	PK
2	*	15690.000	43.980	48.366	-30.020	74.000	-4.387	PK

Profile: 2310083R	Page No.: 311
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.547	49.745	-31.453	74.000	-7.198	PK
2	*	15810.000	45.234	48.413	-28.766	74.000	-3.179	PK

Profile: 2310083R	Page No.: 312
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.040	48.238	-32.960	74.000	-7.198	PK
2	*	15810.000	44.620	47.799	-29.380	74.000	-3.179	PK

Profile: 2310083R	Page No.: 313
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.058	49.023	-31.942	74.000	-6.965	PK
2	*	15930.000	45.024	47.843	-28.976	74.000	-2.819	PK

Profile: 2310083R	Page No.: 314
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.001	49.966	-30.999	74.000	-6.965	PK
2	*	15930.000	44.664	47.483	-29.336	74.000	-2.819	PK

Profile: 2310083R	Page No.: 315
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.057	50.237	-29.943	74.000	-6.180	PK
2	*	16530.000	45.026	48.557	-28.974	74.000	-3.532	PK

Profile: 2310083R	Page No.: 316
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11020.000	44.247	50.427	-29.753	74.000	-6.180	PK
2		16530.000	44.060	47.218	-29.940	74.000	-3.158	PK

Profile: 2310083R	Page No.: 317
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	43.785	49.470	-30.215	74.000	-5.685	PK
2	*	16770.000	44.867	47.594	-29.133	74.000	-2.727	PK

Profile: 2310083R	Page No.: 318
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	44.184	49.869	-29.816	74.000	-5.685	PK
2	*	16770.000	45.498	47.843	-28.502	74.000	-2.345	PK

Profile: 2310083R	Page No.: 319
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.217	50.174	-29.783	74.000	-5.957	PK
2	*	17010.000	45.498	49.300	-28.502	74.000	-3.802	PK

Profile: 2310083R	Page No.: 320
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.693	49.650	-30.307	74.000	-5.957	PK
2	*	17010.000	45.118	48.132	-28.882	74.000	-3.014	PK

Profile: 2310083R	Page No.: 321
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.436	48.303	-31.564	74.000	-5.868	PK
2	*	17265.000	44.300	47.398	-29.700	74.000	-3.097	PK

Profile: 2310083R	Page No.: 322
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.762	48.629	-31.238	74.000	-5.868	PK
2	*	17265.000	45.347	47.883	-28.653	74.000	-2.535	PK

Profile: 2310083R	Page No.: 323
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.142	48.052	-31.858	74.000	-5.910	PK
2	*	17385.000	44.305	47.373	-29.695	74.000	-3.068	PK

Profile: 2310083R	Page No.: 324
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.429	47.339	-32.571	74.000	-5.910	PK
2	*	17385.000	45.096	47.955	-28.904	74.000	-2.860	PK

Profile: 2310083R	Page No.: 325
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.587	48.839	-32.413	74.000	-7.251	PK
2	*	15630.000	45.283	49.427	-28.717	74.000	-4.143	PK

Profile: 2310083R	Page No.: 326
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.502	48.754	-32.498	74.000	-7.251	PK
2	*	15630.000	44.056	48.200	-29.944	74.000	-4.143	PK

Profile: 2310083R	Page No.: 327
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.270	49.184	-31.730	74.000	-6.914	PK
2	*	15870.000	45.151	48.047	-28.849	74.000	-2.897	PK

Profile: 2310083R	Page No.: 328
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.316	49.230	-31.684	74.000	-6.914	PK
2	*	15870.000	44.288	47.184	-29.712	74.000	-2.897	PK

Profile: 2310083R	Page No.: 329
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.044	48.936	-30.956	74.000	-5.891	PK
2	*	16590.000	45.667	48.538	-28.333	74.000	-2.872	PK

Profile: 2310083R	Page No.: 330
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.605	49.497	-30.395	74.000	-5.891	PK
2	*	16590.000	47.020	49.694	-26.980	74.000	-2.675	PK

Profile: 2310083R	Page No.: 331
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.203	49.468	-29.797	74.000	-5.265	PK
2	*	17325.000	44.677	48.093	-29.323	74.000	-3.417	PK

Profile: 2310083R	Page No.: 332
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.492	47.757	-31.508	74.000	-5.265	PK
2	*	17325.000	44.862	47.893	-29.138	74.000	-3.031	PK



CDD: Antenna1+2


Profile: 2310083R	Page No.: 167
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.367	49.779	-31.633	74.000	-7.412	PK
2	*	15540.000	44.902	49.015	-29.098	74.000	-4.113	PK




Profile: 2310083R	Page No.: 168
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.625	50.037	-31.375	74.000	-7.412	PK
2	*	15540.000	44.827	48.940	-29.173	74.000	-4.113	PK

Profile: 2310083R	Page No.: 169
Engineer: Yuliu	
Site: AC5	Time: 2023/03/21 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.444	48.683	-32.556	74.000	-7.239	PK
2	*	15660.000	44.971	49.193	-29.029	74.000	-4.221	PK

Profile: 2310083R	Page No.: 170
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.242	49.481	-31.758	74.000	-7.239	PK
2	*	15660.000	44.539	48.761	-29.461	74.000	-4.221	PK

Profile: 2310083R	Page No.: 171
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.546	49.570	-31.454	74.000	-7.024	PK
2	*	15720.000	44.290	47.948	-29.710	74.000	-3.658	PK

Profile: 2310083R	Page No.: 172
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.122	50.146	-30.878	74.000	-7.024	PK
2	*	15720.000	45.720	49.378	-28.280	74.000	-3.658	PK

Profile: 2310083R	Page No.: 173
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.008	49.421	-31.992	74.000	-7.413	PK
2	*	15780.000	45.320	48.598	-28.680	74.000	-3.278	PK

Profile: 2310083R	Page No.: 174
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.235	48.648	-32.765	74.000	-7.413	PK
2	*	15780.000	44.733	48.011	-29.267	74.000	-3.278	PK

Profile: 2310083R	Page No.: 175
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5300MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.038	49.906	-30.962	74.000	-6.867	PK
2	*	15900.000	44.847	47.414	-29.153	74.000	-2.566	PK


Profile: 2310083R	Page No.: 176
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5300MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.656	49.524	-31.344	74.000	-6.867	PK
2	*	15900.000	44.697	47.264	-29.303	74.000	-2.566	PK




Profile: 2310083R	Page No.: 177
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.147	49.257	-31.853	74.000	-7.109	PK
2	*	15960.000	43.023	46.481	-30.977	74.000	-3.458	PK

Profile: 2310083R	Page No.: 178
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.183	49.293	-31.817	74.000	-7.109	PK
2	*	15960.000	43.228	46.636	-30.772	74.000	-3.408	PK

Profile: 2310083R	Page No.: 179
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.880	49.368	-31.120	74.000	-6.489	PK
2	*	16500.000	43.825	47.208	-30.175	74.000	-3.383	PK

Profile: 2310083R	Page No.: 180
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.957	49.445	-31.043	74.000	-6.489	PK
2	*	16500.000	44.365	47.286	-29.635	74.000	-2.922	PK

Profile: 2310083R	Page No.: 181
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.634	50.502	-29.366	74.000	-5.867	PK
2	*	16740.000	45.825	49.303	-28.175	74.000	-3.478	PK

Profile: 2310083R	Page No.: 182
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11160.000	44.741	50.609	-29.259	74.000	-5.867	PK
2		16740.000	44.669	47.853	-29.331	74.000	-3.184	PK

Profile: 2310083R	Page No.: 183
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.613	49.324	-30.387	74.000	-5.711	PK
2	*	17100.000	44.060	47.055	-29.940	74.000	-2.995	PK

Profile: 2310083R	Page No.: 184
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.758	49.469	-30.242	74.000	-5.711	PK
2	*	17100.000	47.622	49.570	-26.378	74.000	-1.948	PK

Profile: 2310083R	Page No.: 185
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.573	49.462	-30.427	74.000	-5.890	PK
2	*	17235.000	44.648	48.050	-29.352	74.000	-3.403	PK

Profile: 2310083R	Page No.: 186
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.755	49.644	-30.245	74.000	-5.890	PK
2	*	17235.000	45.168	47.920	-28.832	74.000	-2.753	PK

Profile: 2310083R	Page No.: 187
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.015	49.134	-29.985	74.000	-5.119	PK
2	*	17355.000	46.394	49.300	-27.606	74.000	-2.906	PK

Profile: 2310083R	Page No.: 188
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.671	48.790	-30.329	74.000	-5.119	PK
2	*	17355.000	45.410	48.019	-28.590	74.000	-2.609	PK

Profile: 2310083R	Page No.: 189
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.390	48.628	-30.610	74.000	-5.238	PK
2	*	17475.000	45.055	48.193	-28.945	74.000	-3.139	PK

Profile: 2310083R	Page No.: 190
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.135	48.373	-30.865	74.000	-5.238	PK
2	*	17475.000	45.039	48.177	-28.961	74.000	-3.139	PK

Profile: 2310083R	Page No.: 191
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.733	49.145	-32.267	74.000	-7.412	PK
2	*	15540.000	43.665	47.778	-30.335	74.000	-4.113	PK

Profile: 2310083R	Page No.: 192
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.983	49.395	-32.017	74.000	-7.412	PK
2	*	15540.000	44.945	49.058	-29.055	74.000	-4.113	PK


Profile: 2310083R	Page No.: 193
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.984	50.223	-31.016	74.000	-7.239	PK
2	*	15660.000	45.835	50.057	-28.165	74.000	-4.221	PK




Profile: 2310083R	Page No.: 194
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.661	48.900	-32.339	74.000	-7.239	PK
2	*	15660.000	44.100	48.322	-29.900	74.000	-4.221	PK

Profile: 2310083R	Page No.: 195
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.919	48.943	-32.081	74.000	-7.024	PK
2	*	15720.000	45.379	49.037	-28.621	74.000	-3.658	PK

Profile: 2310083R	Page No.: 196
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.380	49.404	-31.620	74.000	-7.024	PK
2	*	15720.000	44.184	47.842	-29.816	74.000	-3.658	PK

Profile: 2310083R	Page No.: 197
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.656	48.069	-33.344	74.000	-7.413	PK
2	*	15780.000	44.858	48.136	-29.142	74.000	-3.278	PK

Profile: 2310083R	Page No.: 198
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.758	49.171	-32.242	74.000	-7.413	PK
2	*	15780.000	44.844	48.122	-29.156	74.000	-3.278	PK

Profile: 2310083R	Page No.: 199
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.113	48.981	-31.887	74.000	-6.867	PK
2	*	15900.000	45.137	47.704	-28.863	74.000	-2.566	PK

Profile: 2310083R	Page No.: 200
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.221	49.089	-31.779	74.000	-6.867	PK
2	*	15900.000	45.591	48.158	-28.409	74.000	-2.566	PK

Profile: 2310083R	Page No.: 201
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.778	47.888	-33.222	74.000	-7.109	PK
2	*	15960.000	44.319	47.777	-29.681	74.000	-3.458	PK

Profile: 2310083R	Page No.: 202
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.470	48.580	-32.530	74.000	-7.109	PK
2	*	15960.000	43.684	47.092	-30.316	74.000	-3.408	PK

Profile: 2310083R	Page No.: 203
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.610	49.098	-31.390	74.000	-6.489	PK
2	*	16500.000	43.448	46.831	-30.552	74.000	-3.383	PK

Profile: 2310083R	Page No.: 204
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.278	49.766	-30.722	74.000	-6.489	PK
2	*	16500.000	43.925	46.846	-30.075	74.000	-2.922	PK

Profile: 2310083R	Page No.: 205
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.968	49.836	-30.032	74.000	-5.867	PK
2	*	16740.000	44.159	47.637	-29.841	74.000	-3.478	PK

Profile: 2310083R	Page No.: 206
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11160.000	44.046	49.914	-29.954	74.000	-5.867	PK
2		16740.000	43.896	47.080	-30.104	74.000	-3.184	PK

Profile: 2310083R	Page No.: 207
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.943	48.654	-31.057	74.000	-5.711	PK
2	*	17100.000	46.129	49.124	-27.871	74.000	-2.995	PK

Profile: 2310083R	Page No.: 208
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.154	48.865	-30.846	74.000	-5.711	PK
2	*	17100.000	47.105	49.053	-26.895	74.000	-1.948	PK

Profile: 2310083R	Page No.: 209
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.354	48.243	-31.646	74.000	-5.890	PK
2	*	17235.000	44.906	48.308	-29.094	74.000	-3.403	PK

Profile: 2310083R	Page No.: 210
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.817	49.706	-30.183	74.000	-5.890	PK
2	*	17235.000	45.567	48.319	-28.433	74.000	-2.753	PK

Profile: 2310083R	Page No.: 211
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.526	48.645	-30.474	74.000	-5.119	PK
2	*	17355.000	45.411	48.317	-28.589	74.000	-2.906	PK

Profile: 2310083R	Page No.: 212
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.847	47.966	-31.153	74.000	-5.119	PK
2	*	17355.000	45.101	47.710	-28.899	74.000	-2.609	PK

Profile: 2310083R	Page No.: 213
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.391	48.629	-30.609	74.000	-5.238	PK
2	*	17475.000	44.859	47.997	-29.141	74.000	-3.139	PK

Profile: 2310083R	Page No.: 214
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.818	49.056	-30.182	74.000	-5.238	PK
2	*	17475.000	44.940	48.078	-29.060	74.000	-3.139	PK

Profile: 2310083R	Page No.: 215
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.691	50.164	-31.309	74.000	-7.473	PK
2	*	15570.000	43.986	48.575	-30.014	74.000	-4.588	PK

Profile: 2310083R	Page No.: 216
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.621	50.094	-31.379	74.000	-7.473	PK
2	*	15570.000	43.915	48.504	-30.085	74.000	-4.588	PK

Profile: 2310083R	Page No.: 217
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.423	50.510	-30.577	74.000	-7.088	PK
2	*	15690.000	44.249	48.635	-29.751	74.000	-4.387	PK


Profile: 2310083R	Page No.: 218
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.111	50.198	-30.889	74.000	-7.088	PK
2	*	15690.000	45.096	49.482	-28.904	74.000	-4.387	PK




Profile: 2310083R	Page No.: 219
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.981	49.179	-32.019	74.000	-7.198	PK
2	*	15810.000	45.536	48.715	-28.464	74.000	-3.179	PK

Profile: 2310083R	Page No.: 220
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.344	49.542	-31.656	74.000	-7.198	PK
2	*	15810.000	43.966	47.145	-30.034	74.000	-3.179	PK

Profile: 2310083R	Page No.: 221
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.891	49.856	-31.109	74.000	-6.965	PK
2	*	15930.000	43.906	46.725	-30.094	74.000	-2.819	PK


Profile: 2310083R	Page No.: 222
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.453	49.418	-31.547	74.000	-6.965	PK
2	*	15930.000	45.852	48.671	-28.148	74.000	-2.819	PK




Profile: 2310083R	Page No.: 223
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.344	49.524	-30.656	74.000	-6.180	PK
2	*	16530.000	44.846	48.377	-29.154	74.000	-3.532	PK

Profile: 2310083R	Page No.: 224
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.291	49.471	-30.709	74.000	-6.180	PK
2	*	16530.000	43.975	47.133	-30.025	74.000	-3.158	PK

Profile: 2310083R	Page No.: 225
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	44.878	50.563	-29.122	74.000	-5.685	PK
2	*	16770.000	45.281	48.008	-28.719	74.000	-2.727	PK

Profile: 2310083R	Page No.: 226
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	44.335	50.020	-29.665	74.000	-5.685	PK
2	*	16770.000	46.857	49.202	-27.143	74.000	-2.345	PK

Profile: 2310083R	Page No.: 227
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.068	50.025	-29.932	74.000	-5.957	PK
2	*	17010.000	45.138	48.940	-28.862	74.000	-3.802	PK

Profile: 2310083R	Page No.: 228
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.212	49.169	-30.788	74.000	-5.957	PK
2	*	17010.000	45.332	48.346	-28.668	74.000	-3.014	PK

Profile: 2310083R	Page No.: 229
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.189	49.056	-30.811	74.000	-5.868	PK
2	*	17265.000	44.702	47.800	-29.298	74.000	-3.097	PK

Profile: 2310083R	Page No.: 230
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.538	48.405	-31.462	74.000	-5.868	PK
2	*	17265.000	45.878	48.414	-28.122	74.000	-2.535	PK

Profile: 2310083R	Page No.: 231
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.032	48.942	-30.968	74.000	-5.910	PK
2	*	17385.000	44.603	47.671	-29.397	74.000	-3.068	PK

Profile: 2310083R	Page No.: 232
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.838	47.748	-32.162	74.000	-5.910	PK
2	*	17385.000	44.696	47.555	-29.304	74.000	-2.860	PK

Profile: 2310083R	Page No.: 233
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.791	50.203	-31.209	74.000	-7.412	PK
2	*	15540.000	43.882	47.995	-30.118	74.000	-4.113	PK

Profile: 2310083R	Page No.: 234
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.973	49.385	-32.027	74.000	-7.412	PK
2	*	15540.000	43.940	48.053	-30.060	74.000	-4.113	PK


Profile: 2310083R	Page No.: 235
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.923	49.162	-32.077	74.000	-7.239	PK
2	*	15660.000	43.929	48.151	-30.071	74.000	-4.221	PK




Profile: 2310083R	Page No.: 236
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.168	48.407	-32.832	74.000	-7.239	PK
2	*	15660.000	44.598	48.820	-29.402	74.000	-4.221	PK

Profile: 2310083R	Page No.: 237
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.914	48.938	-32.086	74.000	-7.024	PK
2	*	15720.000	44.082	47.740	-29.918	74.000	-3.658	PK


Profile: 2310083R	Page No.: 238
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.174	50.198	-30.826	74.000	-7.024	PK
2	*	15720.000	44.136	47.794	-29.864	74.000	-3.658	PK




Profile: 2310083R	Page No.: 239
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.176	48.589	-32.824	74.000	-7.413	PK
2	*	15780.000	45.055	48.333	-28.945	74.000	-3.278	PK

Profile: 2310083R	Page No.: 240
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	39.998	47.411	-34.002	74.000	-7.413	PK
2	*	15780.000	45.009	48.287	-28.991	74.000	-3.278	PK

Profile: 2310083R	Page No.: 241
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.112	48.980	-31.888	74.000	-6.867	PK
2	*	15900.000	45.160	47.727	-28.840	74.000	-2.566	PK

Profile: 2310083R	Page No.: 242
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.673	49.541	-31.327	74.000	-6.867	PK
2	*	15900.000	45.880	48.447	-28.120	74.000	-2.566	PK

Profile: 2310083R	Page No.: 243
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.038	49.148	-31.962	74.000	-7.109	PK
2	*	15960.000	43.929	47.387	-30.071	74.000	-3.458	PK

Profile: 2310083R	Page No.: 244
Engineer: Yuliu	
Site: AC5	Time: 2023/03/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.698	48.808	-32.302	74.000	-7.109	PK
2	*	15960.000	46.424	49.832	-27.576	74.000	-3.408	PK