


Appendix H: Radiated Emission Band Edge


SISO: Worst test data Antenna1

Profile: 2310083R	Page No.: 1
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.585	24.357	-12.415	74.000	37.228	PK


Profile: 2310083R	Page No.: 2
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.503	7.275	-9.497	54.000	37.228	AV




Profile: 2310083R	Page No.: 3
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.401	20.173	-16.599	74.000	37.228	PK

Profile: 2310083R	Page No.: 4
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.497	4.269	-12.503	54.000	37.228	AV

Profile: 2150775R	Page No.: 5
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	69.117	27.722	-4.883	74.000	41.395	PK

Profile: 2150775R	Page No.: 6
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.590	10.195	-2.410	54.000	41.395	AV

Profile: 2150775R	Page No.: 7
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.123	20.728	-11.877	74.000	41.395	PK

Profile: 2150775R	Page No.: 8
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.836	5.441	-7.164	54.000	41.395	AV

Profile: 2150775R	Page No.: 9
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.480	71.359	29.714	-2.641	74.000	41.644	PK
2		5460.000	70.031	28.399	-3.969	74.000	41.632	PK

Profile: 2150775R	Page No.: 10
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.066	9.434	-2.934	54.000	41.632	AV

Profile: 2150775R	Page No.: 11
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.640	62.427	20.784	-11.573	74.000	41.643	PK
2		5460.000	61.125	19.493	-12.875	74.000	41.632	PK

Profile: 2150775R	Page No.: 12
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.976	5.344	-7.024	54.000	41.632	AV

Profile: 2310083R	Page No.: 37
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:24
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.890	48.910	10.820	-53.261	102.171	38.090	PK
2		5717.230	54.441	16.360	-55.585	110.026	38.081	PK
3		5722.620	58.965	20.799	-57.810	116.775	38.165	PK

Profile: 2310083R	Page No.: 38
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.460	48.096	9.991	-53.021	101.116	38.105	PK
2		5717.450	52.414	14.330	-57.673	110.087	38.084	PK
3		5723.170	56.947	18.773	-61.081	118.029	38.174	PK


Profile: 2310083R	Page No.: 39
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.995	47.341	9.221	-52.695	100.036	38.121	PK
2		5712.265	46.734	8.732	-61.902	108.637	38.002	PK
3		5723.745	46.221	8.037	-73.119	119.340	38.184	PK
4		5851.870	46.487	8.260	-71.448	117.935	38.227	PK
5		5866.425	47.532	9.250	-60.066	107.599	38.282	PK
6	*	5884.465	47.005	8.791	-51.167	98.172	38.214	PK




Profile: 2310083R	Page No.: 40
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:31
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.890	45.917	7.838	-56.991	102.908	38.080	PK
2		5710.625	45.195	7.218	-62.983	108.177	37.977	PK
3		5722.925	46.089	7.918	-71.382	117.470	38.171	PK
4		5853.100	45.976	7.739	-69.155	115.131	38.237	PK
5		5862.325	46.030	7.726	-62.717	108.747	38.303	PK
6	*	5881.800	46.306	8.091	-53.843	100.150	38.215	PK

Profile: 2310083R	Page No.: 41
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.760	56.538	18.312	-61.648	118.186	38.227	PK
2		5860.640	49.724	11.429	-59.495	109.219	38.295	PK
3	*	5880.080	48.479	10.263	-52.947	101.426	38.216	PK

Profile: 2310083R	Page No.: 42
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:34
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5850.800	51.027	12.808	-69.348	120.375	38.219	PK
2		5860.720	47.184	8.889	-62.012	109.196	38.295	PK
3	*	5884.160	47.394	9.180	-51.004	98.398	38.214	PK

Profile: 2310083R	Page No.: 5
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.638	19.410	-17.362	74.000	37.228	PK


Profile: 2310083R	Page No.: 6
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.803	4.575	-12.197	54.000	37.228	AV




Profile: 2310083R	Page No.: 7
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	54.021	16.793	-19.979	74.000	37.228	PK

Profile: 2310083R	Page No.: 8
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.408	2.180	-14.592	54.000	37.228	AV

Profile: 2150775R	Page No.: 23
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.876	24.481	-8.124	74.000	41.395	PK

Profile: 2150775R	Page No.: 24
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.837	10.442	-2.163	54.000	41.395	AV

Profile: 2150775R	Page No.: 25
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.451	18.056	-14.549	74.000	41.395	PK

Profile: 2150775R	Page No.: 26
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.754	6.359	-6.246	54.000	41.395	AV

Profile: 2150775R	Page No.: 27
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.240	68.323	26.677	-5.677	74.000	41.646	PK
2		5460.000	65.876	24.244	-8.124	74.000	41.632	PK

Profile: 2150775R	Page No.: 28
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.737	10.105	-2.263	54.000	41.632	AV

Profile: 2150775R	Page No.: 29
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.693	19.061	-13.307	74.000	41.632	PK

Profile: 2150775R	Page No.: 30
Engineer: Tongben	
Site: AC5	Time: 2021/06/09 - 23:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.108	7.476	-4.892	54.000	41.632	AV

Profile: 2310083R	Page No.: 43
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.470	47.841	9.726	-52.545	100.386	38.115	PK
2		5709.090	47.975	10.023	-59.772	107.748	37.952	PK
3		5722.400	56.101	17.939	-60.172	116.273	38.162	PK

Profile: 2310083R	Page No.: 44
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.820	47.493	9.364	-51.676	99.169	38.129	PK
2		5707.000	47.407	9.435	-59.755	107.162	37.972	PK
3		5722.730	51.266	13.098	-65.760	117.026	38.168	PK

Profile: 2310083R	Page No.: 45
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.200	46.944	8.826	-53.243	100.187	38.118	PK
2		5706.730	45.606	7.631	-61.481	107.087	37.975	PK
3		5723.130	46.090	7.916	-71.848	117.938	38.174	PK
4		5852.485	47.433	9.201	-69.100	116.533	38.232	PK
5		5865.195	46.331	8.042	-61.612	107.943	38.288	PK
6		5881.800	45.705	7.490	-54.444	100.150	38.215	PK

Profile: 2310083R	Page No.: 46
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:40
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.585	46.134	8.009	-53.600	99.733	38.125	PK
2		5711.855	46.516	8.520	-62.006	108.522	37.996	PK
3		5722.310	46.121	7.960	-69.947	116.068	38.161	PK
4		5852.280	46.038	7.808	-70.962	117.000	38.230	PK
5		5865.195	45.746	7.457	-62.197	107.943	38.288	PK
6		5880.160	45.641	7.425	-55.726	101.367	38.216	PK

Profile: 2310083R	Page No.: 47
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.760	49.254	11.028	-68.932	118.186	38.227	PK
2		5865.680	48.541	10.255	-59.266	107.807	38.286	PK
3	*	5885.840	47.717	9.504	-49.435	97.152	38.213	PK

Profile: 2310083R	Page No.: 48
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.360	50.478	12.255	-68.620	119.098	38.223	PK
2		5865.520	47.521	9.234	-60.331	107.852	38.287	PK
3	*	5879.520	47.250	9.033	-54.593	101.842	38.217	PK

Profile: 2310083R	Page No.: 9
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.647	27.419	-9.353	74.000	37.228	PK

Profile: 2310083R	Page No.: 10
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.865	10.637	-6.135	54.000	37.228	AV

Profile: 2310083R	Page No.: 11
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.902	25.674	-11.098	74.000	37.228	PK

Profile: 2310083R	Page No.: 12
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.283	11.055	-5.717	54.000	37.228	AV

Profile: 2150775R	Page No.: 41
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 00:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.451	21.056	-11.549	74.000	41.395	PK

Profile: 2150775R	Page No.: 42
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.432	10.037	-2.568	54.000	41.395	AV

Profile: 2150775R	Page No.: 43
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	57.182	15.787	-16.818	74.000	41.395	PK

Profile: 2150775R	Page No.: 44
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.392	5.997	-6.608	54.000	41.395	AV

Profile: 2150775R	Page No.: 45
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.940	65.069	23.396	-8.931	74.000	41.673	PK
2		5460.000	63.596	21.964	-10.404	74.000	41.632	PK

Profile: 2150775R	Page No.: 46
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 01:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.304	9.672	-2.696	54.000	41.632	AV

Profile: 2150775R	Page No.: 47
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	58.770	17.138	-15.230	74.000	41.632	PK

Profile: 2150775R	Page No.: 48
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.665	6.033	-6.335	54.000	41.632	AV

Profile: 2310083R	Page No.: 49
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.570	55.516	17.434	-47.156	102.672	38.083	PK
2		5716.720	62.317	24.244	-47.566	109.883	38.073	PK
3		5723.090	60.718	22.545	-57.128	117.846	38.173	PK

Profile: 2310083R	Page No.: 50
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:46
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.410	46.909	8.782	-52.696	99.604	38.127	PK
2		5710.610	55.177	17.201	-52.996	108.173	37.977	PK
3		5722.050	59.676	21.519	-55.799	115.475	38.157	PK

Profile: 2310083R	Page No.: 51
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:47
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.200	51.594	13.364	-65.589	117.183	38.230	PK
2		5870.695	47.309	9.049	-59.095	106.404	38.260	PK
3	*	5885.680	47.254	9.041	-50.016	97.270	38.213	PK

Profile: 2310083R	Page No.: 52
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:49
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.740	48.147	9.913	-67.805	115.952	38.234	PK
2		5856.385	49.562	11.300	-60.850	110.412	38.262	PK
3	*	5880.550	46.237	8.021	-54.840	101.077	38.216	PK

Profile: 2310083R	Page No.: 13
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.016	23.788	-12.984	74.000	37.228	PK

Profile: 2310083R	Page No.: 14
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	43.451	6.223	-10.549	54.000	37.228	AV

Profile: 2310083R	Page No.: 15
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.591	21.363	-15.409	74.000	37.228	PK

Profile: 2310083R	Page No.: 16
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.038	6.810	-9.962	54.000	37.228	AV

Profile: 2150775R	Page No.: 57
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.946	23.551	-9.054	74.000	41.395	PK

Profile: 2150775R	Page No.: 58
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.693	10.298	-2.307	54.000	41.395	AV

Profile: 2150775R	Page No.: 59
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.232	16.837	-15.768	74.000	41.395	PK

Profile: 2150775R	Page No.: 60
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.499	6.104	-6.501	54.000	41.395	AV

Profile: 2150775R	Page No.: 61
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.375	23.743	-8.625	74.000	41.632	PK

Profile: 2150775R	Page No.: 62
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.909	10.277	-2.091	54.000	41.632	AV

Profile: 2150775R	Page No.: 63
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.304	20.672	-11.696	74.000	41.632	PK

Profile: 2150775R	Page No.: 64
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.708	7.076	-5.292	54.000	41.632	AV

Profile: 2310083R	Page No.: 53
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:50
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.890	46.095	8.005	-56.076	102.171	38.090	PK
2		5708.760	46.172	8.219	-61.483	107.655	37.953	PK
3		5723.280	54.519	16.343	-63.760	118.280	38.176	PK

Profile: 2310083R	Page No.: 54
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:53
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.280	45.352	7.240	-52.681	98.033	38.112	PK
2		5708.210	45.939	7.980	-61.562	107.501	37.959	PK
3		5723.830	50.914	12.729	-68.619	119.533	38.185	PK

Profile: 2310083R	Page No.: 55
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.815	45.868	7.756	-54.773	100.641	38.112	PK
2		5707.345	45.627	7.659	-61.631	107.259	37.968	PK
3		5722.310	46.366	8.205	-69.702	116.068	38.161	PK
4		5852.280	45.412	7.182	-71.588	117.000	38.230	PK
5		5866.220	45.931	7.648	-61.725	107.656	38.283	PK
6		5881.390	45.407	7.191	-55.047	100.454	38.216	PK

Profile: 2310083R	Page No.: 56
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.200	46.234	8.116	-53.953	100.187	38.118	PK
2		5710.215	45.374	7.404	-62.689	108.063	37.970	PK
3		5722.925	46.756	8.585	-70.715	117.470	38.171	PK
4		5852.280	45.939	7.709	-71.061	117.000	38.230	PK
5		5866.835	46.139	7.859	-61.345	107.484	38.281	PK
6	*	5883.645	45.665	7.451	-53.115	98.780	38.214	PK

Profile: 2310083R	Page No.: 57
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:56
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.760	46.279	8.053	-71.907	118.186	38.227	PK
2		5868.080	45.922	7.648	-61.214	107.135	38.273	PK
3	*	5880.400	46.166	7.950	-55.023	101.189	38.217	PK

Profile: 2310083R	Page No.: 58
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:58
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.320	45.947	7.716	-70.962	116.909	38.230	PK
2		5863.920	46.139	7.844	-62.161	108.300	38.296	PK
3	*	5883.440	46.041	7.826	-52.892	98.932	38.214	PK

Profile: 2310083R	Page No.: 17
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.155	26.927	-9.845	74.000	37.228	PK


Profile: 2310083R	Page No.: 18
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.369	11.141	-5.631	54.000	37.228	AV




Profile: 2310083R	Page No.: 19
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.858	25.630	-11.142	74.000	37.228	PK

Profile: 2310083R	Page No.: 20
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.466	11.238	-5.534	54.000	37.228	AV

Profile: 2150775R	Page No.: 75
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.745	21.350	-11.255	74.000	41.395	PK

Profile: 2150775R	Page No.: 76
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.548	10.153	-2.452	54.000	41.395	AV

Profile: 2150775R	Page No.: 77
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	57.243	15.848	-16.757	74.000	41.395	PK

Profile: 2150775R	Page No.: 78
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.052	5.657	-6.948	54.000	41.395	AV

Profile: 2150775R	Page No.: 79
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.740	67.249	25.591	-6.751	74.000	41.658	PK
2		5460.000	64.054	22.422	-9.946	74.000	41.632	PK

Profile: 2150775R	Page No.: 80
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.885	10.253	-2.115	54.000	41.632	AV

Profile: 2150775R	Page No.: 81
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.580	61.508	19.832	-12.492	74.000	41.676	PK
2		5460.000	59.014	17.382	-14.986	74.000	41.632	PK

Profile: 2150775R	Page No.: 82
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.324	6.692	-5.676	54.000	41.632	AV

Profile: 2310083R	Page No.: 59
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.760	46.398	8.270	-52.727	99.125	38.128	PK
2		5714.120	55.233	17.201	-53.923	109.156	38.031	PK
3		5723.740	55.600	17.417	-63.728	119.328	38.184	PK


Profile: 2310083R	Page No.: 60
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:01
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.670	45.850	7.726	-53.946	99.796	38.124	PK
2		5710.220	47.361	9.391	-60.703	108.064	37.970	PK
3		5722.700	52.777	14.610	-64.180	116.957	38.167	PK




Profile: 2310083R	Page No.: 61
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:02
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.335	47.248	9.017	-69.627	116.875	38.231	PK
2		5862.730	47.875	9.574	-60.758	108.633	38.302	PK
3	*	5883.520	47.379	9.165	-51.494	98.873	38.214	PK


Profile: 2310083R	Page No.: 62
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:04
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.795	46.828	8.601	-71.279	118.106	38.227	PK
2		5861.245	46.864	8.565	-62.185	109.049	38.299	PK
3	*	5877.310	46.254	8.028	-57.230	103.484	38.226	PK




Profile: 2310083R	Page No.: 21
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.937	27.709	-9.063	74.000	37.228	PK

Profile: 2310083R	Page No.: 22
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.049	12.821	-3.951	54.000	37.228	AV

Profile: 2310083R	Page No.: 23
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.750	66.777	29.553	-7.223	74.000	37.224	PK
2		5150.000	64.897	27.669	-9.103	74.000	37.228	PK

Profile: 2310083R	Page No.: 24
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.279	12.051	-4.721	54.000	37.228	AV

Profile: 2150775R	Page No.: 91
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.484	23.089	-9.516	74.000	41.395	PK

Profile: 2150775R	Page No.: 92
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.633	10.238	-2.367	54.000	41.395	AV

Profile: 2150775R	Page No.: 93
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	56.879	15.484	-17.121	74.000	41.395	PK

Profile: 2150775R	Page No.: 94
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.395	6.000	-6.605	54.000	41.395	AV

Profile: 2150775R	Page No.: 95
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.756	25.124	-7.244	74.000	41.632	PK

Profile: 2150775R	Page No.: 96
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.753	10.121	-2.247	54.000	41.632	AV

Profile: 2150775R	Page No.: 97
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	61.814	20.182	-12.186	74.000	41.632	PK

Profile: 2150775R	Page No.: 98
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 04:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.897	7.265	-5.103	54.000	41.632	AV

Profile: 2310083R	Page No.: 63
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5683.250	46.703	8.669	-46.139	92.841	38.034	PK
2		5709.250	50.621	12.666	-57.172	107.792	37.955	PK
3		5723.500	53.035	14.855	-65.746	118.781	38.179	PK
4		5852.500	52.596	14.364	-63.903	116.499	38.232	PK
5		5860.500	53.176	14.882	-56.082	109.258	38.294	PK
6		5882.000	45.907	7.692	-54.094	100.001	38.216	PK

Profile: 2310083R	Page No.: 64
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5676.500	45.744	7.785	-42.107	87.851	37.958	PK
2		5707.250	48.590	10.621	-58.642	107.232	37.970	PK
3		5722.750	49.161	10.993	-67.910	117.071	38.168	PK
4		5852.250	49.391	11.161	-67.678	117.069	38.230	PK
5		5867.250	47.187	8.909	-60.181	107.368	38.278	PK
6		5890.000	45.520	7.309	-48.547	94.067	38.211	PK

Profile: 2310083R	Page No.: 25
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.150	27.922	-8.850	74.000	37.228	PK

Profile: 2310083R	Page No.: 26
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.657	11.429	-5.343	54.000	37.228	AV

Profile: 2310083R	Page No.: 27
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.859	29.631	-7.141	74.000	37.228	PK

Profile: 2310083R	Page No.: 28
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.639	10.411	-6.361	54.000	37.228	AV

Profile: 2150775R	Page No.: 105
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.361	23.966	-8.639	74.000	41.395	PK

Profile: 2150775R	Page No.: 106
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.029	9.634	-2.971	54.000	41.395	AV

Profile: 2150775R	Page No.: 107
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.104	17.709	-14.896	74.000	41.395	PK

Profile: 2150775R	Page No.: 108
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.215	5.820	-6.785	54.000	41.395	AV

Profile: 2150775R	Page No.: 109
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	67.446	25.814	-6.554	74.000	41.632	PK

Profile: 2150775R	Page No.: 110
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 05:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.817	10.185	-2.183	54.000	41.632	AV

Profile: 2150775R	Page No.: 111
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.360	63.414	21.760	-10.586	74.000	41.654	PK
2		5460.000	61.542	19.910	-12.458	74.000	41.632	PK

Profile: 2150775R	Page No.: 112
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 06:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.518	6.886	-5.482	54.000	41.632	AV

Profile: 2310083R	Page No.: 65
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.470	46.267	8.152	-54.119	100.386	38.115	PK
2		5718.440	54.356	16.256	-56.008	110.364	38.100	PK
3		5724.160	57.249	19.059	-63.036	120.285	38.190	PK

Profile: 2310083R	Page No.: 66
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.470	46.002	7.887	-54.384	100.386	38.115	PK
2		5708.430	46.333	8.376	-61.230	107.563	37.957	PK
3		5723.830	52.513	14.328	-67.020	119.533	38.185	PK

Profile: 2310083R	Page No.: 67
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.045	46.007	7.908	-55.541	101.548	38.098	PK
2		5709.600	45.609	7.649	-62.281	107.890	37.961	PK
3		5722.310	45.562	7.401	-70.506	116.068	38.161	PK
4		5853.100	46.200	7.963	-68.931	115.131	38.237	PK
5		5866.220	46.194	7.911	-61.462	107.656	38.283	PK
6	*	5883.030	45.867	7.652	-53.370	99.237	38.215	PK

Profile: 2310083R	Page No.: 68
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.635	46.829	8.726	-54.416	101.245	38.103	PK
2		5710.215	46.007	8.037	-62.056	108.063	37.970	PK
3		5723.130	46.317	8.143	-71.621	117.938	38.174	PK
4		5852.485	45.379	7.147	-71.154	116.533	38.232	PK
5		5863.965	45.962	7.667	-62.325	108.287	38.295	PK
6	*	5884.055	45.387	7.173	-53.089	98.476	38.214	PK

Profile: 2310083R	Page No.: 69
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.560	47.363	9.130	-68.999	116.362	38.233	PK
2		5861.840	45.603	7.299	-63.280	108.883	38.304	PK
3	*	5882.800	46.551	8.336	-52.856	99.407	38.214	PK

Profile: 2310083R	Page No.: 70
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.600	48.786	10.561	-69.765	118.551	38.225	PK
2		5864.320	45.718	7.425	-62.470	108.188	38.293	PK
3	*	5879.520	45.424	7.207	-56.419	101.842	38.217	PK

Profile: 2310083R	Page No.: 29
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.017	28.789	-7.983	74.000	37.228	PK

Profile: 2310083R	Page No.: 30
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.180	11.952	-4.820	54.000	37.228	AV

Profile: 2310083R	Page No.: 31
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.731	28.503	-8.269	74.000	37.228	PK

Profile: 2310083R	Page No.: 32
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.652	11.424	-5.348	54.000	37.228	AV

Profile: 2150775R	Page No.: 123
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.774	23.379	-9.226	74.000	41.395	PK
2	*	5358.765	66.457	25.067	-7.543	74.000	41.390	PK

Profile: 2150775R	Page No.: 124
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.540	10.145	-2.460	54.000	41.395	AV

Profile: 2150775R	Page No.: 125
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.508	17.113	-15.492	74.000	41.395	PK

Profile: 2150775R	Page No.: 126
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.241	5.846	-6.759	54.000	41.395	AV

Profile: 2150775R	Page No.: 127
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.910	70.141	28.492	-3.859	74.000	41.650	PK
2		5460.000	65.327	23.695	-8.673	74.000	41.632	PK

Profile: 2150775R	Page No.: 128
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.708	10.076	-2.292	54.000	41.632	AV

Profile: 2150775R	Page No.: 129
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.820	63.946	22.296	-10.054	74.000	41.649	PK
2		5460.000	60.743	19.111	-13.257	74.000	41.632	PK

Profile: 2150775R	Page No.: 130
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.764	6.132	-6.236	54.000	41.632	AV

Profile: 2310083R	Page No.: 71
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.410	45.934	7.807	-53.671	99.604	38.127	PK
2		5709.700	51.213	13.251	-56.706	107.918	37.962	PK
3		5722.440	57.725	19.562	-58.640	116.364	38.163	PK

Profile: 2310083R	Page No.: 72
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.160	45.599	7.500	-51.607	97.206	38.100	PK
2		5705.930	49.176	11.193	-57.686	106.862	37.983	PK
3		5723.090	52.931	14.758	-64.915	117.846	38.173	PK

Profile: 2310083R	Page No.: 73
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.200	46.695	8.465	-70.488	117.183	38.230	PK
2		5863.270	46.040	7.741	-62.442	108.482	38.299	PK
3	*	5880.955	46.255	8.039	-54.522	100.777	38.216	PK

Profile: 2310083R	Page No.: 74
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	46.392	8.163	-71.099	117.491	38.229	PK
2		5864.620	45.906	7.614	-62.198	108.104	38.292	PK
3	*	5878.795	46.016	7.798	-56.365	102.381	38.218	PK

Profile: 2310083R	Page No.: 33
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.238	27.010	-9.762	74.000	37.228	PK

Profile: 2310083R	Page No.: 34
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.728	13.500	-3.272	54.000	37.228	AV

Profile: 2310083R	Page No.: 35
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.128	28.900	-7.872	74.000	37.228	PK

Profile: 2310083R	Page No.: 36
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.515	13.287	-3.485	54.000	37.228	AV

Profile: 2150775R	Page No.: 139
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.352	22.957	-9.648	74.000	41.395	PK
2	*	5353.425	67.296	25.893	-6.704	74.000	41.403	PK

Profile: 2150775R	Page No.: 140
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.665	10.270	-2.335	54.000	41.395	AV

Profile: 2150775R	Page No.: 141
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	56.862	15.467	-17.138	74.000	41.395	PK

Profile: 2150775R	Page No.: 142
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.964	5.569	-7.036	54.000	41.395	AV