



Profile: 2150775R	Page No.: 143
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.050	69.762	28.090	-4.238	74.000	41.672	PK
2		5460.000	66.220	24.588	-7.780	74.000	41.632	PK

Profile: 2150775R	Page No.: 144
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.812	10.180	-2.188	54.000	41.632	AV

Profile: 2150775R	Page No.: 145
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.460	63.440	21.795	-10.560	74.000	41.644	PK
2		5460.000	61.045	19.413	-12.955	74.000	41.632	PK

Profile: 2150775R	Page No.: 146
Engineer: Tongben	
Site: AC5	Time: 2021/06/10 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9: Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.181	6.549	-5.819	54.000	41.632	AV


Profile: 2310083R	Page No.: 75
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5682.500	49.356	11.331	-42.931	92.287	38.026	PK
2		5707.000	50.191	12.219	-56.971	107.162	37.972	PK
3		5723.500	55.462	17.282	-63.319	118.781	38.179	PK
4		5850.500	56.225	18.008	-64.835	121.060	38.217	PK
5		5869.250	52.545	14.277	-54.263	106.808	38.267	PK
6		5890.750	49.295	11.085	-44.216	93.511	38.211	PK




Profile: 2310083R	Page No.: 76
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.750	49.183	11.088	-47.721	96.903	38.095	PK
2		5705.500	49.405	11.417	-57.337	106.742	37.988	PK
3		5722.750	52.992	14.824	-64.079	117.071	38.168	PK
4		5852.500	53.757	15.525	-62.742	116.499	38.232	PK
5		5863.000	49.388	11.088	-59.170	108.558	38.300	PK
6		5886.000	45.702	7.489	-51.331	97.033	38.213	PK


CDD:ANT1+2

Profile: 2310083R	Page No.: 1
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.373	9.145	-27.627	74.000	37.228	PK

Profile: 2310083R	Page No.: 2
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.717	-2.511	-19.283	54.000	37.228	AV

Profile: 2310083R	Page No.: 3
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.056	8.828	-27.944	74.000	37.228	PK

Profile: 2310083R	Page No.: 4
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.748	-2.480	-19.252	54.000	37.228	AV

Profile: 2150775R	Page No.: 5
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.796	23.401	-9.204	74.000	41.395	PK

Profile: 2150775R	Page No.: 6
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.769	10.374	-2.231	54.000	41.395	AV

Profile: 2150775R	Page No.: 7
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.636	18.241	-14.364	74.000	41.395	PK

Profile: 2150775R	Page No.: 8
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5320MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.599	4.204	-8.401	54.000	41.395	AV

Profile: 2150775R	Page No.: 9
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.520	71.374	29.738	-2.626	74.000	41.636	PK
2		5460.000	69.031	27.399	-4.969	74.000	41.632	PK

Profile: 2150775R	Page No.: 10
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.880	10.248	-2.120	54.000	41.632	AV

Profile: 2150775R	Page No.: 11
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	67.477	25.845	-6.523	74.000	41.632	PK

Profile: 2150775R	Page No.: 12
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1: Transmit at 5500MHz by 802.11a MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.702	8.070	-4.298	54.000	41.632	AV

Profile: 2310083R	Page No.: 37
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:24
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.590	54.173	16.048	-45.564	99.737	38.125	PK
2		5710.740	66.545	28.567	-41.664	108.210	37.979	PK
3	*	5722.400	75.823	37.661	-40.450	116.273	38.162	PK

Profile: 2310083R	Page No.: 38
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.130	48.172	10.064	-52.701	100.873	38.109	PK
2		5711.070	59.347	21.363	-48.955	108.302	37.983	PK
3	*	5723.500	71.678	33.498	-47.103	118.781	38.179	PK

Profile: 2310083R	Page No.: 39
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.635	47.818	9.715	-53.427	101.245	38.103	PK
2		5710.625	47.548	9.571	-60.630	108.177	37.977	PK
3		5723.130	47.761	9.587	-70.177	117.938	38.174	PK
4		5852.280	46.636	8.406	-70.364	117.000	38.230	PK
5		5863.555	46.676	8.379	-61.726	108.402	38.297	PK
6		5881.390	46.622	8.406	-53.832	100.454	38.216	PK

Profile: 2310083R	Page No.: 40
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:31
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.635	46.086	7.983	-55.159	101.245	38.103	PK
2		5711.445	45.884	7.895	-62.523	108.407	37.989	PK
3		5723.745	46.307	8.123	-73.033	119.340	38.184	PK
4		5852.895	46.666	8.431	-68.932	115.598	38.235	PK
5		5862.940	46.457	8.157	-62.117	108.575	38.300	PK
6	*	5884.670	45.639	7.425	-52.381	98.020	38.214	PK

Profile: 2310083R	Page No.: 41
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.280	71.818	33.595	-47.463	119.281	38.223	PK
2	*	5859.840	67.027	28.738	-42.416	109.443	38.289	PK
3		5881.200	51.986	13.770	-48.609	100.595	38.216	PK

Profile: 2310083R	Page No.: 42
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:34
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 5825MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5853.760	68.522	30.280	-45.104	113.626	38.242	PK
2		5865.600	60.162	21.875	-47.668	107.830	38.287	PK
3		5878.640	51.621	13.402	-50.875	102.496	38.219	PK


Profile: 2310083R	Page No.: 5
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.261	9.033	-27.739	74.000	37.228	PK




Profile: 2310083R	Page No.: 6
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.522	-2.706	-19.478	54.000	37.228	AV

Profile: 2310083R	Page No.: 7
Engineer: Yuliu	
Site: AC5	Time: 2023/03/14 -23:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.707	9.479	-27.293	74.000	37.228	PK

Profile: 2310083R	Page No.: 8
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 – 00:02:
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.716	-2.512	-19.284	54.000	37.228	AV

Profile: 2150775R	Page No.: 23
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	69.310	27.915	-4.690	74.000	41.395	PK

Profile: 2150775R	Page No.: 24
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.574	10.179	-2.426	54.000	41.395	AV

Profile: 2150775R	Page No.: 25
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	60.648	19.253	-13.352	74.000	41.395	PK

Profile: 2150775R	Page No.: 26
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.243	6.848	-5.757	54.000	41.395	AV

Profile: 2150775R	Page No.: 27
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.080	69.173	27.525	-4.827	74.000	41.648	PK
2		5460.000	66.790	25.158	-7.210	74.000	41.632	PK

Profile: 2150775R	Page No.: 28
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.017	9.385	-2.983	54.000	41.632	AV

Profile: 2150775R	Page No.: 29
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	61.337	19.705	-12.663	74.000	41.632	PK

Profile: 2150775R	Page No.: 30
Engineer: Tongben	
Site: AC5	Time: 2021/06/04 - 22:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.641	8.009	-4.359	54.000	41.632	AV

Profile: 2310083R	Page No.: 43
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5698.090	54.052	15.986	-49.740	103.793	38.067	PK
2	*	5716.130	70.858	32.795	-38.860	109.718	38.064	PK
3		5723.170	73.960	35.786	-44.068	118.029	38.174	PK

Profile: 2310083R	Page No.: 44
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.820	47.493	9.364	-51.676	99.169	38.129	PK
2		5707.000	47.407	9.435	-59.755	107.162	37.972	PK
3		5722.730	51.266	13.098	-65.760	117.026	38.168	PK

Profile: 2310083R	Page No.: 45
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.585	46.778	8.653	-52.956	99.733	38.125	PK
2		5708.575	46.226	8.271	-61.377	107.603	37.955	PK
3		5722.925	47.577	9.406	-69.894	117.470	38.171	PK
4		5851.460	47.758	9.534	-71.112	118.870	38.224	PK
5		5862.325	46.506	8.202	-62.241	108.747	38.303	PK
6		5881.390	46.874	8.658	-53.580	100.454	38.216	PK

Profile: 2310083R	Page No.: 46
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:40
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.405	45.601	7.485	-54.737	100.338	38.116	PK
2		5711.240	46.322	8.336	-62.027	108.350	37.986	PK
3		5723.130	46.823	8.649	-71.115	117.938	38.174	PK
4		5852.895	46.294	8.059	-69.304	115.598	38.235	PK
5		5862.325	46.495	8.191	-62.252	108.747	38.303	PK
6	*	5881.800	45.739	7.524	-54.410	100.150	38.215	PK

Profile: 2310083R	Page No.: 47
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5853.120	67.499	29.262	-47.586	115.085	38.237	PK
2		5867.120	56.673	18.394	-50.731	107.404	38.279	PK
3		5882.800	49.115	10.900	-50.292	99.407	38.214	PK

Profile: 2310083R	Page No.: 48
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.880	66.501	28.266	-49.131	115.632	38.235	PK
2	*	5855.840	68.621	30.363	-41.944	110.564	38.258	PK
3		5883.840	49.130	10.916	-49.505	98.636	38.215	PK

Profile: 2310083R	Page No.: 9
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 -00:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.292	24.064	-12.708	74.000	37.228	PK

Profile: 2310083R	Page No.: 10
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.523	9.295	-7.477	54.000	37.228	AV

Profile: 2310083R	Page No.: 11
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.967	25.739	-11.033	74.000	37.228	PK

Profile: 2310083R	Page No.: 12
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.588	11.360	-5.412	54.000	37.228	AV

Profile: 2150775R	Page No.: 41
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.552	23.157	-9.448	74.000	41.395	PK

Profile: 2150775R	Page No.: 42
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.516	10.121	-2.484	54.000	41.395	AV

Profile: 2150775R	Page No.: 43
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	60.365	18.970	-13.635	74.000	41.395	PK

Profile: 2150775R	Page No.: 44
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.538	8.143	-4.462	54.000	41.395	AV

Profile: 2150775R	Page No.: 45
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.030	66.035	24.363	-7.965	74.000	41.672	PK
2		5460.000	62.700	21.068	-11.300	74.000	41.632	PK

Profile: 2150775R	Page No.: 46
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.549	8.917	-3.451	54.000	41.632	AV

Profile: 2150775R	Page No.: 47
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.897	19.265	-13.103	74.000	41.632	PK

Profile: 2150775R	Page No.: 48
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 21:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.168	7.536	-4.832	54.000	41.632	AV

Profile: 2310083R	Page No.: 49
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5689.940	64.804	26.696	-32.978	97.782	38.108	PK
2	*	5707.490	74.904	36.937	-32.396	107.299	37.967	PK
3		5722.050	82.441	44.284	-33.034	115.475	38.157	PK


Profile: 2310083R	Page No.: 50
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:46
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.440	65.918	27.834	-36.658	102.576	38.084	PK
2	*	5716.590	82.988	44.917	-26.859	109.847	38.071	PK
3		5722.960	79.187	41.016	-38.363	117.550	38.171	PK



Profile: 2310083R	Page No.: 51
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:47
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.795	62.756	24.529	-55.351	118.106	38.227	PK
2		5862.460	61.362	23.059	-47.347	108.709	38.303	PK
3	*	5880.550	56.104	17.888	-44.973	101.077	38.216	PK


Profile: 2310083R	Page No.: 52
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:49
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.335	60.970	22.739	-55.905	116.875	38.231	PK
2		5865.835	62.591	24.306	-45.173	107.764	38.285	PK
3	*	5886.490	57.223	19.010	-39.447	96.670	38.213	PK




Profile: 2310083R	Page No.: 13
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.680	9.452	-27.320	74.000	37.228	PK

Profile: 2310083R	Page No.: 14
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.586	-2.642	-19.414	54.000	37.228	AV

Profile: 2310083R	Page No.: 15
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.744	10.516	-26.256	74.000	37.228	PK

Profile: 2310083R	Page No.: 16
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.920	-2.308	-19.080	54.000	37.228	AV

Profile: 2150775R	Page No.: 57
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	63.606	22.211	-10.394	74.000	41.395	PK

Profile: 2150775R	Page No.: 58
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.024	9.629	-2.976	54.000	41.395	AV

Profile: 2150775R	Page No.: 59
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.383	17.988	-14.617	74.000	41.395	PK

Profile: 2150775R	Page No.: 60
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.554	7.159	-5.446	54.000	41.395	AV

Profile: 2150775R	Page No.: 61
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.109	23.477	-8.891	74.000	41.632	PK

Profile: 2150775R	Page No.: 62
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.420	9.788	-2.580	54.000	41.632	AV

Profile: 2150775R	Page No.: 63
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	63.097	21.465	-10.903	74.000	41.632	PK

Profile: 2150775R	Page No.: 64
Engineer: Tongben	
Site: AC5	Time: 2021/06/07 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.852	8.220	-4.148	54.000	41.632	AV

Profile: 2310083R	Page No.: 53
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:50
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.010	47.942	9.843	-53.580	101.522	38.099	PK
2		5712.940	60.948	22.935	-47.877	108.825	38.013	PK
3	*	5722.620	69.335	31.169	-47.440	116.775	38.165	PK

Profile: 2310083R	Page No.: 54
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:53
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.690	46.243	8.130	-54.306	100.549	38.113	PK
2	*	5717.120	64.487	26.408	-45.508	109.995	38.079	PK
3		5722.400	60.160	21.998	-56.113	116.273	38.162	PK

Profile: 2310083R	Page No.: 55
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.275	47.350	9.264	-55.105	102.455	38.085	PK
2		5714.110	46.973	8.942	-62.179	109.153	38.031	PK
3		5722.925	46.640	8.469	-70.831	117.470	38.171	PK
4		5852.280	46.127	7.897	-70.873	117.000	38.230	PK
5		5868.475	47.025	8.753	-60.000	107.025	38.272	PK
6	*	5882.210	47.124	8.909	-52.721	99.845	38.215	PK

Profile: 2310083R	Page No.: 56
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.560	46.556	8.430	-52.421	98.977	38.126	PK
2		5709.190	46.014	8.060	-61.762	107.776	37.954	PK
3		5723.130	45.633	7.459	-72.305	117.938	38.174	PK
4		5852.280	46.164	7.934	-70.836	117.000	38.230	PK
5		5864.170	46.052	7.758	-62.178	108.230	38.294	PK
6		5881.185	46.029	7.813	-54.577	100.606	38.216	PK

Profile: 2310083R	Page No.: 57
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:56
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.680	62.909	24.668	-50.899	113.809	38.241	PK
2		5864.160	51.047	12.753	-57.186	108.233	38.294	PK
3	*	5885.040	48.229	10.015	-49.517	97.745	38.214	PK

Profile: 2310083R	Page No.: 58
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:58
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.600	60.592	22.351	-53.399	113.991	38.240	PK
2		5865.680	50.657	12.371	-57.150	107.807	38.286	PK
3	*	5881.760	47.665	9.450	-52.514	100.179	38.215	PK

Profile: 2310083R	Page No.: 17
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5143.970	62.165	24.948	-11.835	74.000	37.217	PK
2		5150.000	60.502	23.274	-13.498	74.000	37.228	PK

Profile: 2310083R	Page No.: 18
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.426	9.198	-7.574	54.000	37.228	AV

Profile: 2310083R	Page No.: 19
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.650	25.422	-11.350	74.000	37.228	PK

Profile: 2310083R	Page No.: 20
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.560	11.332	-5.440	54.000	37.228	AV

Profile: 2150775R	Page No.: 75
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.577	21.182	-11.423	74.000	41.395	PK

Profile: 2150775R	Page No.: 76
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 00:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.348	9.953	-2.652	54.000	41.395	AV

Profile: 2150775R	Page No.: 77
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 00:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.263	16.868	-15.737	74.000	41.395	PK

Profile: 2150775R	Page No.: 78
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.229	6.834	-5.771	54.000	41.395	AV

Profile: 2150775R	Page No.: 79
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.740	68.560	26.902	-5.440	74.000	41.658	PK
2		5460.000	63.433	21.801	-10.567	74.000	41.632	PK

Profile: 2150775R	Page No.: 80
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.873	10.241	-2.127	54.000	41.632	AV

Profile: 2150775R	Page No.: 81
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	59.761	18.129	-14.239	74.000	41.632	PK

Profile: 2150775R	Page No.: 82
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.345	7.713	-4.655	54.000	41.632	AV

Profile: 2310083R	Page No.: 59
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 22:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.570	63.337	25.255	-39.335	102.672	38.083	PK
2	*	5714.380	74.803	36.767	-34.426	109.228	38.036	PK
3		5724.000	78.190	40.002	-41.731	119.921	38.188	PK

Profile: 2310083R	Page No.: 60
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:01
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.570	63.516	25.434	-39.156	102.672	38.083	PK
2	*	5716.460	72.814	34.745	-36.997	109.810	38.069	PK
3		5723.610	72.978	34.797	-46.053	119.032	38.182	PK

Profile: 2310083R	Page No.: 61
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:02
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.660	58.206	19.980	-60.208	118.414	38.225	PK
2	*	5857.735	61.926	23.654	-48.107	110.033	38.272	PK
3		5883.250	48.950	10.735	-50.124	99.073	38.215	PK

Profile: 2310083R	Page No.: 62
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:04
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.145	59.810	21.573	-55.218	115.028	38.237	PK
2	*	5863.135	56.371	18.072	-52.149	108.520	38.299	PK
3		5880.415	46.858	8.642	-54.320	101.178	38.217	PK

Profile: 2310083R	Page No.: 21
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5148.000	68.087	30.855	-5.913	74.000	37.232	PK
2		5150.000	63.577	26.349	-10.423	74.000	37.228	PK

Profile: 2310083R	Page No.: 22
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.190	12.962	-3.810	54.000	37.228	AV

Profile: 2310083R	Page No.: 23
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.015	26.787	-9.985	74.000	37.228	PK

Profile: 2310083R	Page No.: 24
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5142.000	50.284	13.074	-3.716	54.000	37.209	AV
2		5150.000	48.121	10.893	-5.879	54.000	37.228	AV

Profile: 2150775R	Page No.: 91
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 06:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.860	20.465	-12.140	74.000	41.395	PK
2	*	5356.260	64.165	22.769	-9.835	74.000	41.396	PK

Profile: 2150775R	Page No.: 92
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	51.199	9.804	-2.801	54.000	41.395	AV
2	*	5353.005	51.910	10.506	-2.090	54.000	41.403	AV

Profile: 2150775R	Page No.: 93
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.088	17.693	-14.912	74.000	41.395	PK

Profile: 2150775R	Page No.: 94
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.589	8.194	-4.411	54.000	41.395	AV

Profile: 2150775R	Page No.: 95
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.997	24.365	-8.003	74.000	41.632	PK

Profile: 2150775R	Page No.: 96
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.774	10.142	-2.226	54.000	41.632	AV

Profile: 2150775R	Page No.: 97
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.730	61.961	20.283	-12.039	74.000	41.678	PK
2		5460.000	60.114	18.482	-13.886	74.000	41.632	PK

Profile: 2150775R	Page No.: 98
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 07:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.699	7.067	-5.301	54.000	41.632	AV

Profile: 2310083R	Page No.: 63
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.500	70.858	32.764	-31.025	101.883	38.094	PK
2		5710.250	73.905	35.934	-34.168	108.072	37.970	PK
3		5723.750	74.052	35.868	-45.299	119.351	38.184	PK
4		5851.750	71.391	33.165	-46.818	118.209	38.227	PK
5		5869.000	64.990	26.721	-41.888	106.878	38.269	PK
6		5878.500	62.163	23.943	-40.437	102.600	38.220	PK

Profile: 2310083R	Page No.: 64
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.250	68.623	30.527	-33.076	101.699	38.097	PK
2		5707.000	72.330	34.358	-34.832	107.162	37.972	PK
3		5723.500	68.706	30.526	-50.075	118.781	38.179	PK
4		5853.250	66.387	28.149	-48.402	114.789	38.238	PK
5		5865.000	66.216	27.926	-41.782	107.998	38.289	PK
6		5884.000	58.361	20.147	-40.156	98.517	38.214	PK

Profile: 2310083R	Page No.: 25
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.716	15.488	-21.284	74.000	37.228	PK

Profile: 2310083R	Page No.: 26
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 00:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.431	-1.797	-18.569	54.000	37.228	AV

Profile: 2310083R	Page No.: 27
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5147.220	53.291	16.062	-20.709	74.000	37.229	PK
2		5150.000	50.033	12.805	-23.967	74.000	37.228	PK

Profile: 2310083R	Page No.: 28
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.179	-2.049	-18.821	54.000	37.228	AV

Profile: 2150775R	Page No.: 105
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 19:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.537	24.142	-8.463	74.000	41.395	PK

Profile: 2150775R	Page No.: 106
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 19:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.087	9.692	-2.913	54.000	41.395	AV

Profile: 2150775R	Page No.: 107
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.295	22.900	-9.705	74.000	41.395	PK
2	*	5351.175	66.755	25.354	-7.245	74.000	41.401	PK

Profile: 2150775R	Page No.: 108
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.221	9.826	-2.779	54.000	41.395	AV

Profile: 2150775R	Page No.: 109
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.600	67.750	26.098	-6.250	74.000	41.651	PK
2		5460.000	65.290	23.658	-8.710	74.000	41.632	PK

Profile: 2150775R	Page No.: 110
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.796	10.164	-2.204	54.000	41.632	AV

Profile: 2150775R	Page No.: 111
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.600	69.571	27.919	-4.429	74.000	41.651	PK
2		5460.000	67.493	25.861	-6.507	74.000	41.632	PK

Profile: 2150775R	Page No.: 112
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.845	10.213	-2.155	54.000	41.632	AV

Profile: 2310083R	Page No.: 65
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.100	53.793	15.716	-49.270	103.063	38.077	PK
2	*	5711.840	66.993	28.997	-41.525	108.518	37.996	PK
3		5723.830	75.700	37.515	-43.833	119.533	38.185	PK

Profile: 2310083R	Page No.: 66
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.650	53.236	15.165	-50.232	103.468	38.071	PK
2	*	5716.570	68.407	30.337	-41.434	109.841	38.070	PK
3		5722.070	63.614	25.457	-51.907	115.521	38.157	PK

Profile: 2310083R	Page No.: 67
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.455	45.700	7.606	-56.150	101.850	38.094	PK
2		5711.240	46.352	8.366	-61.997	108.350	37.986	PK
3		5722.925	47.577	9.406	-69.894	117.470	38.171	PK
4		5852.895	46.518	8.283	-69.080	115.598	38.235	PK
5		5863.145	46.659	8.360	-61.858	108.517	38.299	PK
6	*	5882.415	45.983	7.768	-53.710	99.693	38.215	PK

Profile: 2310083R	Page No.: 68
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.330	45.887	7.775	-52.182	98.070	38.112	PK
2		5707.140	47.351	9.380	-59.851	107.201	37.971	PK
3		5722.925	46.337	8.166	-71.134	117.470	38.171	PK
4		5851.870	46.485	8.258	-71.450	117.935	38.227	PK
5		5863.145	46.054	7.755	-62.463	108.517	38.299	PK
6		5880.775	45.889	7.673	-55.021	100.910	38.216	PK

Profile: 2310083R	Page No.: 69
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.040	68.729	30.508	-51.099	119.828	38.220	PK
2	*	5858.960	63.852	25.570	-45.838	109.690	38.282	PK
3		5878.320	49.416	11.195	-53.318	102.733	38.221	PK

Profile: 2310083R	Page No.: 70
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5853.200	65.929	27.692	-48.973	114.903	38.238	PK
2		5864.640	55.333	17.041	-52.766	108.098	38.291	PK
3		5881.360	47.543	9.327	-52.933	100.476	38.216	PK

Profile: 2310083R	Page No.: 29
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5142.550	65.750	28.538	-8.250	74.000	37.212	PK
2		5150.000	62.974	25.746	-11.026	74.000	37.228	PK

Profile: 2310083R	Page No.: 30
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.541	9.313	-7.459	54.000	37.228	AV

Profile: 2310083R	Page No.: 31
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.732	28.504	-8.268	74.000	37.228	PK

Profile: 2310083R	Page No.: 32
Engineer: Yuliu	
Site: AC5	Time: 2023/03/15 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.420	12.192	-4.580	54.000	37.228	AV

Profile: 2150775R	Page No.: 121
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	66.198	24.803	-7.802	74.000	41.395	PK

Profile: 2150775R	Page No.: 122
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.787	10.392	-2.213	54.000	41.395	AV

Profile: 2150775R	Page No.: 123
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.673	18.278	-14.327	74.000	41.395	PK

Profile: 2150775R	Page No.: 124
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5310MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.789	7.394	-5.211	54.000	41.395	AV

Profile: 2150775R	Page No.: 125
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.360	70.232	28.586	-3.768	74.000	41.645	PK
2		5460.000	66.556	24.924	-7.444	74.000	41.632	PK

Profile: 2150775R	Page No.: 126
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.520	9.888	-2.480	54.000	41.632	AV

Profile: 2150775R	Page No.: 127
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 20:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.820	64.753	23.103	-9.247	74.000	41.649	PK
2		5460.000	62.340	20.708	-11.660	74.000	41.632	PK

Profile: 2150775R	Page No.: 128
Engineer: Tongben	
Site: AC5	Time: 2021/06/08 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988_(1-18GHz)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8: Transmit at 5510MHz by 802.11ax(40MHz) MIMO	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.299	7.667	-4.701	54.000	41.632	AV

Profile: 2310083R	Page No.: 71
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.110	63.404	25.283	-35.241	98.645	38.121	PK
2	*	5713.990	74.192	36.162	-34.928	109.119	38.029	PK
3		5723.350	79.434	41.257	-39.005	118.439	38.177	PK

Profile: 2310083R	Page No.: 72
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.050	62.620	24.532	-39.669	102.289	38.088	PK
2	*	5716.850	74.685	36.610	-35.235	109.919	38.074	PK
3		5722.050	68.419	30.262	-47.056	115.475	38.157	PK

Profile: 2310083R	Page No.: 73
Engineer: Yuliu	
Site: AC5	Time: 2023/03/02 - 23:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.415	61.882	23.643	-52.531	114.413	38.240	PK
2		5862.730	58.735	20.434	-49.898	108.633	38.302	PK
3	*	5884.195	50.679	12.465	-47.693	98.372	38.214	PK