




BLE_2M_Ant1_High_2480




BLE_125K_Ant1_Low_2402




BLE_125K_Ant1_High_2480



BLE_500K_Ant1_Low_2402





The data of entire corresponding spectrum:

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
Mode 1	Ant1	2402	Reference	15.22	15.22	---	PASS
			30~1000	15.22	-53.33	≤ -4.78	PASS
			1000~3000	15.22	-34.89	≤ -4.78	PASS
			3000~5000	15.22	-49.79	≤ -4.78	PASS
			5000~7000	15.22	-50.18	≤ -4.78	PASS
			7000~9000	15.22	-51.81	≤ -4.78	PASS
			9000~11000	15.22	-50.63	≤ -4.78	PASS
			11000~13000	15.22	-51.18	≤ -4.78	PASS
			13000~15000	15.22	-46.98	≤ -4.78	PASS
			15000~17000	15.22	-45.13	≤ -4.78	PASS
			17000~19000	15.22	-44.73	≤ -4.78	PASS
			19000~21000	15.22	-43.39	≤ -4.78	PASS
			21000~23000	15.22	-43.11	≤ -4.78	PASS
			23000~25000	15.22	-41.36	≤ -4.78	PASS
		2440	Reference	15.73	15.73	---	PASS
			30~1000	15.73	-53.58	≤ -4.27	PASS
			1000~3000	15.73	-35.09	≤ -4.27	PASS
			3000~5000	15.73	-50.33	≤ -4.27	PASS
			5000~7000	15.73	-51.22	≤ -4.27	PASS
			7000~9000	15.73	-51.39	≤ -4.27	PASS
			9000~11000	15.73	-51.74	≤ -4.27	PASS
			11000~13000	15.73	-51.78	≤ -4.27	PASS
			13000~15000	15.73	-46.63	≤ -4.27	PASS
			15000~17000	15.73	-45.37	≤ -4.27	PASS
			17000~19000	15.73	-44.67	≤ -4.27	PASS
			19000~21000	15.73	-43.19	≤ -4.27	PASS
			21000~23000	15.73	-43.18	≤ -4.27	PASS
			23000~25000	15.73	-42	≤ -4.27	PASS
		2480	Reference	15.85	15.85	---	PASS
			30~1000	15.85	-53.34	≤ -4.15	PASS
			1000~3000	15.85	-34.46	≤ -4.15	PASS
			3000~5000	15.85	-50.99	≤ -4.15	PASS
			5000~7000	15.85	-51	≤ -4.15	PASS
			7000~9000	15.85	-52.57	≤ -4.15	PASS
			9000~11000	15.85	-51.72	≤ -4.15	PASS
			11000~13000	15.85	-51.92	≤ -4.15	PASS
			13000~15000	15.85	-46.19	≤ -4.15	PASS
			15000~17000	15.85	-45.01	≤ -4.15	PASS
			17000~19000	15.85	-44.88	≤ -4.15	PASS
			19000~21000	15.85	-44	≤ -4.15	PASS
			21000~23000	15.85	-43.5	≤ -4.15	PASS
			23000~25000	15.85	-41.86	≤ -4.15	PASS

Mode 2	Ant1	2402	Reference	10.91	10.91	---	PASS
			30~1000	10.91	-53.96	≤ -9.09	PASS
			1000~3000	10.91	-46.33	≤ -9.09	PASS
			3000~5000	10.91	-49.91	≤ -9.09	PASS
			5000~7000	10.91	-51.04	≤ -9.09	PASS
			7000~9000	10.91	-51.8	≤ -9.09	PASS
			9000~11000	10.91	-51.35	≤ -9.09	PASS
			11000~13000	10.91	-50.28	≤ -9.09	PASS
			13000~15000	10.91	-46.12	≤ -9.09	PASS
			15000~17000	10.91	-45.68	≤ -9.09	PASS
			17000~19000	10.91	-45.03	≤ -9.09	PASS
			19000~21000	10.91	-43.11	≤ -9.09	PASS
			21000~23000	10.91	-42.41	≤ -9.09	PASS
			23000~25000	10.91	-42.1	≤ -9.09	PASS
		2440	Reference	11.77	11.77	---	PASS
			30~1000	11.77	-53.97	≤ -8.23	PASS
			1000~3000	11.77	-47.09	≤ -8.23	PASS
			3000~5000	11.77	-50.74	≤ -8.23	PASS
			5000~7000	11.77	-51.16	≤ -8.23	PASS
			7000~9000	11.77	-52.39	≤ -8.23	PASS
			9000~11000	11.77	-50.94	≤ -8.23	PASS
			11000~13000	11.77	-50.77	≤ -8.23	PASS
			13000~15000	11.77	-46.9	≤ -8.23	PASS
			15000~17000	11.77	-45.43	≤ -8.23	PASS
			17000~19000	11.77	-44.74	≤ -8.23	PASS
			19000~21000	11.77	-43.26	≤ -8.23	PASS
			21000~23000	11.77	-43.41	≤ -8.23	PASS
			23000~25000	11.77	-42.28	≤ -8.23	PASS
		2480	Reference	12.06	12.06	---	PASS
			30~1000	12.06	-53.75	≤ -7.94	PASS
			1000~3000	12.06	-43.85	≤ -7.94	PASS
			3000~5000	12.06	-51.42	≤ -7.94	PASS
			5000~7000	12.06	-50.98	≤ -7.94	PASS
			7000~9000	12.06	-52.09	≤ -7.94	PASS
			9000~11000	12.06	-50.77	≤ -7.94	PASS
			11000~13000	12.06	-51.07	≤ -7.94	PASS
			13000~15000	12.06	-46.34	≤ -7.94	PASS
			15000~17000	12.06	-45.93	≤ -7.94	PASS
			17000~19000	12.06	-44.86	≤ -7.94	PASS
			19000~21000	12.06	-43.68	≤ -7.94	PASS
			21000~23000	12.06	-42.5	≤ -7.94	PASS
			23000~25000	12.06	-41.95	≤ -7.94	PASS
Mode 3	Ant1	2402	Reference	10.25	10.25	---	PASS
			30~1000	10.25	-53.12	≤ -9.75	PASS
			1000~3000	10.25	-45.85	≤ -9.75	PASS
			3000~5000	10.25	-50.26	≤ -9.75	PASS
			5000~7000	10.25	-50.79	≤ -9.75	PASS
			7000~9000	10.25	-51.55	≤ -9.75	PASS
			9000~11000	10.25	-50.8	≤ -9.75	PASS
			11000~13000	10.25	-51.4	≤ -9.75	PASS
			13000~15000	10.25	-46.9	≤ -9.75	PASS


			15000~17000	10.25	-45.22	≤ -9.75	PASS
			17000~19000	10.25	-43.32	≤ -9.75	PASS
			19000~21000	10.25	-43.08	≤ -9.75	PASS
			21000~23000	10.25	-42.93	≤ -9.75	PASS
			23000~25000	10.25	-41.33	≤ -9.75	PASS
		2440	Reference	10.43	10.43	---	PASS
			30~1000	10.43	-52.99	≤ -9.57	PASS
			1000~3000	10.43	-46.24	≤ -9.57	PASS
			3000~5000	10.43	-50.46	≤ -9.57	PASS
			5000~7000	10.43	-51.08	≤ -9.57	PASS
			7000~9000	10.43	-52.16	≤ -9.57	PASS
			9000~11000	10.43	-51.09	≤ -9.57	PASS
			11000~13000	10.43	-52.05	≤ -9.57	PASS
			13000~15000	10.43	-46.7	≤ -9.57	PASS
			15000~17000	10.43	-45.86	≤ -9.57	PASS
			17000~19000	10.43	-44.21	≤ -9.57	PASS
			19000~21000	10.43	-43.86	≤ -9.57	PASS
			21000~23000	10.43	-43.2	≤ -9.57	PASS
			23000~25000	10.43	-41.74	≤ -9.57	PASS
		2480	Reference	9.76	9.76	---	PASS
			30~1000	9.76	-53.24	≤ -10.24	PASS
			1000~3000	9.76	-44.98	≤ -10.24	PASS
			3000~5000	9.76	-50.33	≤ -10.24	PASS
			5000~7000	9.76	-49.87	≤ -10.24	PASS
			7000~9000	9.76	-52.37	≤ -10.24	PASS
			9000~11000	9.76	-51.61	≤ -10.24	PASS
			11000~13000	9.76	-51.67	≤ -10.24	PASS
			13000~15000	9.76	-47.24	≤ -10.24	PASS
			15000~17000	9.76	-45.44	≤ -10.24	PASS
			17000~19000	9.76	-45.23	≤ -10.24	PASS
			19000~21000	9.76	-43.82	≤ -10.24	PASS
			21000~23000	9.76	-43.09	≤ -10.24	PASS
			23000~25000	9.76	-41.82	≤ -10.24	PASS
Mode 4	Ant1	2402	Reference	8.07	8.07	---	PASS
			30~1000	8.07	-53.11	≤ -11.93	PASS
			1000~3000	8.07	-46.85	≤ -11.93	PASS
			3000~5000	8.07	-50.15	≤ -11.93	PASS
			5000~7000	8.07	-50.28	≤ -11.93	PASS
			7000~9000	8.07	-51.56	≤ -11.93	PASS
			9000~11000	8.07	-51.45	≤ -11.93	PASS
			11000~13000	8.07	-51.85	≤ -11.93	PASS
			13000~15000	8.07	-46.12	≤ -11.93	PASS
			15000~17000	8.07	-45.32	≤ -11.93	PASS
			17000~19000	8.07	-44.36	≤ -11.93	PASS
			19000~21000	8.07	-43.12	≤ -11.93	PASS
			21000~23000	8.07	-42.78	≤ -11.93	PASS
			23000~25000	8.07	-41.68	≤ -11.93	PASS
		2440	Reference	8.60	8.60	---	PASS
			30~1000	8.60	-53.57	≤ -11.4	PASS
			1000~3000	8.60	-47.06	≤ -11.4	PASS
			3000~5000	8.60	-50.34	≤ -11.4	PASS

			5000~7000	8.60	-49.62	≤ -11.4	PASS
			7000~9000	8.60	-51.75	≤ -11.4	PASS
			9000~11000	8.60	-51.19	≤ -11.4	PASS
			11000~13000	8.60	-51.91	≤ -11.4	PASS
			13000~15000	8.60	-46.52	≤ -11.4	PASS
			15000~17000	8.60	-45.37	≤ -11.4	PASS
			17000~19000	8.60	-44.79	≤ -11.4	PASS
			19000~21000	8.60	-43.35	≤ -11.4	PASS
			21000~23000	8.60	-42.66	≤ -11.4	PASS
			23000~25000	8.60	-41.59	≤ -11.4	PASS
		2480	Reference	8.64	8.64	---	PASS
			30~1000	8.64	-52.58	≤ -11.36	PASS
			1000~3000	8.64	-46.39	≤ -11.36	PASS
			3000~5000	8.64	-50.8	≤ -11.36	PASS
			5000~7000	8.64	-48.62	≤ -11.36	PASS
			7000~9000	8.64	-51.87	≤ -11.36	PASS
			9000~11000	8.64	-51.45	≤ -11.36	PASS
			11000~13000	8.64	-51.73	≤ -11.36	PASS
			13000~15000	8.64	-47.18	≤ -11.36	PASS
			15000~17000	8.64	-44.92	≤ -11.36	PASS
			17000~19000	8.64	-44.81	≤ -11.36	PASS
			19000~21000	8.64	-44.13	≤ -11.36	PASS
			21000~23000	8.64	-42.39	≤ -11.36	PASS
			23000~25000	8.64	-41.63	≤ -11.36	PASS


BLE_1M_Ant1_2402_0~Reference




BLE_1M_Ant1_2402_30~1000




BLE_1M_Ant1_2402_1000~3000




BLE_1M_Ant1_2402_3000~5000




BLE_1M_Ant1_2402_5000~7000




BLE_1M_Ant1_2402_7000~9000




BLE_1M_Ant1_2402_9000~11000







BLE_1M_Ant1_2402_13000~15000




BLE_1M_Ant1_2402_15000~17000




BLE_1M_Ant1_2402_17000~19000



BLE_1M_Ant1_2402_19000~21000



BLE_1M_Ant1_2402_21000~23000




BLE_1M_Ant1_2402_23000~25000




BLE_1M_Ant1_2440_0~Reference




BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~3000




BLE_1M_Ant1_2440_3000~5000




BLE_1M_Ant1_2440_5000~7000




BLE_1M_Ant1_2440_7000~9000




BLE_1M_Ant1_2440_9000~11000




BLE_1M_Ant1_2440_11000~13000




BLE_1M_Ant1_2440_13000~15000




BLE_1M_Ant1_2440_15000~17000




BLE_1M_Ant1_2440_17000~19000



BLE_1M_Ant1_2440_19000~21000



BLE_1M_Ant1_2440_21000~23000




BLE_1M_Ant1_2440_23000~25000




BLE_1M_Ant1_2480_0~Reference




BLE_1M_Ant1_2480_30~1000




BLE_1M_Ant1_2480_1000~3000




BLE_1M_Ant1_2480_3000~5000




BLE_1M_Ant1_2480_5000~7000




BLE_1M_Ant1_2480_7000~9000




BLE_1M_Ant1_2480_9000~11000




BLE_1M_Ant1_2480_11000~13000




BLE_1M_Ant1_2480_13000~15000




BLE_1M_Ant1_2480_15000~17000




BLE_1M_Ant1_2480_17000~19000




BLE_1M_Ant1_2480_19000~21000



BLE_1M_Ant1_2480_21000~23000




BLE_1M_Ant1_2480_23000~25000




BLE_2M_Ant1_2402_0~Reference




BLE_2M_Ant1_2402_30~1000




BLE_2M_Ant1_2402_1000~3000




BLE_2M_Ant1_2402_3000~5000




BLE_2M_Ant1_2402_5000~7000




BLE_2M_Ant1_2402_7000~9000




BLE_2M_Ant1_2402_9000~11000




BLE_2M_Ant1_2402_11000~13000



BLE_2M_Ant1_2402_13000~15000



BLE_2M_Ant1_2402_15000~17000



BLE_2M_Ant1_2402_17000~19000

