



DH5_Ant1_2402_0-Reference



DH5_Ant1_2402_30~1000




DH5_Ant1_2402_1000~26500



DH5_Ant1_2441_0-Reference



DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0-Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500



3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000




3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.88	3.75	76.80	1.15
		2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.88	3.75	76.80	1.15
		2480	2.88	3.75	76.80	1.15
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands

Profile: 2310083R	Page No.: 19
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4808.000	45.639	60.626	-28.361	74.000	-14.987	PK
2	*	7205.000	47.613	58.425	-26.387	74.000	-10.813	PK
3		9608.000	47.189	55.283	-26.811	74.000	-8.094	PK

Profile: 2310083R	Page No.: 20
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.678	56.658	-32.322	74.000	-14.981	PK
2		7206.000	44.720	55.540	-29.280	74.000	-10.820	PK
3	*	9608.000	46.210	54.304	-27.790	74.000	-8.094	PK

Profile: 2310083R	Page No.: 21
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	47.630	62.205	-26.370	74.000	-14.575	PK
2	*	7324.000	49.121	60.000	-24.879	74.000	-10.879	PK
3		9764.000	46.509	54.360	-27.491	74.000	-7.850	PK

Profile: 2310083R	Page No.: 22
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	43.520	58.095	-30.480	74.000	-14.575	PK
2		7324.000	45.788	56.667	-28.212	74.000	-10.879	PK
3	*	9764.000	46.754	54.605	-27.246	74.000	-7.850	PK

Profile: 2310083R	Page No.: 23
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	48.280	62.839	-25.720	74.000	-14.560	PK
2		7443.000	46.965	57.739	-27.035	74.000	-10.774	PK
3		9920.000	46.643	54.220	-27.357	74.000	-7.578	PK

Profile: 2310083R	Page No.: 24
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4961.000	45.269	59.828	-28.731	74.000	-14.560	PK
2		7443.000	46.111	56.885	-27.889	74.000	-10.774	PK
3	*	9920.000	47.521	55.098	-26.479	74.000	-7.578	PK

Profile: 2310083R	Page No.: 25
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4808.000	43.229	58.216	-30.771	74.000	-14.987	PK
2		7206.000	44.415	55.235	-29.585	74.000	-10.820	PK
3	*	9608.000	46.629	54.723	-27.371	74.000	-8.094	PK

Profile: 2310083R	Page No.: 26
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.836	55.816	-33.164	74.000	-14.981	PK
2		7206.000	43.828	54.648	-30.172	74.000	-10.820	PK
3	*	9608.000	46.608	54.702	-27.392	74.000	-8.094	PK

Profile: 2310083R	Page No.: 27
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	45.751	60.326	-28.249	74.000	-14.575	PK
2	*	7324.000	46.564	57.443	-27.436	74.000	-10.879	PK
3		9764.000	46.373	54.224	-27.627	74.000	-7.850	PK

Profile: 2310083R	Page No.: 28
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	43.330	57.905	-30.670	74.000	-14.575	PK
2		7323.000	44.323	55.199	-29.677	74.000	-10.876	PK
3	*	9764.000	46.164	54.015	-27.836	74.000	-7.850	PK

Profile: 2310083R	Page No.: 29
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4961.000	47.093	61.652	-26.907	74.000	-14.560	PK
2		7440.000	45.086	55.817	-28.914	74.000	-10.731	PK
3		9920.000	46.997	54.574	-27.003	74.000	-7.578	PK

Profile: 2310083R	Page No.: 30
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.784	57.348	-31.216	74.000	-14.565	PK
2		7440.000	44.701	55.432	-29.299	74.000	-10.731	PK
3	*	9920.000	46.386	53.963	-27.614	74.000	-7.578	PK

Profile: 2310083R	Page No.: 31
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	42.716	57.696	-31.284	74.000	-14.981	PK
2		7206.000	45.299	56.119	-28.701	74.000	-10.820	PK
3	*	9608.000	46.770	54.864	-27.230	74.000	-8.094	PK

Profile: 2310083R	Page No.: 32
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.174	56.154	-32.826	74.000	-14.981	PK
2		7206.000	44.056	54.876	-29.944	74.000	-10.820	PK
3	*	9608.000	46.711	54.805	-27.289	74.000	-8.094	PK

Profile: 2310083R	Page No.: 33
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	44.647	59.222	-29.353	74.000	-14.575	PK
2	*	7324.000	47.398	58.277	-26.602	74.000	-10.879	PK
3		9764.000	46.464	54.315	-27.536	74.000	-7.850	PK

Profile: 2310083R	Page No.: 34
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	42.789	57.364	-31.211	74.000	-14.575	PK
2		7323.000	43.796	54.672	-30.204	74.000	-10.876	PK
3	*	9764.000	46.362	54.213	-27.638	74.000	-7.850	PK

Profile: 2310083R	Page No.: 35
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4961.000	46.083	60.642	-27.917	74.000	-14.560	PK
2		7443.000	46.173	56.947	-27.827	74.000	-10.774	PK
3	*	9920.000	46.866	54.443	-27.134	74.000	-7.578	PK

Profile: 2310083R	Page No.: 36
Engineer: Yuliu	
Site: AC5	Time: 2023/02/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)2022	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 3 : Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.089	57.653	-30.911	74.000	-14.565	PK
2		7440.000	43.949	54.680	-30.051	74.000	-10.731	PK
3	*	9920.000	46.525	54.102	-27.475	74.000	-7.578	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.

The worst case of Radiated Emission below 1GHz:

Profile: 2310083R	Page No.: 137
Engineer: Yuliu	
Site: AC3	Time: 2023/02/08 - 05:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: AC3_3M(30-1000M)	Polarity: Horizontal
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		51.946	17.852	2.921	-22.148	40.000	14.931	QP
2		107.357	19.691	3.087	-23.809	43.500	16.604	QP
3		187.504	20.665	3.595	-22.835	43.500	17.070	QP
4		338.217	25.897	3.345	-20.103	46.000	22.552	QP
5		564.349	32.748	3.937	-13.252	46.000	28.811	QP
6	*	879.841	35.152	2.624	-10.848	46.000	32.528	QP

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Profile: 2310083R	Page No.: 138
Engineer: Yuliu	
Site: AC3	Time: 2023/02/08 - 05:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: AC3_3M(30-1000M)	Polarity: Vertical
EUT: VR All-In-One Headset	Power: By battery
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		38.487	24.029	3.947	-15.971	40.000	20.082	QP
2		83.714	17.985	1.997	-22.015	40.000	15.987	QP
3		125.909	22.644	2.285	-20.856	43.500	20.359	QP
4		253.464	27.761	3.321	-18.239	46.000	24.440	QP
5		468.804	29.352	2.575	-16.648	46.000	26.777	QP
6	*	891.360	36.403	3.208	-9.597	46.000	33.195	QP

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix K: AC Power Line Conducted Emission

Profile: 2310083R	Page No.: 129
Engineer: Yuliu	
Site: TR1	Time: 2023/02/08 - 05:51
Limit: FCC_Part15.207_CE_AC Power	Margin: 0
Probe: ENV216_101190(0.009-30MHz)	Polarity: Neutral
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode: N-Neutral	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.189	51.049	41.472	-13.022	64.072	9.577	QP
2		0.189	25.499	15.922	-28.573	54.072	9.577	AV
3		0.322	44.573	34.974	-15.082	59.655	9.598	QP
4		0.322	27.659	18.061	-21.996	49.655	9.598	AV
5		0.966	37.246	27.599	-18.754	56.000	9.647	QP
6		0.966	29.738	20.091	-16.262	46.000	9.647	AV
7		2.246	35.922	26.237	-20.078	56.000	9.685	QP
8		2.246	29.261	19.576	-16.739	46.000	9.685	AV
9		6.462	33.857	23.985	-26.143	60.000	9.873	QP
10		6.462	27.576	17.704	-22.424	50.000	9.873	AV
11		13.062	31.751	21.656	-28.249	60.000	10.095	QP
12		13.062	24.541	14.445	-25.459	50.000	10.095	AV

Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Profile: 2310083R	Page No.: 130
Engineer: Yuliu	
Site: TR1	Time: 2023/02/08 - 06:11
Limit: FCC_Part15.207_CE_AC Power_ClassB	Margin: 0
Probe: ENV216_101190(0.009-30MHz)	Polarity: Line
EUT: VR All-In-One Headset	Power: AC 120V/60Hz
Note: Mode: N-Neutral	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.198	49.597	40.010	-14.097	63.694	9.587	QP
2		0.198	27.917	18.330	-25.777	53.694	9.587	AV
3		0.342	41.749	32.149	-17.405	59.155	9.600	QP
4		0.342	28.245	18.644	-20.910	49.155	9.600	AV
5		1.042	37.879	28.222	-18.121	56.000	9.657	QP
6		1.042	31.074	21.417	-14.926	46.000	9.657	AV
7		1.662	42.881	33.215	-13.119	56.000	9.666	QP
8	*	1.662	36.823	27.157	-9.177	46.000	9.666	AV
9		4.290	37.020	27.236	-18.980	56.000	9.784	QP
10		4.290	29.632	19.849	-16.368	46.000	9.784	AV
11		9.430	38.357	28.363	-21.643	60.000	9.994	QP
12		9.430	31.299	21.305	-18.701	50.000	9.994	AV

Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

The End