



Profile: 2250805R	Page No.: 303
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.811	47.517	-27.189	74.000	-0.706	PK
2	*	17355.000	48.004	46.024	-25.996	74.000	1.980	PK

Profile: 2250805R	Page No.: 304
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.348	48.054	-26.652	74.000	-0.706	PK
2	*	17355.000	48.542	46.562	-25.458	74.000	1.980	PK

Profile: 2250805R	Page No.: 305
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.839	47.916	-26.161	74.000	-0.078	PK
2	*	17475.000	48.760	46.326	-25.240	74.000	2.434	PK

Profile: 2250805R	Page No.: 306
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.734	47.811	-26.266	74.000	-0.078	PK
2	*	17475.000	48.816	46.382	-25.184	74.000	2.434	PK

Profile: 2250805R	Page No.: 307
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	47.300	50.393	-26.700	74.000	-3.093	PK
2		15570.000	46.450	48.395	-27.550	74.000	-1.945	PK

Profile: 2250805R	Page No.: 308
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	46.351	49.444	-27.649	74.000	-3.093	PK
2	*	15570.000	46.864	48.809	-27.136	74.000	-1.945	PK

Profile: 2250805R	Page No.: 309
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:09
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.005	48.838	-27.995	74.000	-2.833	PK
2	*	15690.000	47.472	49.395	-26.528	74.000	-1.923	PK

Profile: 2250805R	Page No.: 310
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.935	48.768	-28.065	74.000	-2.833	PK
2	*	15690.000	46.673	48.596	-27.327	74.000	-1.923	PK

Profile: 2250805R	Page No.: 311
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10540.000	47.339	49.842	-26.661	74.000	-2.502	PK
2		15810.000	46.647	48.232	-27.353	74.000	-1.586	PK

Profile: 2250805R	Page No.: 312
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.674	49.177	-27.326	74.000	-2.502	PK
2	*	15810.000	47.138	48.723	-26.862	74.000	-1.586	PK

Profile: 2250805R	Page No.: 313
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.316	48.446	-27.684	74.000	-2.130	PK
2	*	15930.000	48.294	49.821	-25.706	74.000	-1.527	PK

Profile: 2250805R	Page No.: 314
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	47.163	49.293	-26.837	74.000	-2.130	PK
2		15930.000	46.510	48.037	-27.490	74.000	-1.527	PK

Profile: 2250805R	Page No.: 315
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.500	49.450	-26.500	74.000	-1.949	PK
2	*	16530.000	49.802	49.853	-24.198	74.000	-0.051	PK

Profile: 2250805R	Page No.: 316
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.871	49.821	-26.129	74.000	-1.949	PK
2	*	16530.000	48.199	48.250	-25.801	74.000	-0.051	PK

Profile: 2250805R	Page No.: 317
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	46.421	48.488	-27.579	74.000	-2.067	PK
2	*	16770.000	49.664	50.251	-24.336	74.000	-0.587	PK

Profile: 2250805R	Page No.: 318
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	48.053	50.120	-25.947	74.000	-2.067	PK
2	*	16770.000	49.685	50.272	-24.315	74.000	-0.587	PK

Profile: 2250805R	Page No.: 319
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.124	48.604	-26.876	74.000	-1.479	PK
2	*	17010.000	49.598	49.271	-24.402	74.000	0.326	PK

Profile: 2250805R	Page No.: 320
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.557	48.037	-27.443	74.000	-1.479	PK
2	*	17010.000	48.841	48.514	-25.159	74.000	0.326	PK

Profile: 2250805R	Page No.: 321
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.958	48.670	-26.042	74.000	-0.711	PK
2	*	17265.000	48.593	47.045	-25.407	74.000	1.548	PK

Profile: 2250805R	Page No.: 322
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11510.000	48.158	48.870	-25.842	74.000	-0.711	PK
2		17265.000	48.155	46.607	-25.845	74.000	1.548	PK

Profile: 2250805R	Page No.: 323
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.190	47.916	-26.810	74.000	-0.726	PK
2	*	17385.000	49.162	46.953	-24.838	74.000	2.210	PK

Profile: 2250805R	Page No.: 324
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.768	48.494	-26.232	74.000	-0.726	PK
2	*	17385.000	50.274	48.065	-23.726	74.000	2.210	PK

Profile: 2250805R	Page No.: 325
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.783	49.586	-27.217	74.000	-2.804	PK
2		15630.000	46.394	47.692	-27.606	74.000	-1.298	PK

Profile: 2250805R	Page No.: 326
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	46.331	49.134	-27.669	74.000	-2.804	PK
2	*	15630.000	47.869	49.167	-26.131	74.000	-1.298	PK

Profile: 2250805R	Page No.: 327
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	47.557	49.922	-26.443	74.000	-2.365	PK
2		15870.000	46.381	48.559	-27.619	74.000	-2.177	PK

Profile: 2250805R	Page No.: 328
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	46.882	49.247	-27.118	74.000	-2.365	PK
2		15870.000	46.008	48.186	-27.992	74.000	-2.177	PK

Profile: 2250805R	Page No.: 329
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11060.000	48.872	50.981	-25.128	74.000	-2.109	PK
2		16590.000	48.705	48.736	-25.295	74.000	-0.031	PK

Profile: 2250805R	Page No.: 330
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.602	48.711	-27.398	74.000	-2.109	PK
2	*	16590.000	48.977	49.008	-25.023	74.000	-0.031	PK

Profile: 2250805R	Page No.: 13
Engineer: YuLiu	
Site: AC5	Time: 2022/06/30 - 02:14
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	46.742	48.502	-27.258	74.000	-1.760	PK
2	*	16830.000	47.438	47.535	-26.562	74.000	-0.097	PK

Profile: 2250805R	Page No.: 14
Engineer: YuLiu	
Site: AC5	Time: 2022/06/30 - 02:14
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	46.491	48.251	-27.509	74.000	-1.760	PK
2	*	16830.000	48.428	48.525	-25.572	74.000	-0.097	PK

Profile: 2250805R	Page No.: 331
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.254	47.828	-26.746	74.000	-0.574	PK
2	*	17325.000	49.775	47.669	-24.225	74.000	2.106	PK


Profile: 2250805R	Page No.: 332
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 03:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.071	47.645	-26.929	74.000	-0.574	PK
2	*	17325.000	49.209	47.103	-24.791	74.000	2.106	PK


CDD:

Profile: 2250805R	Page No.: 167
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.774	49.760	-27.226	74.000	-2.986	PK
2		15540.000	46.666	48.517	-27.334	74.000	-1.851	PK

Profile: 2250805R	Page No.: 168
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	47.715	50.701	-26.285	74.000	-2.986	PK
2		15540.000	46.044	47.895	-27.956	74.000	-1.851	PK

Profile: 2250805R	Page No.: 169
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	46.375	49.375	-27.625	74.000	-3.000	PK
2		15660.000	46.037	47.996	-27.963	74.000	-1.959	PK

Profile: 2250805R	Page No.: 170
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.893	48.893	-28.107	74.000	-3.000	PK
2	*	15660.000	45.966	47.925	-28.034	74.000	-1.959	PK

Profile: 2250805R	Page No.: 171
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.296	49.057	-27.704	74.000	-2.761	PK
2	*	15720.000	47.935	49.313	-26.065	74.000	-1.378	PK

Profile: 2250805R	Page No.: 172
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.955	48.716	-28.045	74.000	-2.761	PK
2	*	15720.000	47.543	48.921	-26.457	74.000	-1.378	PK

Profile: 2250805R	Page No.: 173
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	48.266	50.686	-25.734	74.000	-2.420	PK
2		15780.000	46.200	48.167	-27.800	74.000	-1.966	PK

Profile: 2250805R	Page No.: 174
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	48.347	50.767	-25.653	74.000	-2.420	PK
2		15780.000	46.131	48.098	-27.869	74.000	-1.966	PK

Profile: 2250805R	Page No.: 175
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.910	50.118	-26.090	74.000	-2.208	PK
2		15900.000	46.383	48.540	-27.617	74.000	-2.157	PK

Profile: 2250805R	Page No.: 176
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.387	49.595	-26.613	74.000	-2.208	PK
2		15900.000	47.122	49.279	-26.878	74.000	-2.157	PK

Profile: 2250805R	Page No.: 177
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.883	48.140	-28.117	74.000	-2.258	PK
2	*	15960.000	46.772	48.658	-27.228	74.000	-1.886	PK

Profile: 2250805R	Page No.: 178
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10640.000	47.089	49.346	-26.911	74.000	-2.258	PK
2		15960.000	46.844	48.730	-27.156	74.000	-1.886	PK

Profile: 2250805R	Page No.: 179
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.629	49.536	-26.371	74.000	-1.907	PK
2	*	16500.000	48.211	48.324	-25.789	74.000	-0.114	PK

Profile: 2250805R	Page No.: 180
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:26
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.410	49.317	-26.590	74.000	-1.907	PK
2	*	16500.000	49.458	49.571	-24.542	74.000	-0.114	PK

Profile: 2250805R	Page No.: 181
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.810	48.956	-27.190	74.000	-2.146	PK
2	*	16740.000	47.725	47.838	-26.275	74.000	-0.112	PK

Profile: 2250805R	Page No.: 182
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	47.278	49.424	-26.722	74.000	-2.146	PK
2	*	16740.000	47.982	48.095	-26.018	74.000	-0.112	PK

Profile: 2250805R	Page No.: 183
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	46.705	47.905	-27.295	74.000	-1.201	PK
2	*	17100.000	48.136	47.411	-25.864	74.000	0.726	PK

Profile: 2250805R	Page No.: 184
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.070	48.270	-26.930	74.000	-1.201	PK
2	*	17100.000	48.953	48.228	-25.047	74.000	0.726	PK

Profile: 2250805R	Page No.: 185
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.554	48.485	-26.446	74.000	-0.931	PK
2	*	17235.000	48.705	47.024	-25.295	74.000	1.681	PK

Profile: 2250805R	Page No.: 186
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.760	49.691	-25.240	74.000	-0.931	PK
2	*	17235.000	48.982	47.301	-25.018	74.000	1.681	PK

Profile: 2250805R	Page No.: 187
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.482	48.188	-26.518	74.000	-0.706	PK
2	*	17355.000	48.422	46.442	-25.578	74.000	1.980	PK

Profile: 2250805R	Page No.: 188
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.507	47.213	-27.493	74.000	-0.706	PK
2	*	17355.000	48.462	46.482	-25.538	74.000	1.980	PK

Profile: 2250805R	Page No.: 189
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.682	48.759	-25.318	74.000	-0.078	PK
2	*	17475.000	49.094	46.660	-24.906	74.000	2.434	PK

Profile: 2250805R	Page No.: 190
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.789	47.866	-26.211	74.000	-0.078	PK
2	*	17475.000	50.934	48.500	-23.066	74.000	2.434	PK

Profile: 2250805R	Page No.: 191
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.635	49.621	-27.365	74.000	-2.986	PK
2		15540.000	45.941	47.792	-28.059	74.000	-1.851	PK

Profile: 2250805R	Page No.: 192
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	47.583	50.569	-26.417	74.000	-2.986	PK
2		15540.000	46.197	48.048	-27.803	74.000	-1.851	PK

Profile: 2250805R	Page No.: 193
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.819	49.819	-27.181	74.000	-3.000	PK
2	*	15660.000	47.466	49.425	-26.534	74.000	-1.959	PK

Profile: 2250805R	Page No.: 194
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	46.716	49.716	-27.284	74.000	-3.000	PK
2		15660.000	45.954	47.913	-28.046	74.000	-1.959	PK

Profile: 2250805R	Page No.: 195
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:27
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.282	49.043	-27.718	74.000	-2.761	PK
2	*	15720.000	46.671	48.049	-27.329	74.000	-1.378	PK

Profile: 2250805R	Page No.: 196
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.334	49.095	-27.666	74.000	-2.761	PK
2	*	15720.000	47.617	48.995	-26.383	74.000	-1.378	PK

Profile: 2250805R	Page No.: 197
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	46.642	49.062	-27.358	74.000	-2.420	PK
2		15780.000	45.646	47.613	-28.354	74.000	-1.966	PK

Profile: 2250805R	Page No.: 198
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	47.468	49.888	-26.532	74.000	-2.420	PK
2		15780.000	46.016	47.983	-27.984	74.000	-1.966	PK

Profile: 2250805R	Page No.: 199
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.210	49.418	-26.790	74.000	-2.208	PK
2		15900.000	46.935	49.092	-27.065	74.000	-2.157	PK

Profile: 2250805R	Page No.: 200
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.016	49.224	-26.984	74.000	-2.208	PK
2	*	15900.000	47.739	49.896	-26.261	74.000	-2.157	PK

Profile: 2250805R	Page No.: 201
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.982	49.239	-27.018	74.000	-2.258	PK
2	*	15960.000	47.500	49.386	-26.500	74.000	-1.886	PK

Profile: 2250805R	Page No.: 202
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10640.000	47.094	49.351	-26.906	74.000	-2.258	PK
2		15960.000	46.654	48.540	-27.346	74.000	-1.886	PK

Profile: 2250805R	Page No.: 203
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.750	48.657	-27.250	74.000	-1.907	PK
2	*	16500.000	48.649	48.762	-25.351	74.000	-0.114	PK

Profile: 2250805R	Page No.: 204
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.683	48.590	-27.317	74.000	-1.907	PK
2	*	16500.000	48.457	48.570	-25.543	74.000	-0.114	PK

Profile: 2250805R	Page No.: 205
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.014	48.160	-27.986	74.000	-2.146	PK
2	*	16740.000	47.605	47.718	-26.395	74.000	-0.112	PK

Profile: 2250805R	Page No.: 206
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.600	48.746	-27.400	74.000	-2.146	PK
2	*	16740.000	46.913	47.026	-27.087	74.000	-0.112	PK

Profile: 2250805R	Page No.: 207
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	46.635	47.835	-27.365	74.000	-1.201	PK
2	*	17100.000	48.360	47.635	-25.640	74.000	0.726	PK

Profile: 2250805R	Page No.: 208
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11400.000	47.931	49.131	-26.069	74.000	-1.201	PK
2		17100.000	47.615	46.890	-26.385	74.000	0.726	PK

Profile: 2250805R	Page No.: 209
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.414	49.345	-25.586	74.000	-0.931	PK
2	*	17235.000	50.297	48.616	-23.703	74.000	1.681	PK

Profile: 2250805R	Page No.: 210
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.967	48.898	-26.033	74.000	-0.931	PK
2	*	17235.000	49.525	47.844	-24.475	74.000	1.681	PK

Profile: 2250805R	Page No.: 211
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.591	48.297	-26.409	74.000	-0.706	PK
2	*	17355.000	47.799	45.819	-26.201	74.000	1.980	PK

Profile: 2250805R	Page No.: 212
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.889	46.595	-28.111	74.000	-0.706	PK
2	*	17355.000	47.524	45.544	-26.476	74.000	1.980	PK

Profile: 2250805R	Page No.: 213
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.881	46.958	-27.119	74.000	-0.078	PK
2	*	17475.000	49.310	46.876	-24.690	74.000	2.434	PK

Profile: 2250805R	Page No.: 214
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.820	47.897	-26.180	74.000	-0.078	PK
2	*	17475.000	48.920	46.486	-25.080	74.000	2.434	PK

Profile: 2250805R	Page No.: 215
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	46.657	49.750	-27.343	74.000	-3.093	PK
2		15570.000	45.913	47.858	-28.087	74.000	-1.945	PK

Profile: 2250805R	Page No.: 216
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	46.321	49.414	-27.679	74.000	-3.093	PK
2		15570.000	46.019	47.964	-27.981	74.000	-1.945	PK

Profile: 2250805R	Page No.: 217
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	46.977	49.810	-27.023	74.000	-2.833	PK
2		15690.000	46.939	48.862	-27.061	74.000	-1.923	PK

Profile: 2250805R	Page No.: 218
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.576	49.409	-27.424	74.000	-2.833	PK
2	*	15690.000	47.979	49.902	-26.021	74.000	-1.923	PK

Profile: 2250805R	Page No.: 219
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10540.000	46.722	49.225	-27.278	74.000	-2.502	PK
2		15810.000	46.718	48.303	-27.282	74.000	-1.586	PK

Profile: 2250805R	Page No.: 220
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10540.000	47.670	50.173	-26.330	74.000	-2.502	PK
2		15810.000	47.293	48.878	-26.707	74.000	-1.586	PK

Profile: 2250805R	Page No.: 221
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.765	48.895	-27.235	74.000	-2.130	PK
2	*	15930.000	47.209	48.736	-26.791	74.000	-1.527	PK

Profile: 2250805R	Page No.: 222
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.665	48.795	-27.335	74.000	-2.130	PK
2	*	15930.000	47.590	49.117	-26.410	74.000	-1.527	PK

Profile: 2250805R	Page No.: 223
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.869	48.819	-27.131	74.000	-1.949	PK
2	*	16530.000	47.500	47.551	-26.500	74.000	-0.051	PK

Profile: 2250805R	Page No.: 224
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.997	48.947	-27.003	74.000	-1.949	PK
2	*	16530.000	47.664	47.715	-26.336	74.000	-0.051	PK

Profile: 2250805R	Page No.: 225
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	46.787	48.854	-27.213	74.000	-2.067	PK
2	*	16770.000	48.620	49.207	-25.380	74.000	-0.587	PK

Profile: 2250805R	Page No.: 226
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.134	49.201	-26.866	74.000	-2.067	PK
2	*	16770.000	47.991	48.578	-26.009	74.000	-0.587	PK

Profile: 2250805R	Page No.: 227
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.118	47.598	-27.882	74.000	-1.479	PK
2	*	17010.000	48.146	47.819	-25.854	74.000	0.326	PK

Profile: 2250805R	Page No.: 228
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.795	48.275	-27.205	74.000	-1.479	PK
2	*	17010.000	47.652	47.325	-26.348	74.000	0.326	PK

Profile: 2250805R	Page No.: 229
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.901	48.613	-26.099	74.000	-0.711	PK
2	*	17265.000	49.797	48.249	-24.203	74.000	1.548	PK

Profile: 2250805R	Page No.: 230
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.930	48.642	-26.070	74.000	-0.711	PK
2	*	17265.000	50.012	48.464	-23.988	74.000	1.548	PK

Profile: 2250805R	Page No.: 231
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.165	47.891	-26.835	74.000	-0.726	PK
2	*	17385.000	49.378	47.169	-24.622	74.000	2.210	PK

Profile: 2250805R	Page No.: 232
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.442	48.168	-26.558	74.000	-0.726	PK
2	*	17385.000	49.957	47.748	-24.043	74.000	2.210	PK

Profile: 2250805R	Page No.: 233
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.305	49.291	-27.695	74.000	-2.986	PK
2	*	15540.000	46.546	48.397	-27.454	74.000	-1.851	PK

Profile: 2250805R	Page No.: 234
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	47.184	50.170	-26.816	74.000	-2.986	PK
2		15540.000	45.764	47.615	-28.236	74.000	-1.851	PK

Profile: 2250805R	Page No.: 235
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.045	49.045	-27.955	74.000	-3.000	PK
2	*	15660.000	46.694	48.653	-27.306	74.000	-1.959	PK

Profile: 2250805R	Page No.: 236
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	46.341	49.341	-27.659	74.000	-3.000	PK
2		15660.000	45.315	47.274	-28.685	74.000	-1.959	PK

Profile: 2250805R	Page No.: 237
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	46.948	49.709	-27.052	74.000	-2.761	PK
2		15720.000	46.917	48.295	-27.083	74.000	-1.378	PK

Profile: 2250805R	Page No.: 238
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.459	48.220	-28.541	74.000	-2.761	PK
2	*	15720.000	46.319	47.697	-27.681	74.000	-1.378	PK

Profile: 2250805R	Page No.: 239
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	46.662	49.082	-27.338	74.000	-2.420	PK
2		15780.000	46.502	48.469	-27.498	74.000	-1.966	PK

Profile: 2250805R	Page No.: 240
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	47.434	49.854	-26.566	74.000	-2.420	PK
2		15780.000	46.678	48.645	-27.322	74.000	-1.966	PK

Profile: 2250805R	Page No.: 241
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.350	49.558	-26.650	74.000	-2.208	PK
2		15900.000	46.762	48.919	-27.238	74.000	-2.157	PK

Profile: 2250805R	Page No.: 242
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.005	49.213	-26.995	74.000	-2.208	PK
2		15900.000	46.706	48.863	-27.294	74.000	-2.157	PK

Profile: 2250805R	Page No.: 243
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.139	48.396	-27.861	74.000	-2.258	PK
2	*	15960.000	47.091	48.977	-26.909	74.000	-1.886	PK

Profile: 2250805R	Page No.: 244
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.519	48.776	-27.481	74.000	-2.258	PK
2	*	15960.000	47.976	49.862	-26.024	74.000	-1.886	PK

Profile: 2250805R	Page No.: 245
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.920	48.827	-27.080	74.000	-1.907	PK
2	*	16500.000	48.048	48.161	-25.952	74.000	-0.114	PK

Profile: 2250805R	Page No.: 246
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.649	48.556	-27.351	74.000	-1.907	PK
2	*	16500.000	48.794	48.907	-25.206	74.000	-0.114	PK

Profile: 2250805R	Page No.: 247
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.572	48.718	-27.428	74.000	-2.146	PK
2	*	16740.000	47.961	48.074	-26.039	74.000	-0.112	PK

Profile: 2250805R	Page No.: 248
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.408	48.554	-27.592	74.000	-2.146	PK
2	*	16740.000	48.276	48.389	-25.724	74.000	-0.112	PK

Profile: 2250805R	Page No.: 249
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.558	48.758	-26.442	74.000	-1.201	PK
2	*	17100.000	48.462	47.737	-25.538	74.000	0.726	PK

Profile: 2250805R	Page No.: 250
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	46.948	48.148	-27.052	74.000	-1.201	PK
2	*	17100.000	48.112	47.387	-25.888	74.000	0.726	PK

Profile: 2250805R	Page No.: 251
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.825	49.756	-25.175	74.000	-0.931	PK
2	*	17235.000	49.658	47.977	-24.342	74.000	1.681	PK

Profile: 2250805R	Page No.: 252
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:31
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.378	49.309	-25.622	74.000	-0.931	PK
2	*	17235.000	48.557	46.876	-25.443	74.000	1.681	PK

Profile: 2250805R	Page No.: 253
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.836	48.542	-26.164	74.000	-0.706	PK
2	*	17355.000	48.032	46.052	-25.968	74.000	1.980	PK

Profile: 2250805R	Page No.: 254
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.303	47.009	-27.697	74.000	-0.706	PK
2	*	17355.000	48.658	46.678	-25.342	74.000	1.980	PK

Profile: 2250805R	Page No.: 255
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.699	47.776	-26.301	74.000	-0.078	PK
2	*	17475.000	49.522	47.088	-24.478	74.000	2.434	PK

Profile: 2250805R	Page No.: 256
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.714	47.791	-26.286	74.000	-0.078	PK
2	*	17475.000	49.792	47.358	-24.208	74.000	2.434	PK

Profile: 2250805R	Page No.: 257
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	47.314	50.407	-26.686	74.000	-3.093	PK
2		15570.000	46.509	48.454	-27.491	74.000	-1.945	PK

Profile: 2250805R	Page No.: 258
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	46.537	49.630	-27.463	74.000	-3.093	PK
2		15570.000	45.766	47.711	-28.234	74.000	-1.945	PK

Profile: 2250805R	Page No.: 259
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.241	49.074	-27.759	74.000	-2.833	PK
2	*	15690.000	47.556	49.479	-26.444	74.000	-1.923	PK

Profile: 2250805R	Page No.: 260
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.687	48.520	-28.313	74.000	-2.833	PK
2	*	15690.000	47.341	49.264	-26.659	74.000	-1.923	PK

Profile: 2250805R	Page No.: 261
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.139	48.642	-27.861	74.000	-2.502	PK
2	*	15810.000	47.415	49.000	-26.585	74.000	-1.586	PK

Profile: 2250805R	Page No.: 262
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.742	49.245	-27.258	74.000	-2.502	PK
2	*	15810.000	46.805	48.390	-27.195	74.000	-1.586	PK

Profile: 2250805R	Page No.: 263
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.040	49.170	-26.960	74.000	-2.130	PK
2	*	15930.000	47.826	49.353	-26.174	74.000	-1.527	PK

Profile: 2250805R	Page No.: 264
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	47.102	49.232	-26.898	74.000	-2.130	PK
2		15930.000	46.840	48.367	-27.160	74.000	-1.527	PK

Profile: 2250805R	Page No.: 265
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:32
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.080	49.030	-26.920	74.000	-1.949	PK
2	*	16530.000	48.613	48.664	-25.387	74.000	-0.051	PK

Profile: 2250805R	Page No.: 266
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.357	49.307	-26.643	74.000	-1.949	PK
2	*	16530.000	48.755	48.806	-25.245	74.000	-0.051	PK

Profile: 2250805R	Page No.: 267
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.061	49.128	-26.939	74.000	-2.067	PK
2	*	16770.000	47.673	48.260	-26.327	74.000	-0.587	PK

Profile: 2250805R	Page No.: 268
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	46.798	48.865	-27.202	74.000	-2.067	PK
2	*	16770.000	47.853	48.440	-26.147	74.000	-0.587	PK

Profile: 2250805R	Page No.: 269
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.098	47.578	-27.902	74.000	-1.479	PK
2	*	17010.000	48.169	47.842	-25.831	74.000	0.326	PK

Profile: 2250805R	Page No.: 270
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.999	48.479	-27.001	74.000	-1.479	PK
2	*	17010.000	48.927	48.600	-25.073	74.000	0.326	PK

Profile: 2250805R	Page No.: 271
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.820	47.532	-27.180	74.000	-0.711	PK
2	*	17265.000	49.591	48.043	-24.409	74.000	1.548	PK

Profile: 2250805R	Page No.: 272
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	47.922	48.634	-26.078	74.000	-0.711	PK
2	*	17265.000	49.636	48.088	-24.364	74.000	1.548	PK

Profile: 2250805R	Page No.: 273
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.022	47.748	-26.978	74.000	-0.726	PK
2	*	17385.000	48.319	46.110	-25.681	74.000	2.210	PK

Profile: 2250805R	Page No.: 274
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	47.967	48.693	-26.033	74.000	-0.726	PK
2	*	17385.000	48.286	46.077	-25.714	74.000	2.210	PK

Profile: 2250805R	Page No.: 275
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	47.801	50.604	-26.199	74.000	-2.804	PK
2	*	15630.000	47.845	49.143	-26.155	74.000	-1.298	PK

Profile: 2250805R	Page No.: 276
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	47.519	50.322	-26.481	74.000	-2.804	PK
2		15630.000	46.527	47.825	-27.473	74.000	-1.298	PK

Profile: 2250805R	Page No.: 277
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	46.740	49.105	-27.260	74.000	-2.365	PK
2		15870.000	45.556	47.734	-28.444	74.000	-2.177	PK

Profile: 2250805R	Page No.: 278
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	47.237	49.602	-26.763	74.000	-2.365	PK
2		15870.000	46.229	48.407	-27.771	74.000	-2.177	PK

Profile: 2250805R	Page No.: 279
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.567	48.676	-27.433	74.000	-2.109	PK
2	*	16590.000	49.110	49.141	-24.890	74.000	-0.031	PK

Profile: 2250805R	Page No.: 280
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	47.072	49.181	-26.928	74.000	-2.109	PK
2	*	16590.000	48.888	48.919	-25.112	74.000	-0.031	PK

Profile: 2250805R	Page No.: 21
Engineer: YuLiu	
Site: AC5	Time: 2022/06/30 - 02:14
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	46.652	48.412	-27.348	74.000	-1.760	PK
2	*	16830.000	48.051	48.148	-25.949	74.000	-0.097	PK

Profile: 2250805R	Page No.: 22
Engineer: YuLiu	
Site: AC5	Time: 2022/06/30 - 02:14
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.912	47.672	-28.088	74.000	-1.760	PK
2	*	16830.000	47.204	47.301	-26.796	74.000	-0.097	PK

Profile: 2250805R	Page No.: 281
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.826	47.400	-27.174	74.000	-0.574	PK
2	*	17325.000	48.424	46.318	-25.576	74.000	2.106	PK

Profile: 2250805R	Page No.: 282
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.150	46.724	-27.850	74.000	-0.574	PK
2	*	17325.000	49.128	47.022	-24.872	74.000	2.106	PK

Profile: 2250805R	Page No.: 283
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	47.700	50.686	-26.300	74.000	-2.986	PK
2		15540.000	46.018	47.869	-27.982	74.000	-1.851	PK

Profile: 2250805R	Page No.: 284
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.466	50.452	-26.534	74.000	-2.986	PK
2	*	15540.000	48.085	49.936	-25.915	74.000	-1.851	PK

Profile: 2250805R	Page No.: 285
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	47.319	50.319	-26.681	74.000	-3.000	PK
2		15660.000	46.230	48.189	-27.770	74.000	-1.959	PK

Profile: 2250805R	Page No.: 286
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	47.396	50.396	-26.604	74.000	-3.000	PK
2		15660.000	45.741	47.700	-28.259	74.000	-1.959	PK

Profile: 2250805R	Page No.: 287
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.908	48.669	-28.092	74.000	-2.761	PK
2	*	15720.000	46.773	48.151	-27.227	74.000	-1.378	PK

Profile: 2250805R	Page No.: 288
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.944	48.705	-28.056	74.000	-2.761	PK
2	*	15720.000	47.379	48.757	-26.621	74.000	-1.378	PK

Profile: 2250805R	Page No.: 289
Engineer: YuLiu	
Site: AC5	Time: 2022/06/22 - 04:34
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	47.321	49.741	-26.679	74.000	-2.420	PK
2		15780.000	46.561	48.528	-27.439	74.000	-1.966	PK