



The data of entire corresponding spectrum:






4.4 Duty cycle	VERDICT: PASS
-----------------------	----------------------

4.4.1 Limit

N/A

4.4.2 Test Setup**4.4.3 Test Procedure**

References Rule	Chapter	Description
☒ ANSI C63.10	11.6	Duty cycle (D), transmission duration (T), and maximum power control level


4.4.4 Test Data

Test Mode	Tx On (ms)	VBW (Hz)	Tx On + Tx Off (ms)	Duty Cycle (%)
Mode 1	N/A	10	N/A	100
Mode 2	1.965	10	1.990	98.74
Mode 3	N/A	10	N/A	100
Mode 4	N/A	10	N/A	100
Mode 5	N/A	10	N/A	100
Mode 6	N/A	10	N/A	100


Note 1: T means the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

Note 2: According to KDB 558074, when test for Radiated Emission Band Edge and Radiated Emission, for average detector set: $VBW \geq 1/T$ will be used.


Mode 1 2437MHz




Mode 2 2437MHz




Mode 3 2437MHz



Mode 4 2437MHz






4.5 Radiated Emission Band Edge**VERDICT: PASS****4.5.1 Limit**

Standard		FCC Part 15 Subpart C Paragraph 15.247(d) , 15.205, 15.209		
Frequency bands (MHz)	Detector	Limit (dB μ V/m)	RBW (MHz)	Distance (m)
2310-2390 2483.5-2500	PK	74	1	3
	AV	54	1	3

Note: The field strength of emissions appearing within these frequency bands shall not exceed the limits.

4.5.2 Test Setup

Above 1GHz Test Setup:




4.5.3 Test Procedure			
	References Rule	Chapter	Description
☒	ANSI C63.10	6.10	Band-edge testing
	☒ ANSI C63.10	6.10.5	Restricted-band band-edge measurements
	☐ ANSI C63.10	6.10.6	Marker-delta method
☒	ANSI C63.10	11.12	Emissions in restricted frequency bands
	☒ ANSI C63.10	11.12.1	Radiated emission measurements
	☒ ANSI C63.10	6.3	Radiated spurious emission test
☐	ANSI C63.10	6.4	Radiated emissions from unlicensed wireless devices below 30 MHz
☐	ANSI C63.10	6.5	Radiated emissions from unlicensed wireless devices in the frequency range of 30 MHz to 1000 MHz
☒	ANSI C63.10	6.6	Radiated emissions from unlicensed wireless devices above 1 GHz

4.5.4 Test Data


SISO Antenna1:

Profile: 2250805R	Page No.: 1
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2387.000	52.859	16.787	-1.141	54.000	36.072	AV
2		2390.000	49.155	13.057	-4.845	54.000	36.098	AV

Profile: 2250805R	Page No.: 2
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2385.936	59.522	23.460	-14.478	74.000	36.062	PK
2		2390.000	57.282	21.184	-16.718	74.000	36.098	PK

Profile: 2250805R	Page No.: 3
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2386.888	50.424	14.353	-3.576	54.000	36.071	AV
2		2390.000	47.127	11.029	-6.873	54.000	36.098	AV

Profile: 2250805R	Page No.: 4
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2402MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	55.947	19.849	-18.053	74.000	36.098	PK

Profile: 2250805R	Page No.: 5
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	41.230	5.009	-12.770	54.000	36.220	AV
2	*	2488.840	45.979	9.736	-8.021	54.000	36.243	AV

Profile: 2250805R	Page No.: 6
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	52.684	16.463	-21.316	74.000	36.220	PK
2	*	2488.456	56.188	19.947	-17.812	74.000	36.241	PK

Profile: 2250805R	Page No.: 7
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	43.721	7.500	-10.279	54.000	36.220	AV
2	*	2488.768	48.461	12.219	-5.539	54.000	36.243	AV

Profile: 2250805R	Page No.: 8
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	55.172	18.951	-18.828	74.000	36.220	PK
2	*	2488.288	58.750	22.510	-15.250	74.000	36.241	PK

Profile: 2250805R	Page No.: 9
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	51.761	15.663	-2.239	54.000	36.098	AV

Profile: 2250805R	Page No.: 10
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	66.662	30.564	-7.338	74.000	36.098	PK

Profile: 2250805R	Page No.: 11
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 07:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	49.792	13.694	-4.208	54.000	36.098	AV

Profile: 2250805R	Page No.: 12
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	64.062	27.964	-9.938	74.000	36.098	PK

Profile: 2250805R	Page No.: 13
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.717	8.496	-9.283	54.000	36.220	AV

Profile: 2250805R	Page No.: 14
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	60.497	24.276	-13.503	74.000	36.220	PK
2	*	2486.008	62.795	26.564	-11.205	74.000	36.231	PK

Profile: 2250805R	Page No.: 15
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	48.246	12.025	-5.754	54.000	36.220	AV

Profile: 2250805R	Page No.: 16
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	63.275	27.054	-10.725	74.000	36.220	PK
2	*	2485.936	65.570	29.339	-8.430	74.000	36.231	PK

Profile: 2250805R	Page No.: 17
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	51.846	15.748	-2.154	54.000	36.098	AV

Profile: 2250805R	Page No.: 18
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	63.291	27.193	-10.709	74.000	36.098	PK

Profile: 2250805R	Page No.: 19
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	50.057	13.959	-3.943	54.000	36.098	AV

Profile: 2250805R	Page No.: 20
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	62.042	25.944	-11.958	74.000	36.098	PK

Profile: 2250805R	Page No.: 21
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.888	7.667	-10.112	54.000	36.220	AV

Profile: 2250805R	Page No.: 22
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	57.293	21.072	-16.707	74.000	36.220	PK

Profile: 2250805R	Page No.: 23
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	47.502	11.281	-6.498	54.000	36.220	AV

Profile: 2250805R	Page No.: 24
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 08:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	61.179	24.958	-12.821	74.000	36.220	PK
2	*	2483.608	64.585	28.364	-9.415	74.000	36.221	PK

Profile: 2250805R	Page No.: 41
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	49.852	13.754	-4.148	54.000	36.098	AV

Profile: 2250805R	Page No.: 42
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	60.108	24.010	-13.892	74.000	36.098	PK

Profile: 2250805R	Page No.: 43
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	47.971	11.873	-6.029	54.000	36.098	AV

Profile: 2250805R	Page No.: 44
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	59.202	23.104	-14.798	74.000	36.098	PK

Profile: 2250805R	Page No.: 45
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	42.805	6.584	-11.195	54.000	36.220	AV

Profile: 2250805R	Page No.: 46
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	55.442	19.221	-18.558	74.000	36.220	PK
2	*	2488.304	58.988	22.748	-15.012	74.000	36.241	PK

Profile: 2250805R	Page No.: 47
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.787	9.566	-8.213	54.000	36.220	AV

Profile: 2250805R	Page No.: 48
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	58.575	22.354	-15.425	74.000	36.220	PK

Profile: 2250805R	Page No.: 33
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	52.754	16.656	-1.246	54.000	36.098	AV

Profile: 2250805R	Page No.: 34
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	65.966	29.868	-8.034	74.000	36.098	PK

Profile: 2250805R	Page No.: 35
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	50.996	14.898	-3.004	54.000	36.098	AV

Profile: 2250805R	Page No.: 36
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	63.462	27.364	-10.538	74.000	36.098	PK

Profile: 2250805R	Page No.: 37
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.133	7.912	-9.867	54.000	36.220	AV

Profile: 2250805R	Page No.: 38
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	60.692	24.471	-13.308	74.000	36.220	PK
2	*	2483.632	63.481	27.260	-10.519	74.000	36.221	PK

Profile: 2250805R	Page No.: 39
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	47.540	11.319	-6.460	54.000	36.220	AV

Profile: 2250805R	Page No.: 40
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	61.825	25.604	-12.175	74.000	36.220	PK
2	*	2483.776	66.594	30.372	-7.406	74.000	36.221	PK

Profile: 2250805R	Page No.: 57
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	53.032	16.934	-0.968	54.000	36.098	AV

Profile: 2250805R	Page No.: 58
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	62.827	26.729	-11.173	74.000	36.098	PK

Profile: 2250805R	Page No.: 59
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	50.974	14.876	-3.026	54.000	36.098	AV

Profile: 2250805R	Page No.: 60
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	61.936	25.838	-12.064	74.000	36.098	PK

Profile: 2250805R	Page No.: 61
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.487	7.266	-10.513	54.000	36.220	AV

Profile: 2250805R	Page No.: 62
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	59.451	23.230	-14.549	74.000	36.220	PK

Profile: 2250805R	Page No.: 63
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	46.332	10.111	-7.668	54.000	36.220	AV


Profile: 2250805R	Page No.: 64
Engineer: YuLiu	
Site: AC5	Time: 2022/06/19 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	64.576	28.355	-9.424	74.000	36.220	PK


SISO Antenna2:

Profile: 2250805R	Page No.: 1
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2385.208	52.455	16.399	-1.545	54.000	36.056	AV
2		2390.000	50.497	14.399	-3.503	54.000	36.098	AV

Profile: 2250805R	Page No.: 2
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2384.592	58.693	22.642	-15.307	74.000	36.051	PK
2		2390.000	58.150	22.052	-15.850	74.000	36.098	PK

Profile: 2250805R	Page No.: 3
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2385.432	49.467	13.409	-4.533	54.000	36.058	AV
2		2390.000	46.783	10.685	-7.217	54.000	36.098	AV

Profile: 2250805R	Page No.: 4
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2402MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2386.048	56.818	20.755	-17.182	74.000	36.063	PK
2		2390.000	54.750	18.652	-19.250	74.000	36.098	PK

Profile: 2250805R	Page No.: 5
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.693	7.472	-10.307	54.000	36.220	AV

Profile: 2250805R	Page No.: 6
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	53.573	17.352	-20.427	74.000	36.220	PK

Profile: 2250805R	Page No.: 7
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	41.345	5.124	-12.655	54.000	36.220	AV

Profile: 2250805R	Page No.: 8
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	52.413	16.192	-21.587	74.000	36.220	PK

Profile: 2250805R	Page No.: 9
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	49.210	13.112	-4.790	54.000	36.098	AV

Profile: 2250805R	Page No.: 10
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2387.000	62.178	26.106	-11.822	74.000	36.072	PK
2		2390.000	60.303	24.205	-13.697	74.000	36.098	PK

Profile: 2250805R	Page No.: 11
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 07:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	49.277	13.179	-4.723	54.000	36.098	AV

Profile: 2250805R	Page No.: 12
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	63.674	27.576	-10.326	74.000	36.098	PK

Profile: 2250805R	Page No.: 13
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.782	9.561	-8.218	54.000	36.220	AV

Profile: 2250805R	Page No.: 14
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	59.911	23.690	-14.089	74.000	36.220	PK
2	*	2486.560	62.396	26.163	-11.604	74.000	36.233	PK

Profile: 2250805R	Page No.: 15
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	42.891	6.670	-11.109	54.000	36.220	AV

Profile: 2250805R	Page No.: 16
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	56.343	20.122	-17.657	74.000	36.220	PK
2	*	2486.512	59.837	23.604	-14.163	74.000	36.233	PK

Profile: 2250805R	Page No.: 17
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	48.211	12.113	-5.789	54.000	36.098	AV

Profile: 2250805R	Page No.: 18
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	61.205	25.107	-12.795	74.000	36.098	PK

Profile: 2250805R	Page No.: 19
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	50.526	14.428	-3.474	54.000	36.098	AV

Profile: 2250805R	Page No.: 20
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	63.205	27.107	-10.795	74.000	36.098	PK

Profile: 2250805R	Page No.: 21
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.344	7.123	-10.656	54.000	36.220	AV

Profile: 2250805R	Page No.: 22
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	55.097	18.876	-18.903	74.000	36.220	PK

Profile: 2250805R	Page No.: 23
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.577	9.356	-8.423	54.000	36.220	AV

Profile: 2250805R	Page No.: 24
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 08:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	59.174	22.953	-14.826	74.000	36.220	PK

Profile: 2250805R	Page No.: 41
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	49.362	13.264	-4.638	54.000	36.098	AV

Profile: 2250805R	Page No.: 42
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	60.580	24.482	-13.420	74.000	36.098	PK

Profile: 2250805R	Page No.: 43
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	52.161	16.063	-1.839	54.000	36.098	AV

Profile: 2250805R	Page No.: 44
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	63.601	27.503	-10.399	74.000	36.098	PK

Profile: 2250805R	Page No.: 45
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.829	7.608	-10.171	54.000	36.220	AV

Profile: 2250805R	Page No.: 46
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	54.513	18.292	-19.487	74.000	36.220	PK
2	*	2485.312	59.525	23.297	-14.475	74.000	36.228	PK

Profile: 2250805R	Page No.: 47
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	45.647	9.426	-8.353	54.000	36.220	AV

Profile: 2250805R	Page No.: 48
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	58.002	21.781	-15.998	74.000	36.220	PK
2	*	2485.040	61.676	25.449	-12.324	74.000	36.227	PK

Profile: 2250805R	Page No.: 33
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	51.097	14.999	-2.903	54.000	36.098	AV

Profile: 2250805R	Page No.: 34
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	62.916	26.818	-11.084	74.000	36.098	PK

Profile: 2250805R	Page No.: 35
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	53.805	17.707	-0.195	54.000	36.098	AV

Profile: 2250805R	Page No.: 36
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2412MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	67.407	31.309	-6.593	74.000	36.098	PK

Profile: 2250805R	Page No.: 37
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.910	8.689	-9.090	54.000	36.220	AV

Profile: 2250805R	Page No.: 38
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	58.495	22.274	-15.505	74.000	36.220	PK
2	*	2485.432	62.477	26.249	-11.523	74.000	36.229	PK

Profile: 2250805R	Page No.: 39
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	46.726	10.505	-7.274	54.000	36.220	AV

Profile: 2250805R	Page No.: 40
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 2462MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	63.568	27.347	-10.432	74.000	36.220	PK
2	*	2486.992	66.225	29.990	-7.775	74.000	36.235	PK

Profile: 2250805R	Page No.: 57
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	50.714	14.616	-3.286	54.000	36.098	AV

Profile: 2250805R	Page No.: 58
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	61.335	25.237	-12.665	74.000	36.098	PK

Profile: 2250805R	Page No.: 59
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	53.259	17.161	-0.741	54.000	36.098	AV

Profile: 2250805R	Page No.: 60
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2422MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2390.000	64.453	28.355	-9.547	74.000	36.098	PK

Profile: 2250805R	Page No.: 61
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	43.092	6.871	-10.908	54.000	36.220	AV

Profile: 2250805R	Page No.: 62
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	56.569	20.348	-17.431	74.000	36.220	PK
2	*	2484.700	59.719	23.494	-14.281	74.000	36.225	PK

Profile: 2250805R	Page No.: 63
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	44.354	8.133	-9.646	54.000	36.220	AV


Profile: 2250805R	Page No.: 64
Engineer: YuLiu	
Site: AC5	Time: 2022/06/13 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 2452MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2483.500	59.932	23.711	-14.068	74.000	36.220	PK


CDD Antenna1+2:

Profile: 2250805R	Page No.: 1
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2385.208	53.596	17.540	-0.404	54.000	36.056	AV
2		2390.000	48.736	12.638	-5.264	54.000	36.098	AV

Profile: 2250805R	Page No.: 2
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 07:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2385.824	61.458	25.397	-12.542	74.000	36.061	PK
2		2390.000	58.462	22.364	-15.538	74.000	36.098	PK

Profile: 2250805R	Page No.: 3
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 07:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2386.552	45.062	8.994	-8.938	54.000	36.068	AV
2		2390.000	42.522	6.424	-11.478	54.000	36.098	AV

Profile: 2250805R	Page No.: 4
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 07:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2402MHz by 11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2386.888	55.649	19.578	-18.351	74.000	36.071	PK
2		2390.000	53.489	17.391	-20.511	74.000	36.098	PK

Profile: 2250805R	Page No.: 5
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 07:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2483.500	45.267	9.046	-8.733	54.000	36.220	AV
2	*	2487.784	51.325	15.087	-2.675	54.000	36.238	AV