





11BE20MIMO_Ant2_5825_52Tone+26Tone_RU40+RU6



Date: 18.APR.2024 19:23:07

11BE20MIMO_Ant2_5825_106Tone+26Tone_RU54+RU4



Date: 18.APR.2024 19:24:20

<Single Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5180	26Tone	RU0	0.21	≤11.00	PASS
			52Tone	RU37	-0.33	≤11.00	PASS
			106Tone	RU53	-0.32	≤11.00	PASS
	Ant2	5180	26Tone	RU0	0.05	≤11.00	PASS
			52Tone	RU37	-0.51	≤11.00	PASS
			106Tone	RU53	-0.57	≤11.00	PASS
	total	5180	26Tone	RU0	3.14	≤11.00	PASS
			52Tone	RU37	2.59	≤11.00	PASS
			106Tone	RU53	2.57	≤11.00	PASS
	Ant1	5320	26Tone	RU8	4.57	≤11.00	PASS
			52Tone	RU40	4.24	≤11.00	PASS
			106Tone	RU54	4.12	≤11.00	PASS
	Ant2	5320	26Tone	RU8	3.21	≤11.00	PASS
			52Tone	RU40	3.38	≤11.00	PASS
			106Tone	RU54	3.53	≤11.00	PASS
	total	5320	26Tone	RU8	6.95	≤11.00	PASS
			52Tone	RU40	6.84	≤11.00	PASS
			106Tone	RU54	6.85	≤11.00	PASS
	Ant1	5500	26Tone	RU0	4.51	≤11.00	PASS
			52Tone	RU37	4.9	≤11.00	PASS
			106Tone	RU53	4.74	≤11.00	PASS
	Ant2	5500	26Tone	RU0	4.38	≤11.00	PASS
			52Tone	RU37	4.79	≤11.00	PASS
			106Tone	RU53	4.65	≤11.00	PASS
	total	5500	26Tone	RU0	7.46	≤11.00	PASS
			52Tone	RU37	7.86	≤11.00	PASS
			106Tone	RU53	7.71	≤11.00	PASS
	Ant1	5700	26Tone	RU8	2.1	≤11.00	PASS
			52Tone	RU40	2.22	≤11.00	PASS
			106Tone	RU54	1.89	≤11.00	PASS
	Ant2	5700	26Tone	RU8	2.29	≤11.00	PASS
			52Tone	RU40	2.72	≤11.00	PASS
			106Tone	RU54	2.72	≤11.00	PASS




	total	5700	26Tone	RU8	5.21	≤11.00	PASS
			52Tone	RU40	5.49	≤11.00	PASS
			106Tone	RU54	5.34	≤11.00	PASS
	Ant1	5720	26Tone	RU8	4.26	≤11.00	PASS
			52Tone	RU40	4.66	≤11.00	PASS
			106Tone	RU54	4.28	≤11.00	PASS
	Ant2	5720	26Tone	RU8	5.02	≤11.00	PASS
			52Tone	RU40	5.38	≤11.00	PASS
			106Tone	RU54	5.33	≤11.00	PASS
	total	5720	26Tone	RU8	7.67	≤11.00	PASS
			52Tone	RU40	8.05	≤11.00	PASS
			106Tone	RU54	7.85	≤11.00	PASS
	Ant1	5745	26Tone	RU0	3.03	≤30.00	PASS
			52Tone	RU37	2.97	≤30.00	PASS
			106Tone	RU53	2.99	≤30.00	PASS
	Ant2	5745	26Tone	RU0	2.76	≤30.00	PASS
			52Tone	RU37	3.16	≤30.00	PASS
			106Tone	RU53	2.97	≤30.00	PASS
	total	5745	26Tone	RU0	5.91	≤30.00	PASS
			52Tone	RU37	6.08	≤30.00	PASS
			106Tone	RU53	5.99	≤30.00	PASS
	Ant1	5825	26Tone	RU8	3.11	≤30.00	PASS
			52Tone	RU40	3.21	≤30.00	PASS
			106Tone	RU54	2.8	≤30.00	PASS
	Ant2	5825	26Tone	RU8	2.84	≤30.00	PASS
			52Tone	RU40	2.69	≤30.00	PASS
			106Tone	RU54	2.76	≤30.00	PASS
	total	5825	26Tone	RU8	5.99	≤30.00	PASS
			52Tone	RU40	5.97	≤30.00	PASS
			106Tone	RU54	5.79	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant1_5180_106Tone_RU53



Date: 13.MAY.2024 22:09:57


11BE20MIMO_Ant2_5180_26Tone_RU0



Date: 13.MAY.2024 22:07:46




11BE20MIMO_Ant2_5180_52Tone_RU37



Date: 13.MAY.2024 22:12:28


11BE20MIMO_Ant2_5180_106Tone_RU53



Date: 13.MAY.2024 22:10:30




11BE20MIMO_Ant1_5320_26Tone_RU8



Date: 18.APR.2024 02:38:01


11BE20MIMO_Ant1_5320_52Tone_RU40



Date: 18.APR.2024 02:40:04




11BE20MIMO_Ant1_5320_106Tone_RU54



Date: 18.APR.2024 02:41:19


11BE20MIMO_Ant2_5320_26Tone_RU8



Date: 18.APR.2024 02:38:12




11BE20MIMO_Ant2_5320_52Tone_RU40



Date: 18.APR.2024 02:40:16


11BE20MIMO_Ant2_5320_106Tone_RU54



Date: 18.APR.2024 02:41:31




11BE20MIMO_Ant1_5500_26Tone_RU0



Date: 18.APR.2024 02:42:47


11BE20MIMO_Ant1_5500_52Tone_RU37



Date: 18.APR.2024 02:45:22




11BE20MIMO_Ant1_5500_106Tone_RU53



Date: 18.APR.2024 02:46:53


11BE20MIMO_Ant2_5500_26Tone_RU0



Date: 18.APR.2024 02:42:59




11BE20MIMO_Ant2_5500_52Tone_RU37



Date: 18.APR.2024 02:45:34


11BE20MIMO_Ant2_5500_106Tone_RU53



Date: 18.APR.2024 02:47:05




11BE20MIMO_Ant1_5700_26Tone_RU8



Date: 18.APR.2024 02:50:37


11BE20MIMO_Ant1_5700_52Tone_RU40



Date: 18.APR.2024 02:51:59




11BE20MIMO_Ant1_5700_106Tone_RU54



Date: 18.APR.2024 02:54:44


11BE20MIMO_Ant2_5700_26Tone_RU8



Date: 18.APR.2024 02:50:49




11BE20MIMO_Ant2_5700_52Tone_RU40



Date: 18.APR.2024 02:52:11


11BE20MIMO_Ant2_5700_106Tone_RU54



Date: 18.APR.2024 02:54:56




11BE20MIMO_Ant1_5720_26Tone_RU8



Date: 11.MAY.2024 08:34:11


11BE20MIMO_Ant1_5720_52Tone_RU40



Date: 11.MAY.2024 08:34:56




11BE20MIMO_Ant1_5700_106Tone_RU54



Date: 11.MAY.2024 08:35:40


11BE20MIMO_Ant2_5700_26Tone_RU8



Date: 11.MAY.2024 08:34:22




11BE20MIMO_Ant2_5700_52Tone_RU40



Date: 11.MAY.2024 08:35:08


11BE20MIMO_Ant2_5700_106Tone_RU54



Date: 11.MAY.2024 08:35:52




11BE20MIMO_Ant1_5745_26Tone_RU0



Date: 18.APR.2024 02:57:07


11BE20MIMO_Ant1_5745_52Tone_RU37



Date: 18.APR.2024 03:01:33




11BE20MIMO_Ant1_5745_106Tone_RU53



Date: 18.APR.2024 03:03:47


11BE20MIMO_Ant2_5745_26Tone_RU0



Date: 18.APR.2024 02:57:19




11BE20MIMO_Ant2_5745_52Tone_RU37



Date: 18.APR.2024 03:01:45


11BE20MIMO_Ant2_5745_106Tone_RU53



Date: 18.APR.2024 03:03:59




11BE20MIMO_Ant1_5825_26Tone_RU8



Date: 18.APR.2024 03:06:08


11BE20MIMO_Ant1_5825_52Tone_RU40



Date: 18.APR.2024 03:08:29




11BE20MIMO_Ant1_5825_106Tone_RU54



Date: 18.APR.2024 03:55:39


11BE20MIMO_Ant2_5825_26Tone_RU8



Date: 18.APR.2024 03:06:20




11BE20MIMO_Ant2_5825_52Tone_RU40



Date: 18.APR.2024 03:08:41

11BE20MIMO_Ant2_5825_106Tone_RU54



Date: 18.APR.2024 03:55:51



<Large RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	484Tone+242Tone	RU4	-4.41	≤11.00	PASS
	Ant2	5210	484Tone+242Tone	RU4	-4.59	≤11.00	PASS
	total	5210	484Tone+242Tone	RU4	-1.49	≤11.00	PASS
	Ant1	5290	484Tone+242Tone	RU1	-4.10	≤11.00	PASS
	Ant2	5290	484Tone+242Tone	RU1	-4.47	≤11.00	PASS
	total	5290	484Tone+242Tone	RU1	-1.27	≤11.00	PASS
	Ant1	5530	484Tone+242Tone	RU4	-3.75	≤11.00	PASS
	Ant2	5530	484Tone+242Tone	RU4	-3.90	≤11.00	PASS
	total	5530	484Tone+242Tone	RU4	-0.81	≤11.00	PASS
	Ant1	5610	484Tone+242Tone	RU1	-1.82	≤11.00	PASS
	Ant2	5610	484Tone+242Tone	RU1	-1.94	≤11.00	PASS
	total	5610	484Tone+242Tone	RU1	1.13	≤11.00	PASS
	Ant1	5690	484Tone+242Tone	RU4	0.02	≤11.00	PASS
	Ant2	5690	484Tone+242Tone	RU4	-0.28	≤11.00	PASS
	total	5690	484Tone+242Tone	RU4	2.88	≤11.00	PASS
	Ant1	5775	484Tone+242Tone	RU1	-4.38	≤30.00	PASS
				RU4	-4.38	≤30.00	PASS
	Ant2	5775	484Tone+242Tone	RU1	-4.21	≤30.00	PASS
				RU4	-3.84	≤30.00	PASS
	total	5775	484Tone+242Tone	RU1	-1.28	≤30.00	PASS
				RU4	-1.09	≤30.00	PASS
11BE160MIMO	Ant1	5250	996Tone+484Tone	RU1	-6.46	≤11.00	PASS
				RU4	-6.17	≤11.00	PASS
	Ant2	5250	996Tone+484Tone	RU1	-5.83	≤11.00	PASS
				RU4	-5.72	≤11.00	PASS
	total	5250	996Tone+484Tone	RU1	-3.12	≤11.00	PASS
				RU4	-2.93	≤11.00	PASS
	Ant1	5570	996Tone+484Tone	RU1	-6.71	≤11.00	PASS
				RU4	-6.58	≤11.00	PASS
	Ant2	5570	996Tone+484Tone	RU1	-7.15	≤11.00	PASS
				RU4	-7.23	≤11.00	PASS
	total	5570	996Tone+484Tone	RU1	-3.91	≤11.00	PASS
				RU4	-3.88	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant1_5290_484Tone+242Tone_RU1



Date: 18.APR.2024 19:37:03


11BE80MIMO_Ant2_5290_484Tone+242Tone_RU1



Date: 18.APR.2024 19:37:15




11BE80MIMO_Ant1_5530_484Tone+242Tone_RU4



Date: 18.APR.2024 19:51:39


11BE80MIMO_Ant2_5530_484Tone+242Tone_RU4



Date: 18.APR.2024 19:51:51




11BE80MIMO_Ant1_5610_484Tone+242Tone_RU1



Date: 18.APR.2024 19:49:08


11BE80MIMO_Ant2_5610_484Tone+242Tone_RU1



Date: 18.APR.2024 19:49:20




11BE80MIMO_Ant1_5690_484Tone+242Tone_RU4



Date: 18.APR.2024 19:47:48


11BE80MIMO_Ant2_5690_484Tone+242Tone_RU4



Date: 18.APR.2024 19:48:00




11BE80MIMO_Ant1_5775_484Tone+242Tone_RU1



Date: 18.APR.2024 19:53:20


11BE80MIMO_Ant1_5775_484Tone+242Tone_RU4



Date: 18.APR.2024 19:55:37




11BE80MIMO_Ant2_5775_484Tone+242Tone_RU1



Date: 18.APR.2024 19:53:51


11BE80MIMO_Ant2_5775_484Tone+242Tone_RU4



Date: 18.APR.2024 19:56:08




11BE160MIMO_Ant1_5250_996Tone+484Tone_RU1



Date: 18.APR.2024 20:11:47


11BE160MIMO_Ant1_5250_996Tone+484Tone_RU4



Date: 18.APR.2024 20:14:03




11BE160MIMO_Ant2_5250_996Tone+484Tone_RU1



Date: 18.APR.2024 20:13:16


11BE160MIMO_Ant2_5250_996Tone+484Tone_RU4



Date: 18.APR.2024 20:14:35




11BE160MIMO_Ant1_5570_996Tone+484Tone_RU1



Date: 18.APR.2024 20:16:04


11BE160MIMO_Ant1_5570_996Tone+484Tone_RU4



Date: 18.APR.2024 20:17:30




11BE160MIMO_Ant2_5570_996Tone+484Tone_RU1



Date: 18.APR.2024 20:16:36

11BE160MIMO_Ant2_5570_996Tone+484Tone_RU4



Date: 18.APR.2024 20:18:02

<Puncturing Mode>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	Puncturing 20M	RU4	-3.99	≤11.00	PASS
	Ant2	5210	Puncturing 20M	RU4	-4.29	≤11.00	PASS
	total	5210	Puncturing 20M	RU4	-1.13	≤11.00	PASS
	Ant1	5290	Puncturing 20M	RU1	-4.18	≤11.00	PASS
	Ant2	5290	Puncturing 20M	RU1	-4.64	≤11.00	PASS
	total	5290	Puncturing 20M	RU1	-1.39	≤11.00	PASS
	Ant1	5530	Puncturing 20M	RU4	-3.96	≤11.00	PASS
	Ant2	5530	Puncturing 20M	RU4	-3.79	≤11.00	PASS
	total	5530	Puncturing 20M	RU4	-0.86	≤11.00	PASS
	Ant1	5610	Puncturing 20M	RU1	-1.84	≤11.00	PASS
	Ant2	5610	Puncturing 20M	RU1	-1.94	≤11.00	PASS
	total	5610	Puncturing 20M	RU1	1.12	≤11.00	PASS
	Ant1	5690	Puncturing 20M	RU4	0.02	≤11.00	PASS
	Ant2	5690	Puncturing 20M	RU4	-0.30	≤11.00	PASS
	total	5690	Puncturing 20M	RU4	2.87	≤11.00	PASS
	Ant1	5775	Puncturing 20M	RU1	-4.34	≤30.00	PASS
				RU4	-4.54	≤30.00	PASS
	Ant2	5775	Puncturing 20M	RU1	-4.35	≤30.00	PASS
				RU4	-3.95	≤30.00	PASS
	total	5775	Puncturing 20M	RU1	-1.33	≤30.00	PASS
				RU4	-1.22	≤30.00	PASS
11BE160MIMO	Ant1	5250	Puncturing 40M	RU1	-7.07	≤11.00	PASS
			Puncturing 20M	RU1	-6.44	≤11.00	PASS
			Puncturing 40M	RU4	-6.63	≤11.00	PASS
			Puncturing 20M	RU8	-6.25	≤11.00	PASS
	Ant2	5250	Puncturing 20M	RU1	-5.81	≤11.00	PASS
			Puncturing 40M	RU1	-5.72	≤11.00	PASS
				RU4	-5.57	≤11.00	PASS
			Puncturing 20M	RU8	-5.82	≤11.00	PASS
	total	5250	Puncturing 40M	RU1	-3.33	≤11.00	PASS
			Puncturing 20M	RU1	-3.10	≤11.00	PASS
			Puncturing 40M	RU4	-3.06	≤11.00	PASS
			Puncturing 20M	RU8	-3.02	≤11.00	PASS




	Ant1	5570	Puncturing 20M	RU1	-6.71	≤11.00	PASS
			Puncturing 40M	RU1	-6.76	≤11.00	PASS
				RU4	-6.83	≤11.00	PASS
			Puncturing 20M	RU8	-6.72	≤11.00	PASS
	Ant2	5570	Puncturing 20M	RU1	-7.25	≤11.00	PASS
			Puncturing 40M	RU1	-7.20	≤11.00	PASS
				RU4	-7.35	≤11.00	PASS
			Puncturing 20M	RU8	-7.32	≤11.00	PASS
	total	5570	Puncturing 40M	RU1	-3.96	≤11.00	PASS
			Puncturing 20M	RU1	-3.96	≤11.00	PASS
			Puncturing 40M	RU4	-4.07	≤11.00	PASS
			Puncturing 20M	RU8	-4.00	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant1_5290_Puncturing 20M_RU1



Date: 18.APR.2024 20:55:06


11BE80MIMO_Ant2_5290_Puncturing 20M_RU1



Date: 18.APR.2024 20:55:18




11BE80MIMO_Ant1_5530_Puncturing 20M_RU4



Date: 18.APR.2024 20:56:30


11BE80MIMO_Ant2_5530_Puncturing 20M_RU4



Date: 18.APR.2024 20:57:01




11BE80MIMO_Ant1_5610_Puncturing 20M_RU1



Date: 18.APR.2024 20:58:14


11BE80MIMO_Ant2_5610_Puncturing 20M_RU1



Date: 18.APR.2024 20:58:46




11BE80MIMO_Ant1_5690_Puncturing 20M_RU4



Date: 18.APR.2024 20:59:52


11BE80MIMO_Ant2_5690_Puncturing 20M_RU4



Date: 18.APR.2024 21:00:23




11BE80MIMO_Ant1_5775_Puncturing 20M_RU1



Date: 18.APR.2024 21:02:46


11BE80MIMO_Ant1_5775_Puncturing 20M_RU4



Date: 18.APR.2024 21:04:53




11BE80MIMO_Ant2_5775_Puncturing 20M_RU1



Date: 18.APR.2024 21:03:17


11BE80MIMO_Ant2_5775_Puncturing 20M_RU4



Date: 18.APR.2024 21:05:24




11BE160MIMO_Ant1_5250_Puncturing 40M_RU1



Date: 18.APR.2024 21:22:18


11BE160MIMO_Ant1_5250_Puncturing 20M_RU1



Date: 18.APR.2024 21:18:18




11BE160MIMO_Ant1_5250_Puncturing 40M_RU4



Date: 18.APR.2024 21:23:38


11BE160MIMO_Ant1_5250_Puncturing 20M_RU8



Date: 18.APR.2024 21:18:55




11BE160MIMO_Ant2_5250_Puncturing 20M_RU1



Date: 18.APR.2024 21:18:30


11BE160MIMO_Ant2_5250_Puncturing 40M_RU1



Date: 18.APR.2024 21:22:30




11BE160MIMO_Ant2_5250_Puncturing 40M_RU4



Date: 18.APR.2024 21:24:10


11BE160MIMO_Ant2_5250_Puncturing 20M_RU8



Date: 18.APR.2024 21:19:09




11BE160MIMO_Ant1_5570_Puncturing 20M_RU1



Date: 18.APR.2024 21:16:06


11BE160MIMO_Ant1_5570_Puncturing 40M_RU1



Date: 18.APR.2024 21:32:22




11BE160MIMO_Ant1_5570_Puncturing 40M_RU4



Date: 18.APR.2024 21:29:44


11BE160MIMO_Ant1_5570_Puncturing 20M_RU8



Date: 18.APR.2024 21:17:03




11BE160MIMO_Ant2_5570_Puncturing 20M_RU1



Date: 18.APR.2024 21:16:19


11BE160MIMO_Ant2_5570_Puncturing 40M_RU1



Date: 18.APR.2024 21:32:34




11BE160MIMO_Ant2_5570_Puncturing 40M_RU4



Date: 18.APR.2024 21:29:57


11BE160MIMO_Ant2_5570_Puncturing 20M_RU8



Date: 18.APR.2024 21:17:35




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.162	42.66	-22.68	65.34	32.20	0.04	10.42	QP
2	0.162	25.56	-29.78	55.34	15.10	0.04	10.42	Average
3 *	0.176	47.66	-17.02	64.68	37.20	0.05	10.41	QP
4	0.176	31.76	-22.92	54.68	21.30	0.05	10.41	Average
5	0.192	42.66	-21.27	63.93	32.20	0.05	10.41	QP
6	0.192	22.66	-31.27	53.93	12.20	0.05	10.41	Average
7	0.240	37.88	-24.20	62.08	27.49	0.01	10.38	QP
8	0.240	22.58	-29.50	52.08	12.19	0.01	10.38	Average
9	0.479	30.36	-26.00	56.36	20.20	-0.07	10.23	QP
10	0.479	19.46	-26.90	46.36	9.30	-0.07	10.23	Average
11	13.267	30.56	-29.44	60.00	19.60	-0.13	11.09	QP
12	13.267	24.56	-25.44	50.00	13.60	-0.13	11.09	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	Koi Ji	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1+2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	26/0	-
Mode 6	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	37+2	-
Mode 7	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 9	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 10	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT40	46	5230	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	PC 20MHz, Loc 4	-
Mode 13	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	LRU 484+242, Loc 4	-
Mode 14	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	52	5260	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	60	5300	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	64	5320	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 18	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 19	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 20	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	64	5320	MCS0	26//8	-
Mode 21	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	64	5320	MCS0	40+6	-
Mode 22	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 23	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT40	62	5310	MCS0	Full RU	-
Mode 24	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 25	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT80	58	5290	MCS0	PC 20MHz, Loc 1	-
Mode 26	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT80	58	5290	MCS0	LRU 484+242, Loc 1	-
Mode 27	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 28	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	PC 20MHz, Loc 1	-
Mode 29	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	PC 20MHz, Loc 8	-
Mode 30	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	LRU 996+484, Loc 1	-
Mode 31	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	LRU 996+484, Loc 4	-
Mode 32	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	100	5500	6Mbps	-	-
Mode 33	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	116	5580	6Mbps	-	-
Mode 34	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	140	5700	6Mbps	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	Full RU	-
Mode 36	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	52/37	-
Mode 37	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	37+2	-
Mode 38	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	116	5580	MCS0	Full RU	-
Mode 39	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	Full RU	-
Mode 40	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	52/40	-
Mode 41	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	40+6	-
Mode 42	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 43	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	110	5550	MCS0	Full RU	-
Mode 44	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 45	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 46	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	106	5530	MCS0	PC 20MHz, Loc 4	-
Mode 47	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	106	5530	MCS0	LRU 484+242, Loc 4	-
Mode 48	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	122	5610	MCS0	Full RU	-
Mode 49	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	122	5610	MCS0	PC 20MHz, Loc 1	-
Mode 50	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	122	5610	MCS0	LRU 484+242, Loc 1	-
Mode 51	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Full RU	-
Mode 52	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	PC 40MHz, Loc 1	-
Mode 53	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	PC 20MHz, Loc 8	-
Mode 54	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	LRU 996+484, Loc 1	-
Mode 55	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	LRU 996+484, Loc 4	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-2C	5.47-5.85	CDD 1+2	802.11a	144	5720	6Mbps	-	-
Mode 57	U-NII-2C	5.47-5.85	CDD 1+2	802.11be EHT20	144	5720	MCS0	Full RU	-
Mode 58	U-NII-2C	5.47-5.85	CDD 1+2	802.11be EHT40	142	5710	MCS0	Full RU	-
Mode 59	U-NII-2C	5.47-5.85	CDD 1+2	802.11be EHT80	138	5690	MCS0	Full RU	-
Mode 60	U-NII-3	5.725-5.85	CDD 1+2	802.11a	149	5745	6Mbps	-	-
Mode 61	U-NII-3	5.725-5.85	CDD 1+2	802.11a	157	5785	6Mbps	-	-
Mode 62	U-NII-3	5.725-5.85	CDD 1+2	802.11a	165	5825	6Mbps	-	-
Mode 63	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 64	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	149	5745	MCS0	52/37	-
Mode 65	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	149	5745	MCS0	53+4	-
Mode 66	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 67	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 68	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	165	5825	MCS0	26//8	-
Mode 69	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT20	165	5825	MCS0	40+6	-
Mode 70	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 71	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 72	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 73	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 4	-
Mode 74	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 1	-
Mode 75	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	LRU 484+242,Loc 4	-
Mode 76	U-NII-3	5.725-5.85	CDD 1+2	802.11be EHT80	155	5775	MCS0	LRU 484+242,Loc 1	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 77	2400-2483.5	2400-2483.5	1	NRF	39	-	2Mbps	-	-
	2400-2483.5	2400-2483.5	CDD 1+2	802.11BE EHT20	1	-	MCS0	-	-
	U-NII-2A	5.25-5.35	CDD 1+2	802.11BE EHT40	62	-	MCS0	-	-
Mode 78	2400-2483.5	2400-2483.5	1	NRF	39	-	2Mbps	-	-
	2400-2483.5	2400-2483.5	2	Bluetooth-LE_GFSK	39	-	2Mbps	-	-
	U-NII-2A	5.25-5.35	CDD 1+2	802.11BE EHT40	62	-	MCS0	-	-
	U-NII-2C	5.47-5.725	CDD 1+2	802.11BE EHT80	122	-	MCS0	-	-

Note: For 802.11n/ac/ax/be mode, the whole testing have assessed only 802.11be by referring to the higher output power for RSE testing.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	48.93	54.00	-5.07	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.20	68.20	-22.00	V	PEAK	Pass	Harmonic
2	802.11a	44	5149.92	49.98	54.00	-4.02	H	AVERAGE	Pass	Band Edge
2	802.11a	44	10440.00	47.22	68.20	-20.98	V	PEAK	Pass	Harmonic
3	802.11a	48	5350.88	42.56	54.00	-11.44	H	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	47.36	68.20	-20.84	H	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5144.32	48.94	54.00	-5.06	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	46.41	68.20	-21.79	H	PEAK	Pass	Harmonic
5	802.11be EHT20	36	5100.64	44.02	54.00	-9.98	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	36	5100.16	44.10	54.00	-9.90	H	AVERAGE	Pass	Band Edge
6	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
7	802.11be EHT20	44	5149.92	47.64	54.00	-6.36	H	AVERAGE	Pass	Band Edge
7	802.11be EHT20	44	10440.00	46.68	68.20	-21.52	V	PEAK	Pass	Harmonic
8	802.11be EHT20	48	5350.00	42.56	54.00	-11.44	H	AVERAGE	Pass	Band Edge
8	802.11be EHT20	48	10480.00	46.83	68.20	-21.37	H	PEAK	Pass	Harmonic
9	802.11be EHT40	38	5150.00	48.41	54.00	-5.59	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	38	10380.00	46.35	68.20	-21.85	H	PEAK	Pass	Harmonic
10	802.11be EHT40	46	5149.96	49.85	54.00	-4.15	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	46	10460.00	46.93	68.20	-21.27	H	PEAK	Pass	Harmonic
11	802.11be EHT80	42	5149.31	48.85	54.00	-5.15	H	AVERAGE	Pass	Band Edge
11	802.11be EHT80	42	10420.00	45.06	68.20	-23.14	H	PEAK	Pass	Harmonic
12	802.11be EHT80	42	5145.11	49.20	54.00	-4.80	V	AVERAGE	Pass	Band Edge
12	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
13	802.11be EHT80	42	5146.16	48.18	54.00	-5.82	V	AVERAGE	Pass	Band Edge
13	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
14	802.11a	52	5147.42	43.75	54.00	-10.25	H	AVERAGE	Pass	Band Edge
14	802.11a	52	10520.00	46.44	68.20	-21.76	V	PEAK	Pass	Harmonic
15	802.11a	60	5350.08	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
15	802.11a	60	10600.01	46.57	74.00	-27.43	V	PEAK	Pass	Harmonic
16	802.11a	64	5350.24	50.31	54.00	-3.69	H	AVERAGE	Pass	Band Edge
16	802.11a	64	10640.00	45.67	74.00	-28.33	H	PEAK	Pass	Harmonic
17	802.11be EHT20	52	5149.24	44.64	54.00	-9.36	H	AVERAGE	Pass	Band Edge
17	802.11be EHT20	52	10520.00	46.42	68.20	-21.78	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11be EHT20	60	5350.08	49.40	54.00	-4.60	H	AVERAGE	Pass	Band Edge
18	802.11be EHT20	60	10600.01	46.58	74.00	-27.42	V	PEAK	Pass	Harmonic
19	802.11be EHT20	64	5355.70	50.43	54.00	-3.57	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	64	10640.00	45.65	74.00	-28.35	H	PEAK	Pass	Harmonic
20	802.11be EHT20	64	5350.10	42.28	54.00	-11.72	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
21	802.11be EHT20	64	5350.24	42.87	54.00	-11.13	H	AVERAGE	Pass	Band Edge
21	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
22	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT40	54	10540.00	46.29	68.20	-21.91	V	PEAK	Pass	Harmonic
23	802.11be EHT40	62	5350.05	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	62	10620.00	46.52	74.00	-27.48	V	PEAK	Pass	Harmonic
24	802.11be EHT80	58	5352.90	49.62	54.00	-4.38	H	AVERAGE	Pass	Band Edge
24	802.11be EHT80	58	10580.00	44.08	68.20	-24.12	V	PEAK	Pass	Harmonic
25	802.11be EHT80	58	5356.30	47.08	54.00	-6.92	H	AVERAGE	Pass	Band Edge
25	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
26	802.11be EHT80	58	5356.47	47.04	54.00	-6.96	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT160	50	5129.75	49.44	54.00	-4.56	H	AVERAGE	Pass	Band Edge
27	802.11be EHT160	50	10500.00	46.14	68.20	-22.06	H	PEAK	Pass	Harmonic
28	802.11be EHT160	50	5135.25	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
28	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
29	802.11be EHT160	50	5135.00	48.87	54.00	-5.13	H	AVERAGE	Pass	Band Edge
29	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
30	802.11be EHT160	50	5132.25	69.86	74.00	-4.14	H	PEAK	Pass	Band Edge
30	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
31	802.11be EHT160	50	5132.25	50.24	54.00	-3.76	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
32	802.11a	100	5468.95	62.94	68.20	-5.26	H	PEAK	Pass	Band Edge
32	802.11a	100	7715.00	45.83	54.00	-8.17	H	Average	Pass	Harmonic
33	802.11a	116	5459.94	44.01	54.00	-9.99	H	AVERAGE	Pass	Band Edge
33	802.11a	116	7814.00	54.35	68.20	-13.85	V	Peak	Pass	Harmonic
34	802.11a	140	5725.81	63.87	68.20	-4.33	H	PEAK	Pass	Band Edge
34	802.11a	140	7980.00	47.41	68.20	-20.79	V	PEAK	Pass	Harmonic
35	802.11be EHT20	100	5459.95	50.13	54.00	-3.87	H	AVERAGE	Pass	Band Edge
35	802.11be EHT20	100	7700.00	45.69	54.00	-8.31	H	AVERAGE	Pass	Harmonic
36	802.11be EHT20	100	5459.95	43.00	54.00	-11.00	H	AVERAGE	Pass	Band Edge
36	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
37	802.11be EHT20	100	5459.65	43.23	54.00	-10.77	H	AVERAGE	Pass	Band Edge
37	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT20	116	5459.48	43.16	54.00	-10.84	H	AVERAGE	Pass	Band Edge
38	802.11be EHT20	116	7812.00	55.87	68.20	-12.33	H	PEAK	Pass	Harmonic
39	802.11be EHT20	140	5725.42	64.18	68.20	-4.02	H	PEAK	Pass	Band Edge
39	802.11be EHT20	140	7980.00	48.68	68.20	-19.52	H	PEAK	Pass	Harmonic
40	802.11be EHT20	140	5733.87	57.01	68.20	-11.19	H	PEAK	Pass	Band Edge
40	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT20	140	5731.07	56.33	68.20	-11.87	H	PEAK	Pass	Band Edge
41	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT40	102	5469.68	62.94	68.20	-5.26	H	PEAK	Pass	Band Edge
42	802.11be EHT40	102	7714.00	39.80	54.00	-14.20	H	AVERAGE	Pass	Harmonic
43	802.11be EHT40	110	5464.40	64.61	68.20	-3.59	H	PEAK	Pass	Band Edge
43	802.11be EHT40	110	7770.00	50.29	68.20	-17.91	H	PEAK	Pass	Harmonic
44	802.11be EHT40	134	5741.16	64.83	68.20	-3.37	H	Peak	Pass	Band Edge
44	802.11be EHT40	134	7938.00	48.08	68.20	-20.12	H	PEAK	Pass	Harmonic
45	802.11be EHT80	106	5459.26	50.45	54.00	-3.55	H	AVERAGE	Pass	Band Edge
45	802.11be EHT80	106	7742.00	46.07	54.00	-7.93	V	AVERAGE	Pass	Harmonic
46	802.11be EHT80	106	5467.36	64.21	68.20	-3.99	V	PEAK	Pass	Band Edge
46	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT80	106	5469.16	63.01	68.20	-5.19	H	PEAK	Pass	Band Edge
47	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT80	122	5725.52	64.31	68.20	-3.89	H	PEAK	Pass	Band Edge
48	802.11be EHT80	122	7854.00	46.80	68.20	-21.40	H	PEAK	Pass	Harmonic
49	802.11be EHT80	122	5728.58	64.99	68.20	-3.21	H	PEAK	Pass	Band Edge
49	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT80	122	5737.04	64.79	68.20	-3.41	H	PEAK	Pass	Band Edge
50	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT160	114	5460.00	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
51	802.11be EHT160	114	7798.00	45.49	68.20	-22.71	H	PEAK	Pass	Harmonic
52	802.11be EHT160	114	5460.44	64.46	68.20	-3.74	H	PEAK	Pass	Band Edge
52	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT160	114	5728.34	61.47	68.20	-6.73	H	PEAK	Pass	Band Edge
53	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT160	114	5751.35	63.57	68.20	-4.63	H	PEAK	Pass	Band Edge
54	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT160	114	5467.70	62.27	68.20	-5.93	H	PEAK	Pass	Band Edge
55	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
56	802.11a	144	-	-	-	-	-	-	-	Band Edge
56	802.11a	144	8008.00	46.65	68.20	-21.55	V	PEAK	Pass	Harmonic
57	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT20	144	8008.00	46.58	68.20	-21.62	V	PEAK	Pass	Harmonic
58	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
58	802.11be EHT40	142	7994.00	45.75	68.20	-22.45	H	PEAK	Pass	Harmonic
59	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT80	138	7966.00	45.23	68.20	-22.97	H	PEAK	Pass	Harmonic
60	802.11a	149	5628.71	55.27	68.20	-12.93	H	PEAK	Pass	Band Edge
60	802.11a	149	11490.00	47.25	74.00	-26.75	H	PEAK	Pass	Harmonic
61	802.11a	157	-	-	-	-	-	-	-	Band Edge
61	802.11a	157	11570.00	46.75	74.00	-27.25	V	PEAK	Pass	Harmonic
62	802.11a	165	5925.38	56.72	68.20	-11.48	H	PEAK	Pass	Band Edge
62	802.11a	165	11650.00	47.67	74.00	-26.33	H	PEAK	Pass	Harmonic
63	802.11be EHT20	149	5633.93	54.94	68.20	-13.26	V	PEAK	Pass	Band Edge
63	802.11be EHT20	149	11490.00	47.09	74.00	-26.91	H	PEAK	Pass	Harmonic
64	802.11be EHT20	149	5644.66	55.78	68.20	-12.42	H	PEAK	Pass	Band Edge
64	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	149	5645.97	55.68	68.20	-12.52	V	PEAK	Pass	Band Edge
65	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	157	11570.00	46.06	74.00	-27.94	H	PEAK	Pass	Harmonic
67	802.11be EHT20	165	5936.00	55.31	68.20	-12.89	V	PEAK	Pass	Band Edge
67	802.11be EHT20	165	11650.00	46.93	74.00	-27.07	H	PEAK	Pass	Harmonic
68	802.11be EHT20	165	5926.38	55.92	68.20	-12.28	H	PEAK	Pass	Band Edge
68	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	165	5932.00	56.67	68.20	-11.53	H	PEAK	Pass	Band Edge
69	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT40	151	5640.77	59.98	68.20	-8.22	H	PEAK	Pass	Band Edge
70	802.11be EHT40	151	11510.00	45.33	74.00	-28.67	V	PEAK	Pass	Harmonic
71	802.11be EHT40	159	5929.23	61.97	68.20	-6.23	H	PEAK	Pass	Band Edge
71	802.11be EHT40	159	11590.00	46.14	74.00	-27.86	H	PEAK	Pass	Harmonic
72	802.11be EHT80	155	5643.23	63.69	68.20	-4.51	H	PEAK	Pass	Band Edge
72	802.11be EHT80	155	11550.00	44.20	74.00	-29.80	H	PEAK	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
73	802.11be EHT80	155	5646.38	62.73	68.20	-5.47	H	PEAK	Pass	Band Edge
73	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	155	5944.93	64.13	68.20	-4.07	H	PEAK	Pass	Band Edge
74	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	155	5658.45	69.24	74.49	-5.25	H	PEAK	Pass	Band Edge
75	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT80	155	5931.98	64.25	68.20	-3.95	H	PEAK	Pass	Band Edge
76	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
77	NRF	39	2483.50	49.59	54.00	-4.41	H	AVERAGE	Pass	Band Edge
	NRF	39	-	-	-	-	-	-	-	Harmonic
	802.11BE EHT20	1	2389.95	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
	802.11BE EHT40	62	5354.85	49.95	54.00	-4.05	H	AVERAGE	Pass	Band Edge
	802.11BE EHT40	62	-	-	-	-	-	-	-	Harmonic
78	NRF	39	2483.50	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
	NRF	39	-	-	-	-	-	-	-	Harmonic
	Bluetooth-LE_GSFK	39	2483.50	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	-	-	-	-	-	-	-	Harmonic
	802.11BE EHT40	62	5350.05	49.03	54.00	-4.97	H	AVERAGE	Pass	Band Edge
	802.11BE EHT40	62	-	-	-	-	-	-	-	Harmonic
	802.11BE EHT80	122	5726.70	63.52	68.20	-4.68	H	PEAK	Pass	Band Edge
	802.11BE EHT80	122	-	-	-	-	-	-	-	Harmonic





		1																																																					
Mode		Band Edge																																																					
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																					
ANT		CDD 1+2																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.24</td><td>60.65</td><td>74.00</td><td>-13.35</td><td>48.04</td><td>34.72</td><td>9.78</td><td>31.89</td><td>0.00</td><td>261</td><td>58 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.24	60.65	74.00	-13.35	48.04	34.72	9.78	31.89	0.00	261
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5146.24	60.65	74.00	-13.35	48.04	34.72	9.78	31.89	0.00	261	58 PEAK																																												
Fundamental																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.85</td><td>-----</td><td>-----</td><td>99.34</td><td>34.57</td><td>9.81</td><td>31.87</td><td>0.00</td><td>261</td><td>58 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	111.85	-----	-----	99.34	34.57	9.81	31.87	0.00	261
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	111.85	-----	-----	99.34	34.57	9.81	31.87	0.00	261	58 PEAK																																												
Avg																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>48.93</td><td>54.00</td><td>-5.07</td><td>36.33</td><td>34.70</td><td>9.79</td><td>31.89</td><td>0.00</td><td>261</td><td>58 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	48.93	54.00	-5.07	36.33	34.70	9.79	31.89	0.00	261
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5149.92	48.93	54.00	-5.07	36.33	34.70	9.79	31.89	0.00	261	58 AVERAGE																																												
Avg																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.10</td><td>-----</td><td>-----</td><td>91.57</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>261</td><td>58 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.10	-----	-----	91.57	34.60	9.81	31.88	0.00	261
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	104.10	-----	-----	91.57	34.60	9.81	31.88	0.00	261	58 AVERAGE																																												







Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.84</td><td>58.80</td><td>74.00</td><td>-15.20</td><td>46.20</td><td>34.71</td><td>9.78</td><td>31.89</td><td>0.00</td><td>114</td><td>11 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	58.80	74.00	-15.20	46.20	34.71	9.78	31.89	0.00	114	11 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.74</td><td>-----</td><td>-----</td><td>96.20</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>114</td><td>11 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.74	-----	-----	96.20	34.62	9.80	31.88	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5147.84	58.80	74.00	-15.20	46.20	34.71	9.78	31.89	0.00	114	11 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	100.74	-----	-----	96.20	34.62	9.80	31.88	0.00	114	11 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.32</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>34.16</td><td>34.71</td><td>9.79</td><td>31.89</td><td>0.00</td><td>114</td><td>11 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	46.77	54.00	-7.23	34.16	34.71	9.79	31.89	0.00	114	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.92</td><td>-----</td><td>-----</td><td>88.39</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>114</td><td>11 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.92	-----	-----	88.39	34.60	9.81	31.88	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.32	46.77	54.00	-7.23	34.16	34.71	9.79	31.89	0.00	114	11 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	100.92	-----	-----	88.39	34.60	9.81	31.88	0.00	114	11 AVERAGE																																																																																									



		1																																																										
Mode		Harmonic																																																										
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																										
ANT		CDD 1+2																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>55.57</td><td>37.55</td><td>14.12</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.96	68.20	-22.24	55.57	37.55	14.12	61.28	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	45.96	68.20	-22.24	55.57	37.55	14.12	61.28	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.20</td><td>68.20</td><td>-22.00</td><td>55.78</td><td>37.57</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.20	68.20	-22.00	55.78	37.57	14.13	61.28	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	46.20	68.20	-22.00	55.78	37.57	14.13	61.28	0.00	---	---	PEAK																																																







		2																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal										Fundamental																																																																																							
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.64</td><td>62.12</td><td>74.00</td><td>-11.88</td><td>49.51</td><td>34.71</td><td>9.79</td><td>31.89</td><td>0.00</td><td>285 61 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	62.12	74.00	-11.88	49.51	34.71	9.79	31.89	0.00	285 61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>116.96</td><td>-----</td><td>-----</td><td>104.42</td><td>34.55</td><td>9.84</td><td>31.85</td><td>0.00</td><td>285 61 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	116.96	-----	-----	104.42	34.55	9.84	31.85	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.64	62.12	74.00	-11.88	49.51	34.71	9.79	31.89	0.00	285 61 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	116.96	-----	-----	104.42	34.55	9.84	31.85	0.00	285 61 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>37.38</td><td>34.70</td><td>9.79</td><td>31.89</td><td>0.00</td><td>285 61 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	49.98	54.00	-4.02	37.38	34.70	9.79	31.89	0.00	285 61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>108.14</td><td>-----</td><td>-----</td><td>95.60</td><td>34.55</td><td>9.84</td><td>31.85</td><td>0.00</td><td>285 61 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	108.14	-----	-----	95.60	34.55	9.84	31.85	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	49.98	54.00	-4.02	37.38	34.70	9.79	31.89	0.00	285 61 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	108.14	-----	-----	95.60	34.55	9.84	31.85	0.00	285 61 AVERAGE																																																																																								





Mode	2																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.28</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>40.55</td><td>34.50</td><td>9.93</td><td>31.77</td><td>0.00</td><td>285</td><td>61 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.28	53.21	74.00	-20.79	40.55	34.50	9.93	31.77	0.00	285	61 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.28	53.21	74.00	-20.79	40.55	34.50	9.93	31.77	0.00	285	61 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.12</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>29.99</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>285</td><td>61 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.12	42.62	54.00	-11.38	29.99	34.50	9.91	31.78	0.00	285	61 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.12	42.62	54.00	-11.38	29.99	34.50	9.91	31.78	0.00	285	61 AVERAGE																																													



	2																																																																																																										
Mode	Band Edge - L																																																																																																										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																										
ANT	CDD 1+2																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5148.48</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>47.64</td><td>34.71</td><td>9.79</td><td>31.89</td><td>0.00</td><td>240</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5148.48	60.25	74.00	-13.75	47.64	34.71	9.79	31.89	0.00	240	273 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>110.98</td><td>-----</td><td>-----</td><td>98.44</td><td>34.55</td><td>9.84</td><td>31.85</td><td>0.00</td><td>240</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5220.00	110.98	-----	-----	98.44	34.55	9.84	31.85	0.00	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5148.48	60.25	74.00	-13.75	47.64	34.71	9.79	31.89	0.00	240	273 PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5220.00	110.98	-----	-----	98.44	34.55	9.84	31.85	0.00	240	273 PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>33.90</td><td>34.70</td><td>9.79</td><td>31.89</td><td>0.00</td><td>240</td><td>273 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.92	46.50	54.00	-7.50	33.90	34.70	9.79	31.89	0.00	240	273 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>103.38</td><td>-----</td><td>-----</td><td>98.84</td><td>34.55</td><td>9.84</td><td>31.85</td><td>0.00</td><td>240</td><td>273 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5220.00	103.38	-----	-----	98.84	34.55	9.84	31.85	0.00	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5149.92	46.50	54.00	-7.50	33.90	34.70	9.79	31.89	0.00	240	273 AVERAGE																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5220.00	103.38	-----	-----	98.84	34.55	9.84	31.85	0.00	240	273 AVERAGE																																																																																																







Mode	2																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																			
ANT	CDD 1+2																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.44</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>40.76</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>240</td><td>273</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5356.44	53.39	74.00	-20.61	40.76	34.50
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5356.44	53.39	74.00	-20.61	40.76	34.50	9.91	31.78	0.00	240	273	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>29.40</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>240</td><td>273</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.20	42.03	54.00	-11.97	29.40	34.50
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5353.20	42.03	54.00	-11.97	29.40	34.50	9.91	31.78	0.00	240	273	AVERAGE																																								







		2																																																										
Mode		Harmonic																																																										
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																										
ANT		CDD 1+2																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10448.00</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>55.97</td><td>37.69</td><td>14.19</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	46.58	68.20	-21.62	55.97	37.69	14.19	61.27	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10448.00	46.58	68.20	-21.62	55.97	37.69	14.19	61.27	0.00	---	---	PEAK																																																
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10448.00</td><td>47.22</td><td>68.20</td><td>-20.98</td><td>56.63</td><td>37.68</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	47.22	68.20	-20.98	56.63	37.68	14.18	61.27	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10448.00	47.22	68.20	-20.98	56.63	37.68	14.18	61.27	0.00	---	---	PEAK																																																



Mode	3																																																																																																							
	Band Edge																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																							
ANT	CDD 1+2																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.42</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>41.80</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>285</td><td>58</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.42	54.43	74.00	-19.57	41.80	34.50	9.91	31.78	0.00	285	58	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>115.72</td><td>-----</td><td>-----</td><td>103.14</td><td>34.57</td><td>9.85</td><td>31.84</td><td>0.00</td><td>285</td><td>58</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	115.72	-----	-----	103.14	34.57	9.85	31.84	0.00	285	58
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5352.42	54.43	74.00	-19.57	41.80	34.50	9.91	31.78	0.00	285	58	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5240.00	115.72	-----	-----	103.14	34.57	9.85	31.84	0.00	285	58	PEAK																																																																																												
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.88</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>29.93</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>285</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.88	42.56	54.00	-11.44	29.93	34.50	9.91	31.78	0.00	285	58	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>107.57</td><td>-----</td><td>-----</td><td>94.99</td><td>34.57</td><td>9.85</td><td>31.84</td><td>0.00</td><td>285</td><td>58</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	107.57	-----	-----	94.99	34.57	9.85	31.84	0.00	285	58
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5350.88	42.56	54.00	-11.44	29.93	34.50	9.91	31.78	0.00	285	58	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5240.00	107.57	-----	-----	94.99	34.57	9.85	31.84	0.00	285	58	AVERAGE																																																																																												







		3																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5382.78</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>40.94</td><td>34.50</td><td>9.93</td><td>31.77</td><td>0.00</td><td>354</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5382.78	53.60	74.00	-20.40	40.94	34.50	9.93	31.77	0.00	354	273 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5240.00</td><td>111.56</td><td>-----</td><td>-----</td><td>98.97</td><td>34.58</td><td>9.85</td><td>31.84</td><td>0.00</td><td>354</td><td>273 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5240.00	111.56	-----	-----	98.97	34.58	9.85	31.84	0.00	354
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5382.78	53.60	74.00	-20.40	40.94	34.50	9.93	31.77	0.00	354	273 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5240.00	111.56	-----	-----	98.97	34.58	9.85	31.84	0.00	354	273 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.94</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>29.20</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>354</td><td>273 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5454.94	42.00	54.00	-12.00	29.20	34.51	10.02	31.73	0.00	354	273 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5240.00</td><td>103.42</td><td>-----</td><td>-----</td><td>90.83</td><td>34.58</td><td>9.85</td><td>31.84</td><td>0.00</td><td>354</td><td>273 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5240.00	103.42	-----	-----	90.83	34.58	9.85	31.84	0.00	354
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5454.94	42.00	54.00	-12.00	29.20	34.51	10.02	31.73	0.00	354	273 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5240.00	103.42	-----	-----	90.83	34.58	9.85	31.84	0.00	354	273 AVERAGE																																																																																								







Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>56.67</td><td>37.75</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	47.36	68.20	-20.84	56.67	37.75	14.21	61.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>46.73</td><td>68.20</td><td>-21.47</td><td>56.03</td><td>37.76</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	46.73	68.20	-21.47	56.03	37.76	14.21	61.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10480.00	47.36	68.20	-20.84	56.67	37.75	14.21	61.27	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10480.00	46.73	68.20	-21.47	56.03	37.76	14.21	61.27	0.00	---	---	PEAK																																																																																														




		4																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.44</td><td>61.22</td><td>74.00</td><td>-12.78</td><td>48.60</td><td>34.73</td><td>9.78</td><td>31.89</td><td>0.00</td><td>323</td><td>68 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.44	61.22	74.00	-12.78	48.60	34.73	9.78	31.89	0.00	323	68 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.02</td><td>-----</td><td>-----</td><td>101.49</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>323</td><td>68 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.02	-----	-----	101.49	34.60	9.81	31.88	0.00	323
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5141.44	61.22	74.00	-12.78	48.60	34.73	9.78	31.89	0.00	323	68 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5180.00	114.02	-----	-----	101.49	34.60	9.81	31.88	0.00	323	68 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.32</td><td>48.94</td><td>54.00</td><td>-5.06</td><td>36.33</td><td>34.72</td><td>9.78</td><td>31.89</td><td>0.00</td><td>323</td><td>68 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.32	48.94	54.00	-5.06	36.33	34.72	9.78	31.89	0.00	323	68 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.91</td><td>-----</td><td>-----</td><td>92.38</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>323</td><td>68 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.91	-----	-----	92.38	34.60	9.81	31.88	0.00	323
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5144.32	48.94	54.00	-5.06	36.33	34.72	9.78	31.89	0.00	323	68 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5180.00	104.91	-----	-----	92.38	34.60	9.81	31.88	0.00	323	68 AVERAGE																																																																																																						







		4																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>46.00</td><td>34.71</td><td>9.78</td><td>31.89</td><td>0.00</td><td>107</td><td>12 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	58.60	74.00	-15.40	46.00	34.71	9.78	31.89	0.00	107	12 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.54</td><td>-----</td><td>-----</td><td>97.81</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>107</td><td>12 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.54	-----	-----	97.81	34.60	9.81	31.88	0.00	107
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.00	58.60	74.00	-15.40	46.00	34.71	9.78	31.89	0.00	107	12 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	109.54	-----	-----	97.81	34.60	9.81	31.88	0.00	107	12 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>35.36</td><td>34.70</td><td>9.79</td><td>31.89</td><td>0.00</td><td>107</td><td>12 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	47.96	54.00	-6.04	35.36	34.70	9.79	31.89	0.00	107	12 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.48</td><td>-----</td><td>-----</td><td>88.95</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>107</td><td>12 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.48	-----	-----	88.95	34.60	9.81	31.88	0.00	107
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.92	47.96	54.00	-6.04	35.36	34.70	9.79	31.89	0.00	107	12 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	101.48	-----	-----	88.95	34.60	9.81	31.88	0.00	107	12 AVERAGE																																																																																									







		4																																																																																																																			
Mode		Harmonic																																																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																			
ANT		CDD 1+2																																																																																																																			
Pol.		Horizontal												Vertical																																																																																																							
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>56.00</td><td>37.56</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.41	68.20	-21.79	56.00	37.56	14.13	61.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>55.48</td><td>37.56</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.89	68.20	-22.31	55.48	37.56	14.13	61.28	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	10360.00	46.41	68.20	-21.79	56.00	37.56	14.13	61.28	0.00	---	---	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	10360.00	45.89	68.20	-22.31	55.48	37.56	14.13	61.28	0.00	---	---	PEAK																																																																																																									







		5																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_26/0_5180MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.28</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>43.71</td><td>34.75</td><td>9.78</td><td>31.90</td><td>0.00</td><td>334 267 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.28	56.34	74.00	-17.66	43.71	34.75	9.78	31.90	0.00	334 267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.75</td><td>-----</td><td>-----</td><td>91.21</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>334 267 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.75	-----	-----	91.21	34.62	9.80	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5137.28	56.34	74.00	-17.66	43.71	34.75	9.78	31.90	0.00	334 267 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	103.75	-----	-----	91.21	34.62	9.80	31.88	0.00	334 267 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.64</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>31.30</td><td>34.90</td><td>9.74</td><td>31.92</td><td>0.00</td><td>334 267 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.64	44.02	54.00	-9.98	31.30	34.90	9.74	31.92	0.00	334 267 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.97</td><td>-----</td><td>-----</td><td>84.43</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>334 267 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.97	-----	-----	84.43	34.62	9.80	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5100.64	44.02	54.00	-9.98	31.30	34.90	9.74	31.92	0.00	334 267 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	96.97	-----	-----	84.43	34.62	9.80	31.88	0.00	334 267 AVERAGE																																																																																								



Mode	5																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_26/0_5180MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5118.56</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>42.75</td><td>34.83</td><td>9.76</td><td>31.91</td><td>0.00</td><td>119</td><td>200 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.56	55.43	74.00	-18.57	42.75	34.83	9.76	31.91	0.00	119	200 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.36</td><td>-----</td><td>-----</td><td>91.82</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>119</td><td>200 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.36	-----	-----	91.82	34.62	9.80	31.88	0.00	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5118.56	55.43	74.00	-18.57	42.75	34.83	9.76	31.91	0.00	119	200 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	104.36	-----	-----	91.82	34.62	9.80	31.88	0.00	119	200 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.08</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.28</td><td>34.89</td><td>9.74</td><td>31.92</td><td>0.00</td><td>119</td><td>200 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.08	43.99	54.00	-10.01	31.28	34.89	9.74	31.92	0.00	119	200 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.20</td><td>-----</td><td>-----</td><td>83.66</td><td>34.62</td><td>9.80</td><td>31.88</td><td>0.00</td><td>119</td><td>200 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.20	-----	-----	83.66	34.62	9.80	31.88	0.00	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5102.08	43.99	54.00	-10.01	31.28	34.89	9.74	31.92	0.00	119	200 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	96.20	-----	-----	83.66	34.62	9.80	31.88	0.00	119	200 AVERAGE																																																																																										



Mode	6																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_37+2_5180MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5141.44</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>42.85</td><td>34.73</td><td>9.78</td><td>31.89</td><td>0.00</td><td>336</td><td>251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5141.44	55.47	74.00	-18.53	42.85	34.73	9.78	31.89	0.00	336	251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>100.39</td><td>-----</td><td>-----</td><td>95.86</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>336</td><td>251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	100.39	-----	-----	95.86	34.60	9.81	31.88	0.00	336
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5141.44	55.47	74.00	-18.53	42.85	34.73	9.78	31.89	0.00	336	251 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.00	100.39	-----	-----	95.86	34.60	9.81	31.88	0.00	336	251 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5100.16</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>31.38</td><td>34.90</td><td>9.74</td><td>31.92</td><td>0.00</td><td>336</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5100.16	44.10	54.00	-9.90	31.38	34.90	9.74	31.92	0.00	336	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>100.93</td><td>-----</td><td>-----</td><td>88.40</td><td>34.60</td><td>9.81</td><td>31.88</td><td>0.00</td><td>336</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	100.93	-----	-----	88.40	34.60	9.81	31.88	0.00	336
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5100.16	44.10	54.00	-9.90	31.38	34.90	9.74	31.92	0.00	336	251 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5180.00	100.93	-----	-----	88.40	34.60	9.81	31.88	0.00	336	251 AVERAGE																																																																																							